

Specimen 2018

AQA

Time allowed: 1 hour 45 minutes

Materials

For this paper you must have:

- a ruler
- a calculator.

Instructions

- Answer **all** questions in the spaces provided.
- Do all rough work in this book. Cross through any work you do not want to be marked.

Information

- There are 100 marks available on this paper.
- The marks for questions are shown in brackets.
- You are expected to use a calculator where appropriate.
- You are reminded of the need for good English and clear presentation in your answers.
- When answering questions 09.5, 10.3, 11.4 and 12.3 you need to make sure that your answer:
 - is clear, logical, sensibly structured
 - fully meets the requirements of the question
 - shows that each separate point or step supports the overall answer.

Advice

In all calculations, show clearly how you work out your answer.

lease write clearly, in block capitals.	
entre number	
urname	
orename(s)	
andidate signature	


0 1	Figure 1 shows a human body cell.	
	Figure 1	
01.1	Which part in Figure 1 contains chromosomes? [1 Tick one box. A B C	mark]
0 1 . 2	Humans have pairs of chromosomes in their body cells. Draw one line from each type of cell to the number of chromosomes it contains [2]	s. marks]
	Type of cell Number of chromosomes	
	Human body cell 23	
	Sperm cell 60	

Humans have two different sex chromosomes, X and Y.

Figure 2 shows the inheritance of sex in humans.

Figure 2

	Mother		
		x	х
Father	x	xx	xx
	Y	XY	XY




100%

0 2	Figure 3 shows a food chain in a garden.	
	Figure 3	
	Lettuce ————— Snail ————— Shrew	
02.1	Name one consumer shown in Figure 3 .	[1 mark]
02.2	Name one carnivore shown in Figure 3 .	[1 mark]
02.3	A disease kills most of the shrews in the garden. Suggest why the number of snails in the garden may then increase.	[1 mark]

02.4	What is the name of Tick one box.	given to all the snails in the garden shown in Figure 3 ?	[1 mark]
	Community		
	Ecosystem		
	Population		
	Territory		

0 2 . 5 Which pyramid of biomass is correct for the food chain shown in Figure 3? [1 mark] Tick one box.



0 2 . **6** Some snails ate some lettuces.

The lettuces contained 11 000 kJ of energy.

Only 10% of this energy was transferred to the snails.

Calculate the energy transferred to the snails from the lettuces.

[1 mark]

kJ Energy =


Question 2 continues on the next page

02.7	Give one reason why only 10% of the energy in the snails. Tick one box.	the lettuces is transferred to	[1 mark]
	The lettuces carry out photosynthesis The snails do not eat the roots of the lettuces		
	Not all parts of a snail can be eaten		
02.8	Abiotic factors can affect the food chain.		
	Wind direction is one abiotic factor.		
	Name one other abiotic factor.		[1 mark]

SPECIMEN MATERIAL

0 3 A student was asked to estimate how many clover plants there are in the school field.**Figure 4** shows the equipment used.

Figure 4



This is the method used.

- 1. Throw a quadrat over your shoulder.
- 2. Count the number of clover plants inside the quadrat.
- 3. Repeat step 1 and step 2 four more times.
- 4. Estimate the number of clover plants in the whole field.

0 3 . **1** What is the tape in **Figure 4** used for in this investigation?

0 3 . 2 The teacher told the student that throwing the quadrat over his shoulder was **not** random.

9

The method could be improved to make sure the quadrats were placed randomly.

Suggest one change the student could make to ensure the quadrats were placed randomly.

[1 mark]

03.3	How could the student improve the investigation so that a valid estimate can be made?	1
	Tick two boxes.	[2 marks]

Weigh the clover plants	
Compare their results with another student's results	
Count the leaves of the clover plants	
Place more quadrats	
Place the quadrats in a line across the field	

Question 3 continues on the next page

1	2	— ті

 Table 1 shows the student's results.

Table 1

Quadrat number	Number of clover plants counted
1	11
2	8
3	11
4	9
5	1
Total	40

0 3 . 4 The area of the school field was 500 m².

The quadrat used in $\mbox{Table 1}$ had an area of 0.25 $\mbox{m}^2.$

Calculate the estimated number of clover plants in the school field.

[3 marks]

Estimated number of clover plants =


03.5	What was the mode for the results in Table 1 ?	[1 mork]
	Tick one box.	[1 mark]
	1	
	8	
	11	
	40	
03.6	Suggest which quadrat could have been placed under the shade of a large t	ree.
	Give one reason for your answer.	[4
		[1 mark]
	Quadrat number	
	Reason	

Figure 5

Δ	Λ	
U	4	

Humans control their internal environment in many ways.

Look at Figure 5.



[1 mark]

04. Crgan A stores glucose.


People with Type 1 diabetes cannot effectively control the levels of glucose in their blood.

Name the hormone people with Type 1 diabetes have to inject to decrease their blood glucose level.

04.3	Which organ produces urine?	[1 mark]
	Tick one box.	
	Brain	
	Lungs	
	Kidney	
	Thyroid	
04.4	Marathon runners often drink sports drinks during a race. Explain why.	
		[2 marks]

0 5

Figure 6 shows the area of forest lost in Madagascar from 2009 to 2012.



0 5 . 1 The area of forest lost each year in Madagascar increased between 2009 and 2012. Determine the total area of forest lost from the start of 2009 to the end of 2012. [1 mark]

Total area of forest lost = thousand hectares

15

0 5 . 2 What are the possible reasons for the change in the area of forest lost per year between 2009 and 2012?

Tick two boxes.	[2 marks]
The local people stop growing rice	
Fewer new houses are needed for the population	
The local people decided to farm cattle	
More trees have been planted	
A company starts growing plants for biofuels	

0 5 . 3 More forest was lost in 2012 than in 2009.

Use words from the box to complete the sentences.

[2 marks]

carbon dioxide	excretion	nitrogen
oxygen	photosynthesis	respiration

The increase in the area of forest lost has caused an increase

in the gas ______.

The increase of this gas has been caused because less of the gas is being

absorbed by plants for the process of

Question 5 continues on the next page

0 5 . 4	Deforestation can have negative effects on our ecosystems.	
	What are the negative effects of deforestation?	[2 marks]
	Tick two boxes.	
	Animals and birds migrate because there is less food	
	More habitats are destroyed	
	There is less acid rain	
	There is more biodiversity	
	The global temperature decreases	

0 5 . 5 Scientists try to reduce the negative effects of human activity on our ecosystems.

One way is to protect rare habitats.

Give **one other** way of reducing the negative effects of human activity on our ecosystems.

06 Hormones called auxins control plant growth.

A student investigated plant growth responses in roots.

This is the method used.

- 1. Grow three bean seeds until their roots are 1 cm long.
- Attach the three bean seeds to moist cotton wool in a Petri dish.
 Each bean seed root should point in a different direction.
- 3. Fix the Petri dish vertically for 2 days in the dark.

Figure 7 shows the results.




Figure 7

06.1	Describe the direction of growth of the bean roots after 2 days.	
	Give one reason for this growth response.	[2 marks]
	Direction of root growth	
	Reason	
0 6 . 2	The student then noticed the shoots growing from the seeds.	
	He then:	
	1. put a light above the Petri dish but did not move the seeds	
	2. allowed the seeds to grow for 2 more days.	
	Predict the direction of growth of the bean shoots after 2 days.	
	Give one reason for your prediction.	[2 marks]
	Direction of growth	
	Reason	


Question 6 continues on the next page


Ethene is a plant hormone.

Ethene causes fruit to ripen.


Scientists measured the concentration of ethene found in fruit at different stages of ripeness.

Figure 8 shows the results.





Tick one box.




06.4	Suggest how the scientists can find out if the result for Stage 1 was an anomaly. [1 mark]
0 6 . 5	Gibberellins are a different type of plant hormone.
	Farmers growing cotton plants in cold climates sometimes soak their seeds in a solution of gibberellins before planting the seeds.
	Suggest an advantage of soaking seeds in a gibberellin solution in cold climates. [1 mark]

0 7 Two students investigated reflex action times.

This is the method used.

- 1. Student **A** sits with his elbow resting on the edge of a table.
- 2. Student **B** holds a ruler with the bottom of the ruler level with the thumb of Student A.
- 3. Student **B** drops the ruler.
- 4. Student **A** catches the ruler and records the distance.
- 5. Steps 1 to 4 are then repeated.

The same method was also used with Student A dropping the ruler and Student **B** catching the ruler.




0 7 . 1 Give two variables the students controlled in their investigation.

[2 marks]

1 2

Figure 9 shows one of the results for the Student A.



0 7 . 2 What is the reading shown in **Figure 9**?

[1 mark]

Reading on ruler = cm

Question 7 continues on the next page

Table 2 shows the students' results.

Test number	Distance ruler dropped in cm	
	Student A	Student B
1	9	12
2	2	13
3	6	13
4	7	9
5	7	8
Mean	7	Х

Table 2


0 7 . 3 Circle the anomalous result in **Table 2** for Student **A**.

[1 mark]

[1 mark]

0 7 . **4** What is the **median** result for Student **B**?

Tick one box.



SPECIMEN MATERIAL

[1 mark]

Mean distance ruler dropped = cm

0 7 . 6 Figure 10 shows the scale used to convert distance of the ruler drop to reaction time.

Figure 10

	22-
-0.20	s-21-
	20-
-0.20	s—19-
	18-
-0.19	s—17-
	16-
-0.18	s—15-
-0.17	s—14-
	13-
-0.16	s—12-
-0.15	s—11-
	10-
-0.14	s—9-
-0.13	s—8-
-0.12	s—7-
-0.11	s—6-
-0.10	s—5-
-0.09	s—4-
-0.08	s-3-
-0.06	
-0.05	s—1-
1	0-

Calculate how much faster the reaction time of Student ${f A}$ was compared to Student ${f B}$.

Use Figure 10 and Table 2.

[2 marks]

Answer = _____s

Question 7 continues on the next page

26

07. 7 What improvement could the students make to the method so the results are more valid?

Tick one box.	[1 mark]
Use alternate hands when catching the ruler	
Carry out more repeats	
Use a longer ruler for catching	
Use more than two students to collect results	

07. 8 Student **A** carried out a second investigation to see the effect of caffeine on the reflex action.

Table 3 shows his results.

Test	Distance ruler dropped in cm		
number	Without caffeine	With caffeine	
1	9	5	
2	6	5	
3	9	4	
4	6	7	
5	10	4	
Mean	8	5	


Table 3

Give **one** conclusion about the effect of caffeine on reflex actions.

0 8	Our understanding of genetics and inheritance has improved due to the work of
	many scientists.

0 8 . **1** Draw **one** line from each scientist to the description of their significant work.

[3 marks]




0 8 . 2 In the mid-20th century the structure of DNA was discovered.

What is a section of DNA which codes for one specific protein called?

Figure 11 shows one strand of DNA.

The strand has a sequence of bases (A, C, G and T).

Figure 11



 0
 8
 .
 3
 How many amino acids does the strand of DNA in Figure 11 code for?

 Tick one box.
 1
 2
 2

Question 8 continues on the next page

3

4

6

[3 marks]

Mutations of DNA cause some inherited disorders.

One inherited disorder is cystic fibrosis (CF).

A recessive allele causes CF.

0 8 . 4

Complete the genetic diagram in Figure 12.


- Identify any children with CF.
- Give the probability of any children having CF.

Each parent does not have CF.

The following symbols have been used:

- **D** = dominant allele for **not** having CF
- d = recessive allele for having CF





Probability of a child with CF =

08.5	What is the genotype of the mother shown in Figure 12 ?		[1 mork]
	Tick one box.		[1 mark]
	Heterozygous		
	Homozygous dominant		
	Homozygous recessive		


[2 marks]

0 9 Glands in the body produce hormones.

0 9 . 1 Use words from the box to label gland **A** and gland **B** on **Figure 13**.

Adrenal Pancreas Pituitary	Testis	Thyroid
----------------------------	--------	---------





•	•	1	0
U	9	•	2

Which gland produces oestrogen?

Tick one box.



Table 4

 Table 4 shows some methods of contraception.

Type of contraception	Percentage (%) of pregnancies prevented
Oral pill	>99
Implant	99
Condom	98
Diaphragm	<96

0 9 . 3 Which method of contraception in Table 4 is **least** effective at preventing pregnancy? [1 mark]

0 9 . 4 Which method of contraception in **Table 4** will protect against sexually transmitted diseases like HIV?

[1 mark]

Question 9 continues on the next page

Another method of contraception is called the intrauterine device (IUD).

There are two main types of IUD:

- copper
- plastic.

Both types of IUD are more than 99% effective.

Look at Table 5.

Table 5

	Copper IUD	Plastic IUD
How the IUD works	 releases copper copper changes the fluids in the uterus to kill sperm 	 releases a hormone hormone thickens mucus from the cervix so the sperm have more difficulty swimming to the egg
Benefits	 prevents pregnancy for up to 10 years can be removed at any time can be used as emergency contraception 	 prevents pregnancy for up to 5 years can be removed at any time
Possible side effects	 very painful periods heavy periods or periods which last for a long time feeling sick, back pain 	 painful periods light periods or no periods feeling sick, headaches, breast pain, acne hormones may affect mood ovarian cysts

09.5	Evaluate the use of the plastic IUD as a contraceptive compared to the copper IUD.		
	Use the information in Table 5 . [4 mar	ˈks]	

1 0 Charles Darwin proposed the theory of natural selection.

Many people at the time did not accept his theory.

1 0 . 1 There was a different theory at the same time as Darwin's theory.

The different theory said that changes in an organism during its life could be inherited.

Who proposed this theory?

1 0 . 2 Studying fossils helps scientists understand how living things have evolved.

Figure 14 shows a fossilised snake.




Figure 14

Explain how the fossil in Figure 14 may have formed.

[3 marks]

Question 10 continues on the next page

There are many types of rat snake in the world.

Table 6 shows two types of rat snake.

г

Table 6

Type of snake	Japanese rat snake	Texas rat snake	
Colour of snake	Green	Pale brown	
Type of environment	Grass	Dry and dusty	

1 0 . 3 The different types of rat snake have evolved from similar ancestors.

The rat snakes have evolved to to suit their environments.

Explain how the Japanese rat snake evolved to be different from the Texas rat snake.

[4 marks]

1 0 . 4 Many species of snake have become extinct.

Give **one** reason why a species might become extinct.

[1 mark]

Turn over for the next question

11A gardener wants to add compost to the soil to increase his yield of strawberries.The gardener wants to make his own compost.

1 1 . 1 An airtight compost heap causes anaerobic decay.

Explain why the gardener might be against producing compost using this method. [2 marks]

The gardener finds this research on the Internet:

'A carbon to nitrogen ratio of 25:1 will produce fertile compost.'

Look at Table 7.

Type of material to compost	Mass of carbon in sample in g	Mass of nitrogen in sample in g	Carbon:nitrogen ratio
Chicken manure	8.75	1.25	7:1
Horse manure	10.00	0.50	20:1
Peat moss	9.80	0.20	Х

1 1 . 2 Determine the ratio X in Table 7.

[1 mark]

Ratio

1 1 . 3 Which type of material in Table 7 would be best for the gardener to use to make his compost?

Justify your answer.

[1 mark]

Question 11 continues on the next page

1 1 . 4 Some of the leaves from the gardener's strawberry plant die.

The dead leaves fall off the strawberry plant onto the ground.


The carbon in the dead leaves is recycled through the carbon cycle.

Explain how the carbon is recycled into the growth of new leaves.


[6 marks]

1 1 . 5 Figure 15 shows two strawberries.

- Both strawberries were picked from the same strawberry plant.
- Both strawberries were picked 3 days ago.
- The strawberries were stored in different conditions.



Give three possible reasons that may have caused strawberry A to decay.



Turn over for the next question

12Many different types of animals are produced using selective breeding.Some cats are selectively bred so that they do not cause allergies in people.

1 2 . 1 Suggest two other reasons why people might selectively breed cats.

1 ______ 2 _____

1 2 . **2** Selective breeding could cause problems of inbreeding in cats.

Describe **one** problem inbreeding causes.

[1 mark]

[2 marks]

1 2 . 3 Many people have breathing problems because they are allergic to cats.

The allergy is caused by a chemical called Fel D1.

Different cats produce different amounts of Fel D1.

A cat has been bred so that it does not produce Fel D1.

The cat does not cause an allergic reaction.

Explain how the cat has been produced using selective breeding.

[4 marks]

END OF QUESTIONS

There are no questions printed on this page

There are no questions printed on this page

There are no questions printed on this page

Copyright information

Permission to reproduce all copyright material has been applied for. In some cases, efforts to contact copyright-holders may have been unsuccessful and AQA will be happy to rectify any omissions of acknowledgements in future papers if notified. If you have any queries please contact the Copyright Team, AQA, Stag Hill House, Guildford, GU2 7XJ.

Copyright © 2016 AQA and its licensors. All rights reserved.

- Figure 3: Lettuce © destillat/Thinkstock
- Figure 3: Snail © Valengilda/Thinkstock
- Figure 3: Shrew © GlobalP/Thinkstock
- Figure 14: Fossilised snake © Peter Menzel/Science Photo Library
- Table 6: Japanese rat snake © Kazzpix/Thinkstock
- Table 6: Texas rat snake © Alexey Kuznetsov/Thinkstock
- Figure 15: Decaying strawberry © sarahdoow/Thinkstock
- Figure 15: Strawberry © Mariusz Blach/Thinkstock