



Mark Scheme (Results)

Summer 2013

International GCSE
Biology (4BI0) Paper 1B
Science Double Award (4SC0)
Paper 1B

Edexcel Level 1/Level 2 Certificate
Biology (KBI0) Paper 1B
Science (Double Award) (KSC0)
Paper 1B

Edexcel and BTEC Qualifications

Edexcel and BTEC qualifications come from Pearson, the world's leading learning company. We provide a wide range of qualifications including academic, vocational, occupational and specific programmes for employers. For further information visit our qualifications websites at www.edexcel.com or www.btec.co.uk for our BTEC qualifications.

Alternatively, you can get in touch with us using the details on our contact us page at www.edexcel.com/contactus.

If you have any subject specific questions about this specification that require the help of a subject specialist, you can speak directly to the subject team at Pearson. Their contact details can be found on this link: www.edexcel.com/teachingservices.

You can also use our online Ask the Expert service at www.edexcel.com/ask. You will need an Edexcel username and password to access this service.

Pearson: helping people progress, everywhere

Our aim is to help everyone progress in their lives through education. We believe in every kind of learning, for all kinds of people, wherever they are in the world. We've been involved in education for over 150 years, and by working across 70 countries, in 100 languages, we have built an international reputation for our commitment to high standards and raising achievement through innovation in education. Find out more about how we can help you and your students at: www.pearson.com/uk

Summer 2013

Publications Code UG037086

All the material in this publication is copyright

© Pearson Education Ltd 2013

Question number	Answer	Notes	Marks												
1 (a)	<table border="1"><thead><tr><th data-bbox="456 373 943 485">Sentence</th><th data-bbox="943 373 1113 485">Number</th></tr></thead><tbody><tr><td data-bbox="456 485 943 592">the number of animals is</td><td data-bbox="943 485 1113 592">(8)</td></tr><tr><td data-bbox="456 592 943 699">the number of producers is</td><td data-bbox="943 592 1113 699">1;</td></tr><tr><td data-bbox="456 699 943 805">the number of herbivores is</td><td data-bbox="943 699 1113 805">4;</td></tr><tr><td data-bbox="456 805 943 954">the number of secondary consumers is</td><td data-bbox="943 805 1113 954">4;</td></tr><tr><td data-bbox="456 954 943 1061">the number of food chains is</td><td data-bbox="943 954 1113 1061">6;</td></tr></tbody></table>	Sentence	Number	the number of animals is	(8)	the number of producers is	1;	the number of herbivores is	4;	the number of secondary consumers is	4;	the number of food chains is	6;		4
Sentence	Number														
the number of animals is	(8)														
the number of producers is	1;														
the number of herbivores is	4;														
the number of secondary consumers is	4;														
the number of food chains is	6;														

Question number	Answer	Notes	Marks
1 (b) (i)	decrease / eq;	allow have a negative effect	1
(ii)	number of <u>same species</u> / number of <u>a species</u> / number of <u>one species</u> / eq;	allow amount / how many as eq to number	1
(c)	carbohydrate / glucose; protein / amino acids; fat / fatty acids / glycerol / cholesterol/ lipid; mineral / ions / salt / named mineral / named ion / named salt; vitamin / named vitamin; water;	ignore other blood components such as haemoglobin, rbc, platelets, oxygen and sugar etc	2
		Total	8

Question number	Answer	Notes	Marks
2 (a)	thick(er) <u>wall</u> ; more elastic (tissue); more muscle (tissue); smaller lumen / hole / less space / less single layer of cells / eq; no valves;	ignore references to function ignore smaller diameter / less surface area unless qualified allow converse	Max 3
(b) (i)	(less/no) muscle(s); <u>contraction</u> ; squeeze vein / push blood / eq;		Max 2
(ii)	red (blood cells) / erythrocytes;		1
(iii)	(less/no) oxygen / oxygenated blood; heart / brain / organ / body / cells / tissues / eq; <u>respiration</u> / <u>respire</u> / <u>respiring</u> ;	ignore gas exchange	2
		Total	8

Question number	Answer			Notes	Marks																		
3	<table border="1"> <thead> <tr> <th data-bbox="394 411 680 517">Health problem</th> <th data-bbox="687 411 1016 517">Cause</th> <th data-bbox="1023 411 1252 517">Label letter</th> </tr> </thead> <tbody> <tr> <td data-bbox="394 521 680 592">conjunctivitis</td> <td data-bbox="687 521 1016 592">infection of the conjunctiva</td> <td data-bbox="1023 521 1252 592">(A)</td> </tr> <tr> <td data-bbox="394 596 680 667">cataract</td> <td data-bbox="687 596 1016 667">a cloudy lens</td> <td data-bbox="1023 596 1252 667">B;</td> </tr> <tr> <td data-bbox="394 671 680 742">blindness</td> <td data-bbox="687 671 1016 742">a detached retina</td> <td data-bbox="1023 671 1252 742">G;</td> </tr> <tr> <td data-bbox="394 746 680 817">glaucoma</td> <td data-bbox="687 746 1016 817">increased fluid pressure</td> <td data-bbox="1023 746 1252 817">F;</td> </tr> <tr> <td data-bbox="394 821 680 892">myopia</td> <td data-bbox="687 821 1016 892">a change in the shape of the cornea</td> <td data-bbox="1023 821 1252 892">D;</td> </tr> </tbody> </table>			Health problem	Cause	Label letter	conjunctivitis	infection of the conjunctiva	(A)	cataract	a cloudy lens	B;	blindness	a detached retina	G;	glaucoma	increased fluid pressure	F;	myopia	a change in the shape of the cornea	D;		4
Health problem	Cause	Label letter																					
conjunctivitis	infection of the conjunctiva	(A)																					
cataract	a cloudy lens	B;																					
blindness	a detached retina	G;																					
glaucoma	increased fluid pressure	F;																					
myopia	a change in the shape of the cornea	D;																					
				Total	4																		

Question number	Answer			Notes	Marks												
4 (a)	<table border="1"> <thead> <tr> <th data-bbox="396 378 622 555">genotype</th> <th data-bbox="629 378 916 555">description of genotype</th> <th data-bbox="922 378 1162 555">phenotype</th> </tr> </thead> <tbody> <tr> <td data-bbox="396 560 622 663">(LL)</td> <td data-bbox="629 560 916 663">(homozygous dominant)</td> <td data-bbox="922 560 1162 663">long winged</td> </tr> <tr> <td data-bbox="396 668 622 772">(LI)</td> <td data-bbox="629 668 916 772">(heterozygous)</td> <td data-bbox="922 668 1162 772">long winged;</td> </tr> <tr> <td data-bbox="396 777 622 949">ll;</td> <td data-bbox="629 777 916 949"><u>homozygous</u> <u>recessive;</u></td> <td data-bbox="922 777 1162 949">(short winged)</td> </tr> </tbody> </table>			genotype	description of genotype	phenotype	(LL)	(homozygous dominant)	long winged	(LI)	(heterozygous)	long winged;	ll;	<u>homozygous</u> <u>recessive;</u>	(short winged)	long winged x 2 = 1 mark	3
genotype	description of genotype	phenotype															
(LL)	(homozygous dominant)	long winged															
(LI)	(heterozygous)	long winged;															
ll;	<u>homozygous</u> <u>recessive;</u>	(short winged)															
(b)	<table border="1"> <thead> <tr> <th data-bbox="396 1075 645 1114">number</th> <th data-bbox="651 1075 819 1114">tick</th> </tr> </thead> <tbody> <tr> <td data-bbox="396 1114 645 1152">204</td> <td data-bbox="651 1114 819 1152"></td> </tr> <tr> <td data-bbox="396 1152 645 1190">408</td> <td data-bbox="651 1152 819 1190">✓</td> </tr> <tr> <td data-bbox="396 1190 645 1228">612</td> <td data-bbox="651 1190 819 1228"></td> </tr> <tr> <td data-bbox="396 1228 645 1259">816</td> <td data-bbox="651 1228 819 1259"></td> </tr> </tbody> </table>			number	tick	204		408	✓	612		816		more than one tick = 0	1		
number	tick																
204																	
408	✓																
612																	
816																	

Question number	Answer	Notes	Marks
4 (c)	<u>fruit</u> → <u>yeast</u> → <u>flies</u> ; arrows used and correct;	yeast in middle =1	2
(d) (i)	type of fruit / eq; mass/amount of fruit / eq; gender / species / type / size of fly; temperature; light; humidity;	ignore number of flies / time	max 2
(ii)	(no) not repeated / only done once / use more flies / eq; (yes) used lots of flies;		1
		Total	9

Question number	Answer	Notes	Marks
5 (a)	(more) oxygen / prevent stagnation / eq ; bubbling / paddles / pump / eq; add water plants; remove waste / remove faeces / remove dead fish / remove leaves / eq; prevent eutrophication / don't fertilise nearby fields / prevent algal growth / eq;	ignore ref to temperature / killing bacteria / adding pesticides / adding antibiotics ignore monitoring ignore cleaning	Max 2
(b)	separate species / type / sizes / ages / eq; cover / net / fence / cage / eq; scarecrow / shoot predators / shoot birds / eq;	ignore ref to lice and biological control	Max 2
(c)	antibiotics; fungicide; (kill) bacteria / fungi; remove dead fish / remove diseased fish / eq; reduce numbers / do not overcrowd / eq; use resistant strains / eq; keep out wild fish / eq;	ignore uv radiation ignore pesticide ignore ref to lice and biological control	Max 2
(d)	small quantities / eq; frequently / often / several times a day / eq; high protein; remove waste food; less bacterial growth;	ignore regular	Max 2
		Total	8

Question number	Answer	Notes	Marks
6 (a)	movement of particles / ions / molecules / gas / eq; high to low concentration / down gradient / eq;	allow ammonia ignore substance ignore along gradient	2
(b)	S scale linear and half grid; L lines straight and through points; A axes correct way around; P points plotted correctly; U units: <u>s</u> / <u>seconds</u> and <u>cm</u> ; K key to note <u>1</u> and <u>3</u> (drops);	ignore extrapolation one line only loses L and P and K allow start at origin if start at 4 and not 0 if bar graph 4 max (lose S and L)	6
(c)	faster/quicker (colour change/movement/diffusion /spread); (with) high conc. / 3 drops;	Allow converse	2
(d)	1.176 / 1.18;;	allow one mark for 20 over 17 ignore 1.2 ignore 1.17	2
(e)	(3 drops) more concentrated/more ammonia/more particles/greater concentration gradient/greater diffusion gradient / eq;	allow converse	1
(f)	use one conc. / same number of drops / eq; different temperatures / method to obtain different temperatures described /eq;	set up the (same) experiment at different temps = 1 mark	2
		Total	15

Question number	Answer	Notes	Marks
7	dioxide; acid; carbon; haemoglobin; carbon dioxide / water <u>vapour</u> ; fossil; methane; greenhouse; global warming; habitat;	ignore climate change	10
		Total	10

Question number	Answer	Notes	Marks
8 (a)	1 (feed on) dead / rotting / decomposing / eq; 2 enzyme(s); 3 extracellular / outside / external / eq; 4 <u>digests</u> / <u>digestion</u> / <u>digestive</u> ; 5 absorption / eq;		max 2
(b) (i)	D;		1
(ii)	B;		1
(c) (i)	chlorophyll;	ignore chloroplasts	1
(ii)	<u>carbon dioxide</u> + <u>water</u> ; <u>glucose</u> + <u>oxygen</u> ;	ignore light / ignore chlorophyll ignore energy allow if correct symbols and correct formulae ignore balancing	2
		Total	7

Question number	Answer	Notes	Marks
9	1 <u>variation / variety</u> ; 2 rare / random; 3 mutation / mutant; 4 gene / allele / DNA / eq; 5 survive / not killed / live / eq; 6 reproduce / breed / have offspring / eq; 7 pass on (gene) / eq; 8 many generations / repeated over time / eq;	allow converse for non-resistant ignore pass on phenotype / characteristic	Max 5
		Total	5

Question number	Answer	Notes	Marks
10 (a)	potometer;		1
(b)	transpiration / evaporation / diffusion;		1
(c)	1 cut under water; 2 water tight / air tight / seal / eq; 3 <u>how</u> bubble introduced; 4 dry leaves / eq; 5 measure distance bubble moves / length of bubble eq; 6 scale / ruler / cm / eq; 7 time / second / minute / hour / day; 8 repeat;		Max 4
(d) (i)	blows water away / removes water / eq; (maintains) diffusion <u>gradient</u> / conc. <u>gradient</u> / eq;	ignore guard cells	2
(ii)	stomata close / pores close;		1
(iii)	less surface / area; (fewer) idea of reduced number of stomata / pores;		2
(e)	fan / hairdryer / outdoors / put in a draught / put in open window / eq;		1
		Total	12

Question number	Answer	Notes	Marks
11 (a)	23;	reject 23 pairs	1
(b)	energy / ATP; swim / move / move tail / travel / eq;		2
(c)	24 million / 24,000,000;;	allow one for 60 in working	2
(d) (i)	(not) using oxygen / oxygen still present; (not) respiring; few sperm / eq; poor swimmers / eq;	ignore man infertile ignore dead sperm	2
(ii)	1 seal broken / oxygen getting in / not airtight / eq; 2 (semen) sample too small; 3 kept less than one hour / eq; 4 not kept at 37°C / not at correct temperature eq; 5 only done once / anomalous result / eq;	ignore sperm reject idea that 37°C kills	max 2
		Total	9

Question number	Answer	Notes	Marks
12 (a) (i)	cell <u>membrane</u> ; nucleus (must be lobed); cytoplasm;	ignore shape of cell must be labelled if cell wall no credit for membrane	3
	(ii) nucleus / bigger / irregular / not (bi)concave / eq / no haemoglobin;	allow converse	1
(b)	1 ingest / engulf / surround / phagocytosis / eq; 2 enzymes; 3 digest / breakdown / eq; 4 lymphocytes; 5 antibodies / antitoxins; 6 specific / eq; 7 antigen; 8 memory / memory cell / eq;		Max 5
		Total	9

Question number	Answer	Notes	Marks
13 (a)	1 <u>human</u> gene / <u>human</u> DNA / <u>human</u> allele; 2 restriction enzyme; 3 <u>plasmid</u> ; 4 <u>vector</u> ; 5 <u>same</u> restriction enzyme; 6 <u>ligase</u> ; 7 <u>recombinant</u> plasmid / <u>recombinant</u> DNA;	allow gene that codes for growth hormone	Max 5
(b) (i)	released from gland / endocrine; travels in blood; to target (cells/organs) / eq; effect / response / coordination / controls / causes change / eq;	allow described effect	2
(ii)	1 cow with high milk yield / eq; 2 male/bull with high milk yield daughters or high milk yield mother / eq; 3 reproduce / mate / breed / AI / eq; 4 repeat process with high milk yield offspring / many generations / eq;	cows with high yield milk are allowed to reproduce = 2 use sperm from bull	Max 3
		Total	10

Question number	Answer	Notes	Marks
14	<p>C different light periods / eq;</p> <p>O same species / same variety / age / eq;</p> <p>R repeat / eq;</p> <p>M1 time to produce flowers / number of flowers produced / how long to produce flowers / eq;</p> <p>M2 days / weeks / months / use watch / clock / eq;</p> <p>S1+S2 same temperature / light <u>intensity</u> / CO₂ / water/ humidity / minerals / nutrients / soil / pH / eq;;</p>	<p>allow in light and in dark ignore different light intensities</p> <p>allow flowers as eq to plants</p>	Max 6
		Total	6
		Total for paper	120

Further copies of this publication are available from
Edexcel Publications, Adamsway, Mansfield, Notts, NG18 4FN

Telephone 01623 467467
Fax 01623 450481
Email publication.orders@edexcel.com
Order Code UG037086 Summer 2013

For more information on Edexcel qualifications, please visit our website
www.edexcel.com

Pearson Education Limited. Registered company number 872828
with its registered office at Edinburgh Gate, Harlow, Essex CM20 2JE

Ofqual




Llywodraeth Cynulliad Cymru
Welsh Assembly Government

