



UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS International General Certificate of Secondary Education

CANDIDATE NAME				
CENTRE NUMBER		CANDIDATE NUMBER		

Biology 0610/52

Paper 5 Practical Test May/June 2013

1 hour 15 minutes

Candidates answer on the Question Paper.

Additional Materials: As listed in the Confidential Instructions.

READ THESE INSTRUCTIONS FIRST

Write your Centre number, candidate number and name on all the work you hand in.

Write in dark blue or black pen.

You may use a pencil for any diagrams or graphs.

Do not use staples, paper clips, highlighters, glue or correction fluid.

DO NOT WRITE IN ANY BARCODES.

Answer all questions.

Electronic calculators may be used.

You may lose marks if you do not show your working or if you do not use appropriate units.

At the end of the examination, fasten all your work securely together.

The number of marks is given in brackets [] at the end of each question or part question.

For Exam	iner's Use
1	
2	
3	
Total	

This document consists of 13 printed pages and 3 blank pages.



Read through the whole question before starting work.

For Examiner's Use

1 You are presented with two similar cut shoots in test-tubes that contained 20 cm³ of water at the start.

One shoot still has its leaves attached and the other shoot has had its leaves removed. The shoots were placed in the water immediately after being cut. The water level was marked on the outside of the test-tubes.

A small quantity of oil was added to cover the water in these test-tubes.

The two test-tubes containing the shoots were left in the light for two days.

(a)	(i)	Suggest why oil was placed on top of the water in both test-tubes.	
			[1]
	(ii)	Use a ruler to measure the height of the water in the two test-tubes.	
		test-tube containing shoot without leavesmm	
		test-tube containing shoot with leavesmm	[1]
	(iii)	Describe and explain your observations.	
			[2]

- (b) (i)
- Remove the shoots from the test-tubes.
- Use water from the beaker of water, labelled **water**, to wash any oil from the shoots.
- Dry the cut end of each shoot and place the shoots on the white tile.
- Use the scalpel to remove approximately 3 cm from the cut end of each shoot.
- Immediately place both shoots in the beaker of coloured water, labelled coloured water.
- Leave for 15-20 minutes.

While you are waiting, continue with part (c) of this question.

For Examiner's Use

- After 15-20 minutes remove the shoots from the coloured water.
- Use water from the beaker of water, labelled **water**, to remove any coloured water from the outside of the shoots.
- Place the shoot without leaves on the white tile.
- Use the scalpel to remove 5 mm long sections from the cut end of the shoot, as shown in Fig. 1.1.
- Keep the sections in the order in which you removed them.
- Use the hand lens to observe each section.
- Continue removing sections until the coloured water is not visible in the stem, as shown in Fig. 1.1.




Fig. 1.1

Estimate the distance moved by the coloured water in the shoot without leaves.

r	nm

- Push the sections and remaining stem of the shoot without leaves to the edge of the white tile.
- Place the shoot with leaves on the white tile.
- Use the scalpel to remove 5 mm long sections from the cut end of the shoot, as shown in Fig. 1.1.
- Keep the sections in the order in which you removed them.
- Use the hand lens to observe each section.
- Continue removing sections until the coloured water is not visible in the stem, as shown in Fig. 1.1.

Estimate the distance moved by the coloured water in the shoot with leaves.

mm	[3]

(ii)	Use the hand lens to observe the cut end of the second section of the shoot with leaves.	For Examiner's Use
	Draw and label the cut end of this section to show the location of the coloured water.	
	[2]	ı
(iii)	Do the results in (b) (i) support the observations in (a) (ii)? Explain your answer.	
	[2]	
	[2]	
	[2]	
	[2]	

Question 1 continues on page 6.

(c) A group of students measured the mass lost from a flask containing a shoot with leaves.

For Examiner's Use

The shoot was placed in water, on a balance as shown in Fig. 1.2. An automatic data logger recorded the mass every six hours for two days.




Fig. 1.2

Only natural light from the sun was allowed to fall on the shoot.

The students calculated the mass lost every six hours. The data is shown in Table 1.1.

Table 1.1

time of day	mass lost / g
10:00	0.0
16:00	3.0
22:00	5.0
04:00	5.0
10:00	7.0
16:00	10.0
22.00	11.5
04.00	11.5
10.00	13.5

(i) Plot the data from Table 1.1 on Fig. 1.3.

For
Examiner's
Use

		,,			 							٠	;;			 		33-										::-		::	 		::			::	77		
1		†			 	1-1-			-1-1							 	+-+-	1-1-	1-1-	+-+	-11-					h	1-1-	1	1-1-1		 +-+					ii	††	+	11
	1	Ш	111		ΞÌ	111	11.1					1					Π	Ш		\mathbb{II}	3.1						111	Ш										Ì	
4	4	1	-4-4	-44	 	44.	-11		-4-4							 	4-4-	1.4.		4.4	-4-4-				<u> </u>	1.4.4	4.4	ļļ.	1.1.		 4.4					ļļ	ļļ.	4	
					 	+-+-										 	+-+-	+-+-		+-+							+				 					 	ļļ-	÷	
		}}	-+-+		 	+-+-			-+-+						-+-	 	+-+-	+-+-	·	+-+					·		+				 +-+					} }- -	÷	+	
				-1-1	 	1-1-	-11	-1-1							***	 	+-+-	1-1-	1-1-	77					1		111	1-1-	1111		 7-7						1	+	
1	-1	!!		-11	 	44	-11				}}	***			***	 t-		11-	11-	7-7	-44-	1					1-1-	1	1111		 			}			1	†	11
	11.	Ш			II.							II.					L	Ш			111	11.					111	Ш									III.	Ĭ.	
	4	ļļ	-4-4	-4-4	 	44.	-44		-4-4	-4-4						 	4-4-	4-4-	4.4.	44	-4-4-				ļ	1-1-1	44.	ļļ.	1.1.1		 4.4					ļļ	ļļ.	4	
		ļ	-+-+		 	+-+-			-+-+							 	+-+-	+-+-		+-+					!		+-+-				 					 	÷	÷	
		ł			 	+-+-									-+-	 		11-	+-+	+-+					!!		+-+-	ff-	†- -		 +					 	tt-	+	
11	-1	†}			 }-		-11				}}					 	-}}-	11-	11-	-}}		-11			!!		4-4-	ţţ-	9-9-9		 -}}			}		j	ţţ-	+	
	1		11			111	111	-1-1									11	111		11	111						111	ш									11-		
	1	Ш				111			111								11.	Ш	1	11	111						111	Ш								Ш	1		
4	-4	ļļ	-4-4	-4-4	 -4-	4-4-			-4-4							 	4-4-	1.1.	4.4.	4-4	-4-4-	-11				1-4-4	4.4	ļļ.	4-4-4		 4.4	44				ļļ	4-4.	4	
		i i	-4-4	-44	 	+-+-										 	+-+-			+-+					ļ						 					{ 	++-	÷	
H	-1	†			 }-	4-4-	-11						(44-	1		-44-	-†			<u> </u>	}} <u>-</u> -	4-4-	t	<u> </u>		 			}	·	ļ	tt-		11
	-1	1	77	111	 	111	111		-1-1	11		***			***	 	1-1-	111	111	17	-1-1-	-1		11	111		111	111			 1 1					rt	1-1	1	
	11.	Ш	111		11	II	111		11			1			11		11	III		11	111						III	Ш										I	
Ш	4	ļ[-4-	44			-4-1					[]		 	4.4.	4.4	4.4	44	-4-1					L.L.I	44	1	1.1.		 					1	1[4	
4		ļļ			 	4-4-			-+-+							 	+-+-			+-+					ļļ						 					{ 	ļļ-		
		ļ}			 	+-+-										 	+-+-	11-	+	+-+					! !		+		†- † -†		 +-+		i			 	·+	÷	
1	-1	11	77	44	 	111	-11			11		***	1-1-1		***	 	1-1-	111	111	77	-1-1-	-:			!!		111	1-1-	1111		 111					1-1-	1-1-	+	1
	11.	Ш	11		II.	11											Li	111		11	111						111	Ш											
		11	-4-4	-4-4	 -4-	44.			-4-4							 	4.4.	4-4-		44	-4-4-	-11		L.L		1.1.1	44.	1	1.1.1		 		!!	-4-4	L.L	ii	4.4.		1
		ļļ	-4-4		 	+										 				+-+					ļļ		+	ļ}-			 					(ļļ-		
		ļļ			 											 	-}}-	44-	· []-	+-+					ļļ		4-4-		1-1-1		 -}}			}		 			
1	-1	11	77	44	 	111	-11						1-1-1		***	 	7-7-	1-1-	111	7-7	-1-1-				!!	1	111	1	1111		 777				7-7	1-1-	1	+	1
	11.	Ш	111		ΞĽ	111	111					1					Li	111			111						111	Ш											
	-1	1	-4-4	-11	 -4-	1.1.			-4-4							 	4-4-	1.1.		4.4	-4-4-					1.1.1	4.4.	ļi.	1.1.1		 4.4		!:			ii	1	4	
		ļļ	-4-4		 											 			4-4-	+-+					ļļ		·				 					{ 	·}}		
		i i			 }-	4-4-					}}					 	-}}-	44-	1}-	+-+	-44-				ļ		+	jj-	4-4-4		 			}			+	·}	
11	-1	!!	77	-1-1	 	111	-11		-1-1	-1-1			1-1-1		***	 	1-1-	1-1-	1-1-	7-7	-1-1-	-11			1-1-		111	11-	1111	11	 7-7					1-1-	1	+	1
	11.	Ш	111		Ш	111	1111								111		T.T.	Ш		111	-1-1						1111	Ш										1	
	4	11	-4-4	-4-4	 -4-	1.1.			-4-4							 	4.4.	1.1.		4.4	-44-				ļ		44.	ļi.	1.1.1		 		!			ļļ	1		Ш
		ļļ	-4-4		 	4-4-			-4-4						-4-4	 	4-4-		4-4-	4-4	-4-4-						4-4-				 					ļļ	ļļ-		
		ļļ			 }-	+-+-										 	+-+-		·	+-+					 		+		†- † -†		 +-+					 		÷	
11	-1	tt	77	-1-1	 	111	-11			-1-1			1-1-1		***	 	1-1-	1-1-	1-1-	7-7	-11-	-11			!!		***	11-	1111		 7-7					1	1	+	11
	1	Ш	11			11	111					1					Ti	III		II	111						111	Ш										T	
		11	-1-1		 -4-	1.1.			-4-4							 	4-4-	1.1.		44	-4-4-	-11				1.1.1	.1.1	1	1.1.1		 					il	4.4.		1
		ļļ	-4-4		 				-4-4							 											4-4-				 						ļļ-		
		ļļ			 }-	4-4-							(-}}-	44-	· † - • † -	-}}	-44-		·		ļ		4-4-	∮∳-	<u> </u>		 				} }-	} -	ţ}·	·	
	-1	† <u>†</u>	77	44	 	11	-11		77	-1-1		***	1-1-1		***	 	1-1-	111	1-1-	7-4	-1-1-	-1					11	1-1-			 11					1-1-	1	+	1
	1	Ш	111	111	1	111			111								1.1.	111			1111						1.1.	Ш		-1-1								1	
					 	11.			-1-1							 	1.1.	111	1	1.1	-1-1					1.1.1	11.	1	1.1.		 1.1						11.	1	
		ļļ	-4-4		 	4-4-			-4-4							 	+-+-		4-4-	+-+					ļļ		4-4-		4-4-4		 					{ -	ļļ-		
		ļļ			 			}}								 	-}}-	44-	11-	+-+					ļļ		4-4-		1-1-1		 -}}			}		 			
1	-1	11	777	111	 	11	1111			111		***	1-1-1		***	 	7-7-	111	111	77	-1-1-	-11			!!	1	111	1	1111		 777				*****	1-1	11-	+	1
	11.	Ш	111		ΞĒ	111	111					1			11		Li	111		II	111						111	Ш											
		11			 	11.			-4-4							 	4.4.	1.1.		11	-4-4-						.1.1.	1			 					i	1		
		ļļ	-4-4		 	4-4-			-4-4							 			4-4-	+-+	-4-4-						4-4-				 4-4					{ -	ļ		
		ļļ			 }-	+										 	+-+-	44-	+-+	-}}					ļ		+	1	†- † -†		 					 	÷}-	·	
H	-1	†	77	-1-1	 	11	-11					***	1-1-1			 	1-1-	1-1-	1-1-	77	-11-	-1			1-1		11	1-1-	1111		 7-1						1	+	1
1	11.	Ш	117	111	TT-	111	111	111	111			-1			11		TT	111		m	-1-1	111					111									or:		1	Ħ.
		Ш	.II		 	111										 	II.	ш	\square	ΠŢ	.111				Ш	LII	Ш	Ш	H		 					Ш	Ш	I	П
4		ļļ	-4-4	-4-4	 	4-4-			-4-4							 	+-+-	+-+-	4-4-	4-4	-4-4-				ļļ		+	ļļ-	ļ-‡-ļ		 4.4				ļ.,	ļ ļ	ļ		
					 	+										 	-}}-			-}}					!		+-+-		}}}		 +-+					(·}}	·	
		†}			 	+-+-										 			+-+	+-+				}{	! 		+	†	1-1-1		 +				· · · · · ·	 	ţ		H

[4]

Fig. 1.3

(ii) Describe and explain the results.

description

explanation

[3]

Fig. 1.4 shows part of the lower surface of a leaf as viewed under a microscope.






Fig. 1.4

(d) Name the structures labelled **G** and **H**.

G	
Н	 [2]

- (e) The number of stomata on the lower surface of the leaf can be calculated by using Fig. 1.4.
 - (i) Count the number of stomata visible in Fig. 1.4.

number of stomata [1]

For Examiner's Use

(ii)	The magnification of the image in Fig. 1.4 is × 300.	
	The length of one side of the image is 120 mm. The image is a square.	
	You can calculate the actual length of one side of the square of leaf surface show in Fig. 1.4 by dividing the length of one side of the image by the magnification.	'n
	Calculate the actual length of one side of the square of leaf surface shown Fig. 1.4. Show your working.	n
	actual length of one side of the square of leaf surfacemmm [1]
(iii)	Calculate the actual total area of the square of leaf surface shown in Fig. 1.4. Show your working.	
	actual total area of the square of leaf surface mm ² [2]
(iv)	The number of stomata per mm ² can be calculated from the number of stomation and the actual total area of the square of leaf surface shown in Fig. 1.4.	а
	Calculate the number of stomata per mm ² of this leaf. Show your working.	
	number of stomata per mm ² [2]
(v)	The total area of the lower surface of this leaf was measured and found to b $9000\mathrm{mm}^2.$	е
	Calculate the total number of stomata on the lower surface of this leaf. Show your working.	
	total number of stomata[1]
	[Total: 2	7]

- 2 You are going to observe and draw one of your fingers.
 - (a) Place the palm of your hand on the paper. Use the hand lens to examine one finger.

Make a large, labelled drawing of this finger.

For Examiner's Use

[4]

(b) Fig. 2.1 shows the European mole, *Talpa europa*.

(c)





			1		
		Fig. 2.1	hand	×0.8	
		Fig. 2.1			
(i)	State one simila and your hand.	arity, visible in Fig. 2.1, betwe	een the struc	cture of the mole's ha	and
					[1]
(ii)		2.1 to state two difference of the mole's hand and your ha		n Fig. 2.1 between	the
	feature	mole's hand	У	our hand	
	shape				
	size				
(i)	Name the group	of vertebrates to which the mo	le belongs.		[2]
					[1]
(ii)	State one featur	e, visible in Fig. 2.1, that supp	orts your an	swer to (c)(i).	
					[1]

[Total: 9]

3 Arum lilies, such as *Arum maculatum*, are plants that have a smell like rotting meat. The smell attracts flies so that the flowers can be pollinated.

Some arum lilies have a purple coloured sheath and some have a light green coloured sheath.

For Examiner's Use

Fig. 3.1 shows an arum lily with part of the sheath cut away to show the inside.




Fig. 3.1

A group of students collected arum lilies from the same habitat, **two** with purple coloured sheaths and **three** with light green coloured sheaths.

They opened the sheaths of each lily and counted the number of flies inside.

The results are shown in Table 3.1.

Table 3.1

colour of sheath	number of flies	total number of flies	mean number of flies
purple	3		
purple	5		
light green	5		
light green	6		
light green	4		

(a) Calculate the total and mean number of flies found in each colour of sheath.

Write your answers in Table 3.1.

[2]

(b)	Suggest two ways in which this investigation could be improved.		
	1	'	
	2		
	[2]		
	[Total: 4]		

For Examiner's Use

14

BLANK PAGE

15

BLANK PAGE

16

BLANK PAGE

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

University of Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.