

**CAMBRIDGE INTERNATIONAL EXAMINATIONS**  
International General Certificate of Secondary Education

## **MARK SCHEME for the May/June 2013 series**

### **0620 CHEMISTRY**

**0620/23**

Paper 2 (Core Theory), maximum raw mark 80

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes should be read in conjunction with the question paper and the Principal Examiner Report for Teachers.

Cambridge will not enter into discussions about these mark schemes.

Cambridge is publishing the mark schemes for the May/June 2013 series for most IGCSE, GCE Advanced Level and Advanced Subsidiary Level components and some Ordinary Level components.

| Page 2 | Mark Scheme           | Syllabus | Paper |
|--------|-----------------------|----------|-------|
|        | IGCSE – May/June 2013 | 0620     | 23    |

- 1 (a) (i) A; E (1 mark each) [2]
- (ii) C [1]
- (iii) C [1]
- (iv) B [1]
- (b)  ${}^3_2\text{He}$  [1]  
**ALLOW:**  ${}^3_2\text{D}$
- (c) 1 mark each for: [4]  
 protons;  
 neutrons;  
 radioactive;  
 energy; **ALLOW:** neutrons

[Total: 10]

- 2 (a) (i) boiling point below room temperature [1]  
**ALLOW:** it boils at  $-35^\circ\text{C}$   
**IGNORE:** boiling point is too low
- (ii) melting point below room temperature and boiling point above room temperature [1]  
**ALLOW:** it melts at  $-7^\circ\text{C}$  and boils at  $59^\circ\text{C}$   
**IGNORE:** other stated figures
- (b) increases (down the group) [1]
- (c) **ALLOW:** 0.06 – 0.08 (actual = 0.071) [1]
- (d) green/light green/yellow-green [1]  
**REJECT:** yellow alone  
**REJECT:** blue-green
- (e) 7 electrons in outer shell; [1]  
 8 electrons in middle shell [1]  
**NOTE:** electrons can be shown as dots, crosses or  $e^-$   
**ALLOW:** 2, 8, 7 in numbers for 2 marks

| Page 3 | Mark Scheme           | Syllabus | Paper |
|--------|-----------------------|----------|-------|
|        | IGCSE – May/June 2013 | 0620     | 23    |

- (f) (i) Br<sub>2</sub> on right; [1]  
 2 on left (dependent on Br<sub>2</sub> or 2Br on right) [1]
- (ii) iodine is less reactive than bromine ORA [1]  
**NOTE:** both iodine and bromine (or symbols or formulae) are required  
**ALLOW:** bromine is higher in the electrochemical series than iodine  
**IGNORE:** less reactive than bromide  
**IGNORE:** iodine is lower in the group/Periodic Table than bromine ORA

[Total: 10]

- 3 (a) Any four of: [4]
- in solid, particles are arranged regularly (or are ordered)/in a lattice
  - in solid, particles are close together
  - in solid, particles are not moving/only vibrate/are in fixed position
  - in liquid, particles randomly arranged/disordered/have random motion
  - in liquid, particles slide over each other/move slowly
  - in liquid, particles are close together
- IGNORE:** particles are closer together
- Any one of: [1]
- during melting, particles become less ordered
  - during melting, particles start moving/move more/move faster
- IGNORE:** during melting, particles get further apart  
**NOTE:** there must be a reference to particles to score marks
- (b) Any three of: [3]
- lustrous or shiny **ALLOW:** silvery
  - conduct heat/conduct electricity/conduct
  - malleable or can be shaped: **ALLOW:** can be bent
  - ductile/can be drawn into wires
  - **ALLOW:** solid at room temperature/solid below 37 °C
- IGNORE:** high boiling point/comments about density/sonorous/comments about hardness
- (c) Ga<sub>2</sub>Cl<sub>6</sub> [1]
- (d) (i) lower density/better electrical conductor [1]  
**IGNORE:** low density/lighter/lightweight/good electrical conductor  
**NOTE:** comparative needed
- (ii) stronger/cheaper [1]  
**NOTE:** comparative needed
- (iii) lower density; cheaper (1 mark each) [2]  
**NOTE:** comparative needed

| Page 4 | Mark Scheme           | Syllabus | Paper |
|--------|-----------------------|----------|-------|
|        | IGCSE – May/June 2013 | 0620     | 23    |

- (e) food containers/cooking utensils/aircraft or cars (bodywork)/rail truck (or rail car) (bodywork)/bicycles/(drink) cans/foil/windows/doors/roofing/walking poles/alloy magnets/(some types of) CD's/transistors/(high brightness) LEDs/paints/(solid) rocket fuels/coins/guitar plates (or necks)/mirrors/any other suitable use [1]

[Total: 14]

- 4 (a) (i) filtration: idea of removing larger particles or insoluble particles; [1]  
**ALLOW:** to remove clay particles/soil particles/sticks/large impurities  
**IGNORE:** remove large molecules / to remove impurities / to clean the water  
 chlorination: to kill bacteria [1]

**ALLOW:** to kill germs/to kill microorganisms  
**IGNORE:** to disinfect/to remove bacteria/to get bacteria out

- (ii) any suitable use for water **in the home**, e.g. for [1]  
 washing/cooking/cleaning/sanitation  
**IGNORE:** for cooling **but ALLOW:** for cooling body, i.e. lowering body temperature (of fever)  
**IGNORE:** industrial uses

- (b) anhydrous/white copper sulfate; [1]  
**IGNORE:** incorrect oxidation numbers

turns blue [1]

**OR**

anhydrous/blue cobalt chloride (1 mark);  
 turns pink (1 mark)

**NOTE:** second mark dependent on first being correct

**BUT:** copper sulfate turns blue/cobalt chloride turns pink = 1 mark

- (c) (i) dot and cross placed between each H atom and the O [1]  
**ALLOW:** two dots/two crosses/two 'e' for each bond  
**IGNORE:** electrons in inner shell of oxygen if drawn  
**REJECT:** inner electron shells given to hydrogen/extra electrons in outer shell of hydrogen or oxygen

- (ii) covalent + reasons, e.g. because electrons are shared/pair of electrons form the bond(s) [1]  
**IGNORE:** because they are two non-metals

- (d) (pH) 7 [1]

- (e) sodium + water → sodium hydroxide + hydrogen [1]  
**IGNORE:** symbol equations

[Total: 9]

| Page 5 | Mark Scheme           | Syllabus | Paper |
|--------|-----------------------|----------|-------|
|        | IGCSE – May/June 2013 | 0620     | 23    |

- 5 (a) exothermic [1]  
**IGNORE:** combustion
- (b) O<sub>2</sub>; [1]  
 2 (dependent on O<sub>2</sub> or 2O) [1]
- (c) (i) **B** [1]  
 (ii) fuel for cars / fuel for vehicles [1]  
**ALLOW:** implication of powering cars / vehicles  
**IGNORE:** fuel or cars without any qualification
- (d) (i) all points plotted correctly; [2]  
**IF:** 1 point incorrectly plotted = 1 mark  
 line correctly drawn through points [1]  
 (ii) 99 (°C) or from value correctly shown on graph with incorrect line [1]
- (e) (i) Any two of: [2]  
 (group of chemicals with)  
 • similar chemical properties **IGNORE:** same chemical properties  
 • same functional group  
 • same general formula **IGNORE:** have a general formula  
 • successive members differ by CH<sub>2</sub> group  
 • general trend in physical properties
- (ii) high temperature / heat; [1]  
**ALLOW:** stated temperatures between 300 and 900 °C  
**IGNORE:** temperature unqualified
- catalyst; [1]  
**ALLOW:** aluminium + silicon oxides / zeolites  
**REJECT:** incorrect name alone, e.g. nickel
- OR**
- high pressure (1 mark)  
**ALLOW:** stated pressures between 50–100 atmospheres  
**IGNORE:** pressure unqualified

[Total: 13]

| Page 6 | Mark Scheme           | Syllabus | Paper |
|--------|-----------------------|----------|-------|
|        | IGCSE – May/June 2013 | 0620     | 23    |

6 (a) Any four of: [4]

liquid in beaker/ other suitable container with chromatography paper dipping into the liquid

solvent labelled or named as word solvent or as specific named solvent (must be in correct context, e.g. in beaker)

**REJECT:** solution of substance to be chromatographed

spot placed on paper above solvent level

allow solvent to run up the paper/ solvent carries the dyes up the paper

the spots separate/ different dyes go different distances

**IGNORE:** the dyes separate (in stem of question)

compare distance spot moves to a standard

**ALLOW:** more advanced points, e.g. mark solvent front/ compare  $R_f$  values

**ALLOW:** marks from labelled diagram

(b) (i) F [1]

(ii) G [1]

(iii) G [1]

(c)  $\begin{array}{c} \text{C} - \text{O} - \text{H} \\ || \\ \text{O} \end{array}$  [1]

**ALLOW:** COOH/CO<sub>2</sub>H

(d) substance which dissolves another/ substance which dissolves a solute [1]

(e) (i) 4 [1]

(ii) 10 [1]

**[Total: 11]**

7 (a) (i) protein/ catalyst; [1]

speeds up a reaction/ increases rate of reaction/ makes reaction faster [1]

**ALLOW:** changes the rate of a reaction

**IGNORE:** makes a reaction slower

(ii) 2 (on left) and no other figures added; [1]

(b) (i) increasing the concentration increases rate ORA [1]

**IGNORE:** concentration increases rate

(ii) initial slope of line between that of 0.2 and 0.4 mol dm<sup>-3</sup> concentrations; [1]

line levels off about half way between 18 and 22 cm<sup>3</sup> [1]

| Page 7 | Mark Scheme           | Syllabus | Paper |
|--------|-----------------------|----------|-------|
|        | IGCSE – May/June 2013 | 0620     | 23    |

- (iii) volume – 26 (cm<sup>3</sup>) [1]  
time – 20 (s) [1]
- (c) (i) loss of oxygen / decrease in oxidation number / gain of electrons [1]  
**ALLOW:** gain of hydrogen
- (ii) calcium sulfate; [1]  
water [1]  
**IGNORE:** symbol equation  
**APPLY:** listing
- (iii) add (aqueous) silver nitrate; [1]  
(pale) yellow precipitate [1]  
(second mark dependent on first being correct)
- OR**  
add (aqueous) lead nitrate (1 mark)  
yellow precipitate (1 mark)  
(second mark dependent on first being correct)

**[Total: 13]**