## CAMBRIDGE INTERNATIONAL EXAMINATIONS

Cambridge International General Certificate of Secondary Education

## MARK SCHEME for the May/June 2015 series

## 0610 BIOLOGY

0610/53

Paper 5 (Practical Test), maximum raw mark 40

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes should be read in conjunction with the question paper and the Principal Examiner Report for Teachers.

Cambridge will not enter into discussions about these mark schemes.

Cambridge is publishing the mark schemes for the May/June 2015 series for most Cambridge IGCSE<sup>®</sup>, Cambridge International A and AS Level components and some Cambridge O Level components.

® IGCSE is the registered trademark of Cambridge International Examinations.



Page 2	Mark Scheme	Syllabus	Paper
	Cambridge IGCSE – May/June 2015	0610	53

## Abbreviations used in the Mark Scheme

- ; separates marking points
- / separates alternatives within a marking point
- R reject
- **ignore** mark as if this material was not present
  - accept (a less than ideal answer which should be marked correct)
  - alternative wording (accept other ways of expressing the same idea)
  - underlinewords underlined (or grammatical variants of them) must be presentmaxindicates the maximum number of marks that can be awarded
- max

**A** AW

- mark independently
- ecf
  ()

•

- the second mark may be given even if the first mark is wrong credit a correct statement that follows a previous wrong response
- the word / phrase in brackets is not required, but sets the context
- ora or reverse argument
- AVP any valid point

Qı	uestion	Mark scheme	Marks	Guidance for Examiners		
1	(a)	yellow ; clear/transparent (for <b>A</b> or <b>B</b> ) ; opaque/cloudy/bubbles (for <b>C</b> ) ;	[3]			
	(b) (i)	table drawn with (ruled) lines and appropriate number of cells ; headings appropriate ; all cells filled – observations recorded for all 6 tests ;	[3]			
	(ii)	<ul> <li>A – no colour change for both tests ;</li> <li>B – blue/green to brick red for test 2 ;</li> <li>C – blue/green to violet for test 1 and blue/green to brick</li> </ul>				
		red for test 2;	[3]			
	(c) (i)	no reducing sugar or protein present ; healthy ;	[2]			
	(ii)	only reducing sugar present ; diabetic ;	[2]			
	(b) (iii)	reducing sugar and protein present ; diabetic <b>and</b> has kidney disease/problems ;	[2]			

	Page 4	Mark Schen			Syllabus	Paper	]
		Cambridge IGCSE – Ma	ay/June 2015		0610	53	
(d)				improvement	must be link	ad to orror	but arran mark aan
	error	improvement		be awarded in			, but error mark can
	volumes not measured accurately ;	use measuring cylinder/pipette/AW ;					
	difficult to see colour changes ;	standards for comparison/charts/pH meter/AW ;					
	temperature may vary ;	maintain temperature by thermostat-controlled water bath ;					
	same time in water bath ;	use timer/AW ;	max [4]				

		Page 5		Mark Schei		Syllabus	Paper	
				Cambridge IGCSE – M	lay/June 2015	0610	53	
(e) (i)	axes lab	elled and s	caled ever	ly;				 
	size, plot axes ;	ts to fill hal	f or more th	an half of grid along both				
	all points	s plotted ac	curately ±	½ small square ;				
	line draw line ;	n point to	point, ruled	lines or smooth unbroken				
	conc	blood glucc entration/ 100 cm <sup>3</sup>	ose mg per	glucose excreted in urine/mg per minute				
		0		0				
		100		0				
		200		0				
		300		40				
		400		100				
		500		190				
		600		280				
		700		370	[4]			

	Page 6 Mark Schen		Syllabus	Paper
	Cambridge IGCSE – Ma	ay/June 2015	0610	53
(ii)	as blood sugar increases so does glucose excreted in urine ;			
	no glucose excreted in urine until blood glucose is over 200 mg per 100 cm <sup>3</sup> ;	[2]		
(iii)	30 – 35 (mg per minute) ;	[1]	check reading from candic	late's graph
		[Total: 26]		
2 (a)	outline of whole flower – clear unbroken lines and no shading anywhere ; size to fill at least ½ available space ; drawing detail: detail of male parts ; detail of female parts ; one label from: stigma/style/ovary/filament/anther/stamen/petal/honey guides ;	[5]		
(b) (i)	presence of large petals/stamens/anther/filaments;	[1]	similarity must be based o	n specimen provided for 2(a)
(ii)	no carpel/female parts/stigma/style/ovary;	[1]	similarity must be based o	n specimen provided for 2(a)
(c)	30 (mm) ; <u>length measured</u> ; 0.4		accept 29 – 31 mm	
	= 75 (mm) ;	[3]	2 marks for correct answe	r with no working

Page 7	Mark Scheme	Syllabus	Paper
	Cambridge IGCSE – May/June 2015	0610	53

(d) (i)	concentration of sugar concentration;	[1]	
(ii)	rate of growth of pollen tube / time factor to measure extension of pollen tube ;	[1]	
(d) (iii)	temperature ; (equally) spaced timing ; age or size/type of pollen grain or plant ; amount/volume of sugar solution ; type of sugar – or named sugar ; AVP ;	max [2]	
		[Total: 14]	