



# The Periodic Table of the Elements

1	2	3	4	5	6	7	0										
7 <b>Li</b> lithium 3	9 <b>Be</b> beryllium 4	11 <b>Na</b> sodium 11	12 <b>Mg</b> magnesium 12	13 <b>Al</b> aluminium 13	14 <b>Si</b> silicon 14	15 <b>P</b> phosphorus 15	16 <b>S</b> sulfur 16	17 <b>Cl</b> chlorine 17	18 <b>Ar</b> argon 18								
19 <b>K</b> potassium 19	20 <b>Ca</b> calcium 20	21 <b>Sc</b> scandium 21	22 <b>Ti</b> titanium 22	23 <b>V</b> vanadium 23	24 <b>Cr</b> chromium 24	25 <b>Mn</b> manganese 25	26 <b>Fe</b> iron 26	27 <b>Co</b> cobalt 27	28 <b>Ni</b> nickel 28	29 <b>Cu</b> copper 29	30 <b>Zn</b> zinc 30	31 <b>Ga</b> gallium 31	32 <b>Ge</b> germanium 32	33 <b>As</b> arsenic 33	34 <b>Se</b> selenium 34	35 <b>Br</b> bromine 35	36 <b>Kr</b> krypton 36
37 <b>Rb</b> rubidium 37	38 <b>Sr</b> strontium 38	39 <b>Y</b> yttrium 39	40 <b>Zr</b> zirconium 40	41 <b>Nb</b> niobium 41	42 <b>Mo</b> molybdenum 42	43 <b>Tc</b> technetium [98]	44 <b>Ru</b> ruthenium 44	45 <b>Rh</b> rhodium 45	46 <b>Pd</b> palladium 46	47 <b>Ag</b> silver 47	48 <b>Cd</b> cadmium 48	49 <b>In</b> indium 49	50 <b>Sn</b> tin 50	51 <b>Sb</b> antimony 51	52 <b>Te</b> tellurium 52	53 <b>I</b> iodine 53	54 <b>Xe</b> xenon 54
55 <b>Cs</b> caesium 55	56 <b>Ba</b> barium 56	57 <b>La*</b> lanthanum 57	72 <b>Hf</b> hafnium 72	73 <b>Ta</b> tantalum 73	74 <b>W</b> tungsten 74	75 <b>Re</b> rhenium 75	76 <b>Os</b> osmium 76	77 <b>Ir</b> iridium 77	78 <b>Pt</b> platinum 78	79 <b>Au</b> gold 79	80 <b>Hg</b> mercury 80	81 <b>Tl</b> thallium 81	82 <b>Pb</b> lead 82	83 <b>Bi</b> bismuth 83	84 <b>Po</b> polonium 84	85 <b>At</b> astatine 85	86 <b>Rn</b> radon 86
[223] <b>Fr</b> francium 87	[226] <b>Ra</b> radium 88	[227] <b>Ac*</b> actinium 89	[261] <b>Rf</b> rutherfordium 104	[262] <b>Db</b> dubnium 105	[266] <b>Sg</b> seaborgium 106	[264] <b>Bh</b> bohrium 107	[277] <b>Hs</b> hassium 108	[268] <b>Mt</b> meitnerium 109	[271] <b>Ds</b> darmstadtium 110	[272] <b>Rg</b> roentgenium 111	Elements with atomic numbers 112-116 have been reported but not fully authenticated						

1  
**H**  
hydrogen  
1

Key  
relative atomic mass  
atomic symbol  
name  
atomic (proton) number

\* The lanthanoids (atomic numbers 58-71) and the actinoids (atomic numbers 90-103) have been omitted.  
The relative atomic masses of copper and chlorine have not been rounded to the nearest whole number.

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA



**Answer ALL questions.**

1 This question is about gases in the atmosphere.

(a) The box gives the names of some gases in the atmosphere.

argon	carbon dioxide	helium
nitrogen	oxygen	

Use gases from the box to answer the questions.

Each gas may be used once, more than once or not at all.

(i) Identify the two noble gases.

(1)

(ii) Identify the gas that is a compound.

(1)

(iii) Identify the most abundant gas in the atmosphere.

(1)

(iv) Identify the greenhouse gas.

(1)

(b) Describe the test for oxygen.


(1)

**(Total for Question 1 = 5 marks)**



P 6 0 1 8 3 A 0 3 2 0

2 The diagram represents an atom of boron.



(a) Use information from the diagram to complete the table.

The first row has been done for you.

(5)

atomic number	5
mass number	
number of neutrons	
group in the Periodic Table that contains boron	
period in the Periodic Table that contains boron	
electronic configuration of an atom of boron	

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA



(b) Boron has two isotopes, boron-10 and boron-11.

A sample of boron contains 18.7% of boron-10 and 81.3% of boron-11.

Calculate the relative atomic mass of this sample of boron.

(2)

relative atomic mass = .....

**(Total for Question 2 = 7 marks)**

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA


DO NOT WRITE IN THIS AREA



P 6 0 1 8 3 A 0 5 2 0

3 Crude oil is an important source of organic compounds.

(a) The diagram shows crude oil being separated into different fractions.



(i) Name the process used to separate crude oil into different fractions.

(1)

(ii) State what happens to the crude oil at X.

(1)

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA



(iii) Describe the differences between fraction B and fraction E.

In your answer, refer to

- size of the molecules
- boiling point
- colour
- viscosity

(4)

.....

.....

.....

.....

.....

.....

.....

.....

.....

(b) Crude oil often contains sulfur as an impurity.

Explain why this is a problem when using crude oil fractions as fuels.

(2)

.....

.....

.....

.....

**(Total for Question 3 = 8 marks)**

---

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA





DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

**BLANK PAGE**





4 This question is about the halogens and their compounds.

(a) The table gives the colour and physical state at room temperature of the halogens.

Complete the table by predicting the colour of astatine and the physical state of fluorine at room temperature.

(2)

Halogen	Colour	Physical state at room temperature
fluorine	pale yellow	
chlorine	pale green	gas
bromine	red-brown	liquid
iodine	dark grey	solid
astatine		solid

(b) Chlorine gas is bubbled into a colourless solution of potassium bromide.

Explain why the solution turns orange.

(2)

.....

.....

.....

.....

(c) Potassium bromide is an ionic compound.

Draw diagrams to show the outer electrons in a potassium ion and in a bromide ion.

Include the charges on the ions.

(3)

potassium ion	bromide ion
---------------	-------------



P 6 0 1 8 3 A 0 9 2 0



- (e) A concentrated aqueous solution of sodium chloride is electrolysed using graphite electrodes.

Chlorine is formed at the positive electrode (anode).

- (i) Give an ionic half-equation for the formation of chlorine at the positive electrode. (1)

- (ii) State why this ionic half-equation represents an oxidation reaction. (1)

- (iii) Which substance is formed at the negative electrode (cathode)? (1)

- A hydrogen
- B oxygen
- C sodium
- D water

(Total for Question 4 = 15 marks)




5 This question is about the reactions of carboxylic acids.

(a) Carboxylic acids react with solutions of metal carbonates.

(i) Complete the chemical equation for the reaction of ethanoic acid,  $\text{CH}_3\text{COOH}$ , with potassium carbonate solution.

(2)



(ii) State what you would see in this reaction.

(1)

(b) The ester, ethyl ethanoate, can be prepared by reacting ethanol with ethanoic acid.

This is the method for the preparation.

- mix equal amounts of ethanoic acid and ethanol in a boiling tube
- add a few drops of concentrated sulfuric acid
- place the boiling tube in a hot water bath for several minutes

(i) State the role of concentrated sulfuric acid in this reaction.

(1)

(ii) Suggest why the mixture is heated in a water bath rather than directly with a Bunsen burner flame.

(1)

(iii) State how you would know that ethyl ethanoate has formed.

(1)

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA



(c) Another ester, methyl propanoate, can be prepared by reacting methanol with propanoic acid.

(i) Draw the displayed formulae of methanol, propanoic acid and the ester, methyl propanoate.

(3)

methanol	propanoic acid
----------	----------------

methyl propanoate
-------------------

(ii) Give the name of the other product of this reaction.

(1)

(d) Give one use of esters.

(1)

(Total for Question 5 = 11 marks)



P 6 0 1 8 3 A 0 1 3 2 0



DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

**BLANK PAGE**



6 When a bottle of wine is left open for several days, some of the ethanol in the wine turns to ethanoic acid,  $\text{CH}_3\text{COOH}$

(a) A scientist uses a titration method to investigate how much ethanoic acid is formed if a bottle of white wine is left open for one week.

She uses this method.

- fill a burette with the white wine and record the reading
- add  $25.0\text{ cm}^3$  of sodium hydroxide solution to a conical flask
- add a few drops of phenolphthalein indicator to the flask
- swirl the flask continuously while adding wine from the burette
- add the wine drop by drop near the end point
- record the reading at the end point

(i) Name the piece of apparatus that would be most suitable for measuring the  $25.0\text{ cm}^3$  of sodium hydroxide solution.

(1)

(ii) Suggest why red wine would not be suitable to use for this investigation.

(1)

(iii) State why she swirls the flask continuously.


(1)

(iv) State why she adds the wine drop by drop near the end point.

(1)



(b) The diagram shows the burette readings at the start and end of one of the titrations.



Use the readings to complete the table.

Give your values to the nearest 0.05 cm<sup>3</sup>.

(3)

burette reading at end	
burette reading at start	
volume of wine added in cm <sup>3</sup>	

(c) The scientist repeats the titration four more times.

The table shows her results for these four titrations.

titration number	1	2	3	4
volume of wine added in cm <sup>3</sup>	20.40	20.10	20.35	20.45
concordant results				

Concordant results are those within 0.20 cm<sup>3</sup> of each other.

(i) Add ticks (✓) to the table to show the concordant results.

(1)

(ii) Use your ticked results to calculate the mean (average) volume of wine added.

(2)

mean volume of wine added = ..... cm<sup>3</sup>

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA


DO NOT WRITE IN THIS AREA





- (d) Another scientist repeats the titration with a different bottle of white wine that has been left open for a week.

The equation for the reaction that occurs in this titration is



The mean volume of wine added is  $19.50 \text{ cm}^3$ .

- (i) The concentration of the sodium hydroxide solution is  $0.0500 \text{ mol/dm}^3$ .

Calculate the amount, in moles, of NaOH in  $25.0 \text{ cm}^3$  of sodium hydroxide solution. (2)

amount of NaOH = ..... mol

- (ii) Deduce the amount, in moles, of  $\text{CH}_3\text{COOH}$  in  $19.50 \text{ cm}^3$  of the wine. (1)

amount of  $\text{CH}_3\text{COOH}$  = ..... mol

- (iii) Calculate the concentration, in  $\text{mol/dm}^3$ , of  $\text{CH}_3\text{COOH}$  in the wine. (2)

concentration of  $\text{CH}_3\text{COOH}$  = .....  $\text{mol/dm}^3$

**(Total for Question 6 = 15 marks)**




P 6 0 1 8 3 A 0 1 7 2 0

- 7 Hydrogen gas can be produced by reacting a mixture of methane and steam in the presence of a nickel catalyst.

The reaction conditions are a temperature of 700 °C and a pressure of 5 atmospheres.

The equation for the reaction is



- (a) What does the symbol  $\rightleftharpoons$  represent?

(1)

- (b) (i) The mixture of methane and steam is heated to a temperature greater than 700 °C but the pressure is kept at 5 atmospheres.

Predict the effect of this change on the yield of hydrogen at equilibrium, giving a reason for your answer.

(2)

- (ii) The mixture of methane and steam is kept at the same temperature of 700 °C but the pressure is increased to more than 5 atmospheres.

Predict the effect of this change on the yield of hydrogen at equilibrium, giving a reason for your answer.

(2)

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA



- (c) Calculate the volume, in  $\text{dm}^3$ , of hydrogen gas at rtp that is produced when 10 tonnes of methane gas completely react with steam.

[molar volume of hydrogen at rtp is  $24 \text{ dm}^3$ ]

Give your answer in standard form.

(4)

volume of hydrogen = .....  $\text{dm}^3$

**(Total for Question 7 = 9 marks)**

**TOTAL FOR PAPER = 70 MARKS**





DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

**BLANK PAGE**

