



## **Cambridge International Examinations**

Cambridge International General Certificate of Secondary Education

CHEMISTRY 0620/12

Paper 1 Multiple Choice (Core) February/March 2017

45 minutes

Additional Materials: Multiple Choice Answer Sheet

Soft clean eraser

Soft pencil (type B or HB is recommended)

#### **READ THESE INSTRUCTIONS FIRST**

Write in soft pencil.

Do not use staples, paper clips, glue or correction fluid.

Write your name, Centre number and candidate number on the Answer Sheet in the spaces provided unless this has been done for you.

DO NOT WRITE IN ANY BARCODES.

There are **forty** questions on this paper. Answer **all** questions. For each question there are four possible answers **A**, **B**, **C** and **D**.

Choose the one you consider correct and record your choice in soft pencil on the separate Answer Sheet.

#### Read the instructions on the Answer Sheet very carefully.

Each correct answer will score one mark. A mark will not be deducted for a wrong answer.

Any rough working should be done in this booklet.

A copy of the Periodic Table is printed on page 16.

Electronic calculators may be used.

The syllabus is approved for use in England, Wales and Northern Ireland as a Cambridge International Level1/Level 2 Certificate.




1 A bottle of aqueous ammonia is placed on a table in a corner of the laboratory.

The stopper is removed and after a few minutes all the students in the room can smell the ammonia.

Which process occurs?


- A Brownian motion
- **B** diffusion
- C dissolving
- **D** distillation
- **2** A student is investigating a coloured mixture using chromatography.



Where should the student place the coloured mixture?

- A in the solvent
- **B** just above the pencil line
- **C** just below the pencil line
- **D** on the pencil line

3 The diagrams show liquids in a burette and a measuring cylinder.




measuring cylinder

Which row shows the correct readings for the burette and the measuring cylinder?

	burette	measuring cylinder
Α	27.8	42
В	27.8	44
С	28.2	42
D	28.2	44

4 The diagram shows how muddy water can be purified.



Which process for purifying the muddy water is shown?

- crystallisation
- distillation В
- C filtration
- solvent extraction

- 5 The aluminium ion,  $Al^{3+}$ , has the same electronic structure as an atom of which noble gas?
  - **A** argon
  - **B** helium
  - C krypton
  - **D** neon
- 6 A covalent molecule M contains a total of four shared electrons.

What is M?

- A ammonia, NH<sub>3</sub>
- **B** hydrogen chloride, HC1
- **C** methane, CH<sub>4</sub>
- **D** water, H<sub>2</sub>O
- 7 Three substances have the properties shown.
  - X conducts electricity when solid and when molten.
  - Y is soluble in water and the solution conducts electricity.
  - Z only conducts electricity when molten.

What are X, Y and Z?

	Х	Y	Z
Α	Ca	MgO	NaOH
В	Ca	NaOH	MgO
С	MgO	Ca	NaOH
D	MgO	NaOH	Ca

8 Caffeine is a stimulant found in coffee.

Which formula represents caffeine?

A OH NO B OH NO 6 OH

- **A**  $C_7H_{10}N_4O_2$  **B**  $C_8H_{10}N_3O_2$  **C**  $C_8H_{10}N_4O_2$  **D**  $C_8H_{11}N_4O_2$
- **9** Four substances are electrolysed.

The substances are concentrated aqueous sodium chloride, concentrated hydrochloric acid, molten lead(II) bromide and molten sodium oxide.

Which statement about these electrolysis reactions is correct?


- **A** A colourless gas is formed at the anode when molten sodium oxide is electrolysed.
- **B** A green gas is formed at the cathode when concentrated hydrochloric acid is electrolysed.
- **C** A metal is formed at the anode when molten lead(II) bromide is electrolysed.
- **D** A metal is formed at the cathode when concentrated aqueous sodium chloride is electrolysed.
- **10** Ammonium chloride is added to 100 cm<sup>3</sup> of water. The temperature changes from 25 °C to 20 °C.

Which type of reaction occurs?

- **A** endothermic
- **B** exothermic
- C freezing
- **D** neutralisation

**PMT** 

**11** A diagram for the energy change during an exothermic reaction is shown.



For which reactions would this be an appropriate diagram?


$$1 \quad CH_4 + 2O_2 \rightarrow CO_2 + 2H_2O$$

$$2 \quad 2H_2 + O_2 \rightarrow 2H_2O$$

$$3 \quad C + O_2 \rightarrow CO_2$$

- A none of them
- B 1 and 2 only
- C 2 and 3 only
- **D** all of them

12 The diagram shows the apparatus used to measure the rate of a chemical reaction.



For which reaction can the rate be measured using this apparatus?

**A** 2Na + 
$$Cl_2 \rightarrow 2NaCl$$

**B** NaOH + HC
$$l \rightarrow$$
 NaC $l +$  H<sub>2</sub>O

C Na<sub>2</sub>O + 2HC
$$l \rightarrow$$
 2NaC $l +$  H<sub>2</sub>O

**D** Na<sub>2</sub>CO<sub>3</sub> + 2HC
$$l \rightarrow$$
 2NaC $l +$  H<sub>2</sub>O + CO<sub>2</sub>

13 Copper(II) carbonate reacts with dilute sulfuric acid.

$$CuCO_3(s) + H_2SO_4(aq) \rightarrow CuSO_4(aq) + CO_2(g) + H_2O(l)$$

The rate of the reaction can be changed by varying the conditions.

Which changes always increase the rate of this chemical reaction?

- 1 increasing the concentration of sulfuric acid
- 2 increasing the size of the pieces of copper(II) carbonate
- 3 increasing the temperature
- 4 increasing the volume of sulfuric acid
- **A** 1, 3 and 4 **B** 1 and 3 only **C** 2 and 3 **D** 3 and 4 only
- 14 In which reaction is the first substance in the equation oxidised?
  - **A** CaO +  $H_2O \rightarrow Ca(OH)_2$
  - $\textbf{B} \quad \text{4FeO + O}_2 \, \rightarrow \, \text{2Fe}_2\text{O}_3$
  - $\textbf{C} \quad \text{SnO}_2 \, + \, 2\text{H}_2 \, \rightarrow \, \text{Sn} \, + \, 2\text{H}_2\text{O}$
  - $\textbf{D} \quad ZnCO_3 \, \rightarrow \, ZnO \, + \, CO_2$
- **15** The equation for the effect of heat on hydrated sodium carbonate is as shown.

$$Na_2CO_3.10H_2O(s) \rightleftharpoons Na_2CO_3(s) + 10H_2O(g)$$

Statements made by four students about the reaction are given.

- P Anhydrous sodium carbonate is formed.
- Q Steam is formed.
- R There is a colour change from blue to white.
- S The reaction is reversible.

Which students' statements are correct?

- A P, Q and R only
- **B** P, Q and S only
- C Q, R and S only
- **D** P, Q, R and S

16 Which reaction is a neutralisation reaction?

**A** AgNO<sub>3</sub> + HC
$$l$$
  $\rightarrow$  AgC $l$  + HNO<sub>3</sub>

**B** 
$$CaCO_3 \rightarrow CaO + CO_2$$

**C** 4Na + 
$$O_2 \rightarrow 2Na_2O$$

**D** 
$$2NaOH + H_2SO_4 \rightarrow Na_2SO_4 + 2H_2O$$

17 Elements W and X are metals.

Elements Y and Z are non-metals.

The oxides of W, X, Y and Z all form solutions when added to water.

Which statement is correct?


- A The solution of the oxide of element W turns blue litmus red.
- **B** The solution of the oxide of element X fizzes when sodium carbonate is added.
- **C** The solution of the oxide of element Y has a pH greater than pH 7.
- **D** The solution of the oxide of element Z fizzes when powdered magnesium is added.

**18** A student is given an unknown solution.

Which two tests provide evidence that the solution is copper(II) sulfate?

- 1 adding dilute hydrochloric acid
- 2 adding aqueous sodium hydroxide
- 3 adding dilute nitric acid, then silver nitrate solution
- 4 adding dilute nitric acid, then barium nitrate solution
- **A** 1 and 3 **B** 1 and 4 **C** 2 and 3 **D** 2 and 4

**19** The diagram shows the steps in the preparation of a salt.



Which salt is prepared by this method?


- A barium sulfate
- B copper(II) sulfate
- C potassium sulfate
- **D** sodium sulfate
- 20 Which property of elements increases across a period of the Periodic Table?
  - A metallic character
  - B number of electron shells
  - C number of outer shell electrons
  - D tendency to form positive ions
- 21 The noble gases are in Group VIII of the Periodic Table.

Which statement explains why noble gases are unreactive?

- **A** They all have eight electrons in their outer shells.
- **B** They all have full outer shells.
- **C** They are all gases.
- **D** They are all monoatomic.
- 22 Which compound is made from elements which are all in the same period?
  - $\mathbf{A}$  A $l_2(SO_4)_3$
- **B** C<sub>2</sub>H<sub>5</sub>OH
- C LiNO<sub>3</sub>
- **D** Na<sub>3</sub>AlF<sub>6</sub>

## 23 Part of the Periodic Table is shown.

Which element is used as a catalyst?




## **24** Which statement about **all** metals is correct?

- **A** They are attracted to a magnet.
- **B** They are weak and brittle.
- **C** They may be used to form alloys.
- **D** They react with water.

# 25 Two experiments are carried out.

In experiment 1, copper is heated with steam.

In experiment 2, copper(II) oxide is heated with carbon.



Which row describes what happens in experiments 1 and 2?

	experiment 1	experiment 2
Α	no reaction	no reaction
В	no reaction	reaction
С	reaction	no reaction
D	reaction	reaction


- 26 Which metal is commonly used to form alloys with a non-metallic element?
  - A copper
  - **B** iron
  - **C** magnesium
  - **D** zinc
- 27 Steel is made by adding ...... 1 ...... to molten iron to remove ...... 2 ...... from the iron.

Stainless steel is ...... 3 ...... resistant to corrosion than mild steel.

Which words complete the gaps 1, 2 and 3?

	1	2	3
Α	basic oxides	acidic impurities	less
В	basic oxides	carbon	more
С	oxygen	acidic impurities	less
D	oxygen	carbon	more

28 Water is added to hydrated copper(II) sulfate.



Which colour change takes place?

- A blue to pink
- B blue to white
- C no change
- **D** white to blue


29 Two reactions, X and Y, produce carbon dioxide.

$$CH_4 \xrightarrow{X} CO_2 \xrightarrow{Y} CaCO_3$$

Which types of reaction are X and Y?

	X	Υ
Α	combustion	combustion
В	combustion	thermal decomposition
С	thermal decomposition	combustion
D	thermal decomposition	thermal decomposition

**30** An experiment to find the percentage of oxygen in 150 cm<sup>3</sup> of polluted air is shown.



The apparatus is left for one week.

After this time, the volume of gas in the measuring cylinder is 122 cm<sup>3</sup>.

What is the percentage of oxygen, to the nearest whole number, in the polluted air?

- **A** 19%
- **B** 21%
- **C** 28%
- **D** 81%

**31** Ammonia is produced when a mixture of ammonium chloride and substance X is heated.

What is substance X?

- A ammonium sulfate
- B barium chloride
- C calcium hydroxide
- **D** silver nitrate

32 Which row is correct for both carbon dioxide and methane?

	causes climate change	produced by burning fuels	produced by living organisms
Α	✓	✓	✓
В	✓	✓	x
С	✓	x	✓
D	×	✓	✓

- 33 Which statements about sulfur dioxide are correct?
  - 1 It dissolves in water to produce a solution with a pH less than pH 7.
  - 2 It is used as a food preservative.
  - 3 It changes potassium manganate(VII) from colourless to purple.
  - 4 It is produced by the combustion of sulfur-containing fossil fuels.
  - **A** 1, 2 and 3 **B** 1, 2 and 4 **C** 1, 3 and 4 **D** 2, 3 and 4
- **34** A student carried out two experiments.
  - experiment 1 The student heated a sample of limestone very strongly. A white powder formed.
  - experiment 2 The white powder from experiment 1 was cooled. The student then added a small quantity of cold water to the powder. Large quantities of steam were produced.

Which statement is **not** correct?

- A An endothermic reaction occurred in experiment 1.
- **B** An exothermic reaction occurred in experiment 2.
- **C** Thermal decomposition occurred in experiment 1.
- **D** Thermal decomposition occurred in experiment 2.
- 35 Which substance has a main constituent that contains only one carbon atom per molecule?
  - A bitumen
  - **B** gasoline
  - C natural gas
  - **D** petroleum

**36** The table shows the composition of four different types of petroleum.

fraction	Arabian Heavy /%	Arabian Light /%	Iranian Heavy /%	North Sea /%
gasoline	18	21	21	23
kerosene	11	15	13	15
diesel oil	18	21	20	24
fuel oil	53	43	46	38

Which type of petroleum is best for the motor vehicle industry?

- A Arabian Heavy
- **B** Arabian Light
- C Iranian Heavy
- D North Sea
- 37 Ethanol is a fuel used in cars. It can be made from petroleum.

Compounds of how many homologous series appear in these equations?

- **A** 1 **B** 2 **C** 3 **D** 4
- 38 Ethanol is produced from either ethene or sugar.


Which type of chemical reaction is used in each case?

	ethene $\rightarrow$ ethanol	sugar → ethanol
Α	addition	fermentation
В	addition	fractional distillation
С	distillation	fermentation
D	distillation	fractional distillation

**39** Which type of hydrocarbon reacts rapidly with aqueous bromine and what is the colour change of the aqueous bromine?

	type of hydrocarbon	colour change of the aqueous bromine
Α	alkane	brown to colourless
В	alkane	colourless to brown
С	alkene	brown to colourless
D	alkene	colourless to brown

**40** The diagram shows the structure of an important product.



This product is formed by ..... 1 ..... of an ..... 2 ..... .

Which words complete gaps 1 and 2?

	1	2
Α	addition polymerisation	alkane
В	addition polymerisation	alkene
С	cracking	alkane
D	cracking	alkene

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced online in the Cambridge International Examinations Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download at www.cie.org.uk after the live examination series.

Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.

The Periodic Table of Elements

=								Gro	Group			=	2		5	5	
=													≥	>	5	=>	
							-										7
							I										Ф Н
Key	Key	Key	Key				hydrogen 1										helium 4
4 atomic number	atomic number	atomic number	atomic number			J						2	9	7	8	6	10
Be atomic symbol	atomic symbol	atomic symbol	mic symbol	pol								Ω	ပ	z	0	ட	Ne
benyllium name 9 relative atomic mass	name relative atomic mass	name relative atomic mass	name trive atomic mass	SSI								boron 11	carbon 12	nitrogen 14	oxygen 16	fluorine 19	neon 20
												13	14	15	16	17	18
Mg												Αl	:ō	۵	S	Cl	Ā
magnesium 24												aluminium 27	silicon 28	phosphorus 31	sulfur 32	chlorine 35.5	argon 40
21 22 23 24	22 23 24	23 24	24		25		26	27	28	29	30	31	32	33	34	35	36
Sc Ti Cr	>  -	ن >	ပ်		Mn		Ь	ပိ	Z	Cn	Zu	Ga	Ge	As	Se	Ä	궃
calcium scandium titanium vanadium chromium manganese   40 45 48 51 52 55 55	titanium vanadium chromium 48 51 52	vanadium chromium 51 52	chromium 52		manganese 55		iron 56	cobalt 59	nickel 59	copper 64	zinc 65	gallium 70	germanium 73	arsenic 75	selenium 79	bromine 80	krypton 84
39 40 41 42	40 41 42	41 42	42		43	-	44	45	46	47	48	49	20	51	52	53	54
Y Zr Nb Mo	Zr Nb Mo	NP	Mo		ည		Ru	Rh	Pd	Ag	В	<u>u</u>	Sn	Sp	Б	_	Xe
yttrium zirconium niobium molybdenum 89 91 93 96	zirconium niobium molybdenum 93 96	niobium molybdenum 93 96	molybdenum 96		technetium -		ruthenium 101	rhodium 103	palladium 106	silver 108	cadmium 112	indium 115	tin 119	antimony 122	tellurium 128	iodine 127	xenon 131
57-71 72 73 74	72 73 74	73 74	74		75		9/	77	78	79	80	81	82	83	84	85	98
lanthanoids Hf Ta W	H Ta W	Ta	>		Re		SO	<u>-</u>	₫	Αn	ΡĜ	11	Ъ	Ξ	Ъо	At	Ru
tantalum tungsten 181 184	tantalum tungsten 181 184	tantalum tungsten 181 184	tungsten 184		rhenium 186		osmium 190	iridium 192	platinum 195	gold 197	mercury 201	thallium 204	lead 207	bismuth 209	polonium –	astatine -	radon -
89–103 104 105 106	104 105 106	105 106	106		107		108	109	110	111	112		114		116		
Rf Db Sg	Rf Db Sg	Db	Sg		Bh		Hs	Ĭ	Ds	Rg	S		Εl		^		
rutherfordium dubnium seaborgium	dubnium seaborgium	dubnium seaborgium	seaborgium	_	pohrium		hassium	meitnerium	darmstadtium	roentgenium	copernicium		flerovium		livermorium		
 	$\dashv$	$\dashv$	$\dashv$	$\dashv$	ı	$\dashv$		1					ı		ı		

	_	E 10	_		mnic	
71	ĭ	lutetium 175	100	۲	lawrenc	I
20	Υp	ytterbium 173	102	8	nobelium	1
69	H	thulium 169	101	Md	mendelevium	ı
89	ш	erbium 167	100	Fm	fermium	ı
29	웃	holmium 165	66	Es	einsteinium	1
99	ò	dysprosium 163	86	₽	californium	ı
65	Q L	terbium 159	26	Ř	berkelium	I
64	gg	gadolinium 157	96	CB	curium	I
63	En	europium 152	92	Am	americium	ı
62	Sm	samarium 150	94	Pu	plutonium	1
61	Pm	promethium –	93	ď	neptunium	1
09	PZ	neodymium 144	92	$\supset$	uranium	238
59	Ą	praseodymium 141	91	Ра	protactinium	231
58	Ce	cerium 140	06	드	thorium	232
22	Гa	lanthanum 139	89	Ac	actinium	1

lanthanoids

actinoids

The volume of one mole of any gas is 24 dm<sup>3</sup> at room temperature and pressure (r.t.p.).