

CHEMISTRY

Paper 1 Multiple Choice

0620/12 October/November 2009

45 Minutes

Additional Materials:

Multiple Choice Answer Sheet Soft clean eraser Soft pencil (type B or HB is recommended)

READ THESE INSTRUCTIONS FIRST

Write in soft pencil.

Do not use staples, paper clips, highlighters, glue or correction fluid.

Write your name, Centre number and candidate number on the Answer Sheet in the spaces provided unless this has been done for you.

There are **forty** questions on this paper. Answer **all** questions. For each question there are four possible answers A, B, C and D.


Choose the **one** you consider correct and record your choice in **soft pencil** on the separate Answer Sheet.

Read the instructions on the Answer Sheet very carefully.

Each correct answer will score one mark. A mark will not be deducted for a wrong answer. Any rough working should be done in this booklet. A copy of the Periodic Table is printed on page 16. You may use a calculator.

This document consists of **16** printed pages.






1 A student separates salt from a mixture of salt and sand.

What is the correct order of steps for the student to take?

- $\textbf{A} \quad \text{filter} \rightarrow \text{evaporate} \rightarrow \text{shake with water}$
- $\textbf{B} \quad \text{filter} \rightarrow \text{shake with water} \rightarrow \text{evaporate}$
- $\textbf{C} \quad \text{shake with water} \rightarrow \text{evaporate} \rightarrow \text{filter}$
- $\textbf{D} \quad \text{shake with water} \rightarrow \text{filter} \rightarrow \text{evaporate}$
- **2** Aqueous lead(II) nitrate and aqueous potassium iodide are added to a dish containing water, as shown.




A yellow precipitate forms after a few minutes.

Which process occurs before the precipitate forms?

- A diffusion
- B distillation
- **C** fermentation
- **D** filtration

3 A student carries out an experiment to prepare pure magnesium sulfate crystals.

The diagram shows the first stage of the preparation.



He adds magnesium carbonate until no more reacts.

Which process should he use for the next stage?

- A crystallisation
- **B** evaporation
- **C** filtration
- D neutralisation
- 4 Which change to an atom occurs when it forms a positive ion?
 - A It gains electrons.
 - B It gains protons.
 - C It loses electrons.
 - D It loses protons.
- 5 Statements 1, 2 and 3 are about diamond and graphite.
 - 1 They are different solid forms of the same element.
 - 2 They each conduct electricity.
 - 3 They have atoms that form four equally strong bonds.

Which statements are correct?

| Α | 1 only | В | 3 only | C 1 and | 13 D | 2 and 3 |
|---|--------|---|-----------|----------------|-------------|---------|
| | | _ | 0 0 1 1 2 | | | |

6 Covalent bonds are formed when electrons are1...... Covalent compounds have2..... electrical conductivity.

Which words correctly complete gaps 1 and 2?

| | 1 | 2 |
|---|-------------|------|
| Α | shared | high |
| в | shared | low |
| С | transferred | high |
| D | transferred | low |

7 Atom X has 8 more electrons than atom Y.

Student 1 says they are in the same group.

Student 2 says they are unreactive.

Which students can be correct?

| | student 1 | student 2 |
|---|--------------|--------------|
| Α | 1 | \checkmark |
| в | \checkmark | x |
| С | x | \checkmark |
| D | X | x |

- 8 Which number is different for isotopes of the same element?
 - A number of electrons
 - B number of full shells
 - C number of nucleons
 - **D** number of protons
- 9 Which atom has two more electrons than an atom of a noble gas?
 - A aluminium
 - **B** bromine
 - **C** calcium
 - D rubidium

10 For each atom of carbon present in a molecule, there is an equal number of atoms of oxygen but twice as many atoms of hydrogen.

What is the formula of the molecule?


 $\label{eq:constraint} \textbf{A} \quad C_2H_2O_2 \qquad \textbf{B} \quad C_2H_2O_4 \qquad \textbf{C} \quad C_2H_4O_2 \qquad \textbf{D} \quad C_2H_6O$

11 Water is formed when 48 g of oxygen combine with 6 g of hydrogen.

What mass of oxygen combines with 2g of hydrogen?

A 12g **B** 16g **C** 96g **D** 144g


12 The diagram shows an electrical cable.



Which statement about the substances used is correct?

- **A** The coating is plastic because it conducts electricity well.
- **B** The core is copper because it conducts electricity well.
- **C** The core is copper because it is cheap and strong.
- **D** The core is iron because it is cheap and strong.


13 The diagram shows how aluminium is manufactured by electrolysis.



What are the anode and cathode made of?

| | anode | cathode |
|---|-----------|-----------|
| Α | aluminium | aluminium |
| в | aluminium | graphite |
| С | graphite | aluminium |
| D | graphite | graphite |

14 The diagram shows the electrolysis of concentrated aqueous sodium chloride.



What is the colour of the Universal Indicator at each electrode after five minutes?

| | colour at anode (+ electrode) | colour at cathode (– electrode) | |
|---|----------------------------------|------------------------------------|--|
| Α | blue/purple | red | |
| в | red | blue/purple | |
| С | red | colourless | |
| D | colourless | blue/purple | |

15 When an acid is added to an alkali the temperature rises.

Which words describe this reaction?

- **A** decomposition and endothermic
- **B** decomposition and exothermic
- **C** neutralisation and endothermic
- D neutralisation and exothermic
- **16** Substance X requires oxygen in order to produce energy.

It does **not** form carbon dioxide as a result of this energy production.

What is substance X?

- A hydrogen
- B natural gas
- **C** petrol
- **D** ²³⁵U
- 17 Which change does **not** increase the speed of reaction between zinc and hydrochloric acid?
 - A adding a catalyst
 - **B** decreasing the temperature
 - **C** decreasing the particle size of the zinc
 - D using more concentrated acid
- **18** When blue copper(II) sulfate is heated, a white solid and water are formed.

The white solid turns blue and gives out heat when water is added to it.

Which terms describe the blue copper(II) sulfate and the reactions?

| | the blue copper(II) sulfate is | reaction |
|---|-----------------------------------|--------------------|
| Α | a mixture | can be reversed |
| в | a mixture | cannot be reversed |
| С | hydrated | can be reversed |
| D | hydrated | cannot be reversed |

19 The equations represent redox reactions.

In which equation is the underlined substance acting as a reducing agent?

- $\label{eq:alpha} \textbf{A} \quad \underline{\text{CaO}} + \text{H}_2\text{O} \rightarrow \text{Ca(OH)}_2$
- $\textbf{B} \quad \underline{CO}_2 + C \rightarrow 2CO$
- $\mathbf{C} \quad \underline{\mathrm{CuO}} + \mathrm{H}_2 \rightarrow \mathrm{Cu} + \mathrm{H}_2\mathrm{O}$
- $\textbf{D} \quad 3\underline{CO} + Fe_2O_3 \rightarrow 2Fe + 3CO_2$
- 20 An aqueous solution Y contains both barium ions and silver ions.

In separate experiments, dilute sulfuric acid and dilute hydrochloric acid are added to solution Y.

Which of these acids causes a precipitate to form in solution Y?

| | dilute sulfuric acid | dilute hydrochloric acid |
|---|-------------------------|-----------------------------|
| Α | \checkmark | ✓ |
| в | \checkmark | × |
| С | X | \checkmark |
| D | x | × |

21 The diagram shows the pH values of four solutions.

| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 |
|---|---|---|--------|---|---|--------|---|--------|----|----|----|--------|----|
| | | | ↑ P | | | ↑ Q | | ↑ R | | | | ↑ S | |

Which of these solutions are alkaline?

- A P only
- B P and Q only
- C Q, R and S only
- D R and S only

- 22 Salts can be prepared by reacting a dilute acid
 - 1 with a metal;
 - 2 with a base;
 - 3 with a carbonate.

Which methods could be used to prepare copper(II) chloride?

- A 1 and 2 only
- **B** 1 and 3 only
- C 2 and 3 only
- **D** 1, 2 and 3
- **23** The diagram shows the position of an element X in the Periodic Table.

| X | | |
|---|--|--|

What is the correct classification of element X and its oxide?

| | Х | oxide of X |
|---|-----------|------------|
| Α | metal | acidic |
| в | metal | basic |
| С | non-metal | acidic |
| D | non-metal | basic |

24 Elements in Group 0 of the Periodic Table have uses.

These noble gases are1..... and this explains why argon2..... be used in lamps. Which words correctly complete gaps 1 and 2?

| | 1 | 2 |
|---|------------|--------|
| Α | reactive | can |
| в | reactive | cannot |
| С | unreactive | can |
| D | unreactive | cannot |

25 Astatine is an element in Group VII of the Periodic Table. It has only ever been produced in very small amounts.

What is the best description of its likely properties?

| | colour | state | reaction with aqueous potassium iodide |
|---|------------|--------|--|
| Α | black | solid | no reaction |
| в | dark brown | gas | brown colour |
| С | green | solid | no reaction |
| D | yellow | liquid | brown colour |

- 26 Which property do all metals have?
 - **A** They are soluble in water.
 - **B** They conduct electricity.
 - **C** They have high melting points.
 - **D** They react with dilute sulfuric acid.

27 The table gives information about four elements.

Which element is a transition metal?

| | colour of element | electrical conductivity of element | colour of oxide |
|---|----------------------|---------------------------------------|--------------------|
| Α | black | high | colourless |
| в | colourless | low | white |
| С | grey | high | red |
| D | yellow | low | colourless |

28 Some reactions of three metals are listed in the table.


| metal | reacts with dilute hydrochloric acid | metal oxide is reduced by carbon |
|-------|--------------------------------------|----------------------------------|
| Р | yes | yes |
| Q | no | yes |
| R | yes | no |

What is the order of reactivity of the metals?

| | most reactive | | least reactive |
|---|------------------|---|-------------------|
| Α | Р | R | Q |
| в | R | Р | Q |
| С | R | Q | Р |
| D | Q | Р | R |

- 29 Which object is least likely to contain aluminium?
 - A a bicycle frame
 - B a hammer
 - **C** a saucepan
 - D an aeroplane body
- 30 Which statement about alloys is not correct?
 - **A** Alloys are more expensive than the metals they are made from.
 - **B** Alloys are mixtures of different metals.
 - **C** Alloys are not as strong as the metals they are made from.
 - D Alloys conduct electricity well.

31 Compound X is heated with carbon using the apparatus shown.



A brown solid is formed in the reaction tube and the limewater turns cloudy.

What is compound X?

- A calcium oxide
- B copper(II) oxide
- C magnesium oxide
- D sodium oxide
- **32** Water must be purified before it is suitable for use in the home.


Which processes are used to remove solid impurities and bacteria?

| | to remove solid impurities | to remove bacteria |
|---|-------------------------------|-----------------------|
| Α | chlorination | chlorination |
| В | chlorination | filtration |
| С | filtration | chlorination |
| D | filtration | filtration |

- **33** A newspaper article claims that carbon dioxide is formed as follows.
 - 1 during respiration
 - 2 when calcium carbonate reacts with hydrochloric acid
 - 3 when methane burns in air

Which statements are correct?

- **A** 1, 2 and 3
- B 1 and 2 only
- C 1 and 3 only
- D 2 and 3 only
- 34 Which iron nail rusts?




35 Fertilisers are used to provide three of the elements needed for plant growth.

Which two compounds would give a fertiliser containing all three of these elements?

- A $Ca(NO_3)_2$ and $(NH_4)_2SO_4$
- **B** $Ca(NO_3)_2$ and $(NH_4)_3PO_4$
- \mathbf{C} KNO₃ and (NH₄)₂SO₄
- $\boldsymbol{\mathsf{D}} \quad \mathsf{KNO}_3 \text{ and } (\mathsf{NH}_4)_3\mathsf{PO}_4$

36 A new planet has been discovered and its atmosphere has been analysed.



The table shows the composition of the atmosphere.

| gas | percentage by volume |
|----------------|----------------------|
| carbon dioxide | 4 |
| nitrogen | 72 |
| oxygen | 24 |


Which gases are present in the atmosphere of the planet in a higher percentage than they are in the Earth's atmosphere?

- A carbon dioxide and oxygen
- **B** carbon dioxide only
- **C** nitrogen and oxygen
- D nitrogen only
- **37** Butene and hexene belong to the same homologous series.

What is the same for butene and hexene?


- **A** boiling point
- B functional group
- C number of hydrogen atoms per molecule
- D relative molecular mass
- 38 Which statement about petroleum is not correct?
 - A It can be separated into useful substances by fractional distillation.
 - **B** It consists mainly of hydrocarbons.
 - **C** It is found underground in many parts of the world.
 - **D** Its main use is for making lubricants and polishes.

39 The apparatus shows an experiment used to test gas X.



The bromine solution quickly becomes colourless.

What is the structure of gas X?



40 The table shows the formulae of members of the alkane series.

| name of compound | formula |
|------------------|-------------|
| methane | CH_4 |
| ethane | C_2H_6 |
| propane | ? |
| butane | C_4H_{10} |
| pentane | C_5H_{12} |

What is the formula of propane?

| Α | C_2H_8 | В | C ₃ H ₇ | С | C_3H_8 | D | C_3H_9 |
|---|----------|---|-------------------------------|---|----------|---|----------|
|---|----------|---|-------------------------------|---|----------|---|----------|

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

University of Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.

0620/12/O/N/09

0 -

 \mathbb{Z}

 \geq

>

 \geq

Ξ

The Periodic Table of the Elements DATA SHEET

Group

~

=

| Helium 2 | 20 | Ne | Neon 10 | 40 | Ar | Argon 18 | 84 | Kr | Krypton 36 | 131 | Xe | Xenon 54 | | Rn | Radon 86 | | | 175 | Lutetium | 71 | ۲ | Lawrencium 103 | |
|---------------|----|----|----------------|------|----|------------------|----|----|-----------------|-----|----|------------------|-----|----------|-------------------|-------------------|----------------|--------------------------|-------------------------|----|---|----------------------------|---|
| | 19 | Ŀ | Fluorine 9 | 35.5 | CI | Chlorine 17 | 80 | Br | Bromine 35 | 127 | Ι | lodine 53 | | At | Astatine 85 | | | 173 | Yb Ytterbium | 20 | No | Nobelium 102 | |
| | 16 | 0 | Oxygen 8 | 32 | S | Sulfur 16 | 62 | Se | Selenium 34 | 128 | Те | Tellurium 52 | | Ро | Polonium 84 | | | 169 | T Thulium | 69 | Md | Mendelevium 101 | |
| | 14 | z | Nitrogen 7 | 31 | ٩. | Phosphorus 15 | 75 | As | Arsenic 33 | 122 | Sb | Antimony 51 | 209 | <u>8</u> | Bismuth 83 | | | 167 | Erbium | 68 | Em | Fermium 100 | |
| | 12 | ပ | Carbon 6 | 28 | Si | Silicon 14 | 73 | Ge | Germanium 32 | 119 | Sn | Tin 50 | 207 | Pb | Lead 82 | | | 165 | Holmium Hoter | 67 | Es | Einsteinium 99 | (r.t.p.). |
| | 1 | ш | Boron 5 | 27 | ٩l | Aluminium 13 | 70 | Ga | Gallium 31 | 115 | In | Indium 49 | 204 | 11 | Thallium 81 | | | 162 | Dysprosium | 66 | ŭ | Californium 98 | pressure |
| | | | | | | | | Zn | Zinc 30 | 112 | Cd | Cadmium 48 | 201 | Hg | Mercury 80 | | | 159 | Tb Terbium | 65 | Bk | Berkelium 97 | of one mole of any gas is 24 dm^3 at room temperature and pressure (r.t.p.) |
| | | | | | | | 64 | Cu | Copper 29 | 108 | Ag | Silver 47 | 197 | Au | Gold 79 | | | 157 | Gd Gadolinium | 64 | CB | Curium 96 | n tempera |
| | | | | | | | 59 | ïZ | Nickel 28 | 106 | Pd | Palladium 46 | 195 | Ŧ | Platinum 78 | | | 152 | Eu Europium | 63 | Am | Americium 95 | m³ at rooi |
| | 1 | | | | | | 59 | ပိ | Cobalt 27 | 103 | Rh | Rhodium 45 | 192 | Ir | Iridium 77 | | | 150 | Sa marium | 62 | Pu | Plutonium 94 | as is 24 di |
| Hydrogen 1 | | | | | | | 56 | Fe | lron 26 | 101 | Ru | Ruthenium 44 | 190 | os | Osmium 76 | | | | Promethium | 61 | dN | _ | of any ga |
| | | | | | | | 55 | Mn | Manganese 25 | | Ц | Technetium 43 | 186 | Re | Rhenium 75 | | | 144 | Neodymium | 60 | 238 U | Uranium 92 | one mole |
| | | | | | | | 52 | ບັ | Chromium 24 | 96 | Mo | Molybdenum 42 | 184 | ≥ | Tungsten 74 | | | 141 | Praseodymium | 59 | Ра | Protactinium 91 | The volume of |
| | | | | | | | 51 | > | Vanadium 23 | 93 | qN | Niobium 41 | 181 | Ta | Tantalum 73 | | | 140 | Cerium Cerium | 58 | 232 Th | Thorium 90 | The v |
| | | | | | | | 48 | F | Titanium 22 | 91 | Zr | Zirconium 40 | 178 | Ŧ | + Hafnium * 72 | | | 1 | | | mic mass hool | nic) number | |
| | | | | | | | 45 | Sc | Scandium 21 | 68 | ≻ | Yttrium 39 | 139 | La | Lanthanum 57 * | 227 A C | Actinium 89 | d series | series | - | a = relative atomic mass X = atomic symbol | b = proton (atomic) number | |
| | 6 | Be | Beryllium 4 | 24 | Mg | Magnesium 12 | 40 | | Calcium 20 | 88 | Sr | Strontium 38 | 137 | Ba | Barium 56 | 226 | Radium 88 | *58-71 Lanthanoid series | 190-103 Actinoid series | | × ¤ × | Q | |
| | 7 | | Lithium 3 | 23 | Na | Sodium 11 | 39 | × | Potassium 19 | 85 | Rb | Rubidium 37 | 133 | Cs | Caesium 55 | ù | Francium 87 | *58-71 [| 190-103 | | Key | ٩ | |