

UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS International General Certificate of Secondary Education

| | CANDIDATE NAME | | | |
|-------|-------------------|----------------------------|----------------------|----|
| | CENTRE NUMBER | | CANDIDATE NUMBER | |
| * | | | | |
| 9445 | CHEMISTRY | | 0620/6 | 62 |
| | Paper 6 Alterna | tive to Practical | October/November 201 | 0 |
| 6 2 | | | 1 hou | Jr |
| 0 2 5 | Candidates ans | wer on the Question Paper. | | |

No Additional Materials are required.

READ THESE INSTRUCTIONS FIRST

Write your Centre number, candidate number and name on all the work you hand in. Write in dark blue or black pen. You may use a pencil for any diagrams, graphs or rough working. Do not use staples, paper clips, highlighters, glue or correction fluid. DO NOT WRITE IN ANY BARCODES.


Answer all questions.

At the end of the examination, fasten all your work securely together. The number of marks is given in brackets [] at the end of each question or part question.

| For Examiner's Use | | |
|--------------------|--|--|
| 1 | | |
| 2 | | |
| 3 | | |
| 4 | | |
| 5 | | |
| 6 | | |
| 7 | | |
| Total | | |

This document consists of **13** printed pages and **3** blank pages.





For

Examiner's

Use

2 Three bottles of liquids have lost their labels. The liquids are known to be:

> aqueous potassium chloride, ethanol, sodium hydroxide solution.

Outline chemical tests you could use to distinguish between the liquids in the three bottles.


| liquid | test | result |
|----------------------------|-------|--------|
| aqueous potassium chloride | | |
| | ••••• | |
| ethanol | | |
| | | |
| sodium hydroxide solution | | |
| | | |

[Total: 6]

For

Examiner's Use

3 Dilute sulfuric acid was added to zinc carbonate in a conical flask as shown.



Two experiments were carried out.

Experiment 1


The flask was placed on a balance and the mass of the flask and contents recorded every five minutes. The temperature of the sulfuric acid was $30 \,^{\circ}$ C. The results have been plotted on the grid.

Experiment 2

Experiment 1 was repeated but the temperature of the acid was different. The results are shown in the table.

Table of results for Experiment 2

| time/minutes | 0 | 5 | 10 | 15 | 20 | 25 | 30 |
|------------------------------|-------|-------|-------|-------|-------|-------|-------|
| mass of flask and contents/g | 129.8 | 128.4 | 127.0 | 125.6 | 124.0 | 122.6 | 121.2 |




4 A student investigated the temperature changes when two different solids, **A** and **B**, dissolved in water.

Two sets of experiments were carried out.

Experiment 1

Using a measuring cylinder, 20 cm^3 of distilled water was poured into a polystyrene cup. The temperature of the water was measured. 2 g of solid **A** was added to the cup and the mixture was stirred with a thermometer. The temperature of the solution was measured after one minute.



initial temperature





25

20


15

The experiment was repeated using 3 g of solid A.





initial temperature




25


20

15

The experiment was repeated using 4 g of solid A.




initial temperature




For Examiner's Use

The experiment was repeated using 6 g of solid A.







initial temperature


final temperature

(a) Use the thermometer diagrams for Experiment 1 to record the initial and final temperatures in Table 4.1.

Table 4.1


| mass of solid A/g | initial temperature/°C | final temperature/°C |
|-------------------|------------------------|----------------------|
| 2 | | |
| 3 | | |
| 4 | | |
| 6 | | |

[3]



(c) Plot the results of the experiments on the grid below. Draw two best-fit straight line graphs. Clearly label your graphs.

For Examiner's Use



| | | 10 | |
|-----|------|---|--------------------------|
| | (ii) | From your graph work out the temperature of the reaction mixture if 5 g of solid A was added to 20 cm^3 of water. | For Examiner's Use |
| | | Show clearly on the graph how you worked out your answer. | |
| | | | |
| (e) | Wh | at type of chemical reaction occurred when solid A dissolved in water? | |
| | | [1] | |
| (f) | • | blain how the temperature changes would differ in the experiments if 40 cm ³ of water s used. | |
| | | | |
| | | | |
| | | [2] | |

(g) Predict the effect of using lumps of solid B in Experiment 2. Explain your answer.

------.....[2]

[Total: 20]

For

Examiner's

Use

5 A mixture of two solids, C and D, was analysed. Solid C was lead nitrate, which is water-soluble. Solid D was insoluble.

The tests on **C** and **D**, and some of the observations, are in the following table.

Complete the observations in the table.


| tests | observations |
|--|---|
| Water was added to the mixture in a boiling tube and shaken. The contents of the tube were filtered. | |
| tests on filtrate | |
| (a) To about 1 cm ³ of the solution, a few drops of dilute nitric acid and about 1 cm ³ of aqueous potassium iodide was added. | [2] |
| (b) To about 1 cm ³ of the solution, sodium | |
| hydroxide solution and aluminium powder were added. The mixture was heated. Any | |
| gases given off were tested with damp pH indicator paper. | [3] |
| tests on residue | |
| (c) Dilute hydrochloric acid was added to the residue. The gas given off was tested with limewater. | rapid effervescence, limewater turns milky |
| The solution was divided into two equal portions. | |
| (i) To the first portion, aqueous sodium hydroxide was added a little at a time until in excess. | white precipitate, soluble in excess aqueous sodium hydroxide |
| (ii) To the second portion, aqueous ammonia solution was added a little at a time until in excess. | white precipitate, soluble in excess aqueous ammonia solution |
| (d) Identify the gas given off in test (c). | |
| | [1] |
| (e) Identify solid D. | |
| | |
| | [Total: 8] |

For

Examiner's

Use

6 The apparatus below was used to deposit a thin layer of chromium on a steel knife. The knife was cleaned carefully and all grease removed before the process started.



(a) What is the name of the process when metal objects are coated with other metals?

[1]
(b) (i) Suggest the identity of metal A.
[1]
(ii) Suggest the name of salt B.
[1]
(c) Give two reasons why steel knives are coated with chromium.
1.
2.

[Total: 5]

For Examiner's Use

| 7 | Iron rusts when in contact with air and water. |
|---|--|
| | You are provided with iron nails and three different samples of water: |

| tap water, sea water, distilled water. | |
|--|--|
| Plan an investigation to find out which sample of water causes iron to rust the fastest. | |
| | |
| | |
| | |
| | |
| | |
| | |
| [6] | |
| | |

[Total: 6]

14

BLANK PAGE

15

BLANK PAGE

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included the publisher will be pleased to make amends at the earliest possible opportunity.

University of Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.

16

BLANK PAGE