

UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS
International General Certificate of Secondary Education

**MARK SCHEME for the October/November 2011 question paper
for the guidance of teachers**

0620 CHEMISTRY

0620/53

Paper 5 (Practical), maximum raw mark 40

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes must be read in conjunction with the question papers and the report on the examination.

- Cambridge will not enter into discussions or correspondence in connection with these mark schemes.

Cambridge is publishing the mark schemes for the October/November 2011 question papers for most IGCSE, GCE Advanced Level and Advanced Subsidiary Level syllabuses and some Ordinary Level syllabuses.

Page 2	Mark Scheme: Teachers' version	Syllabus	Paper
	IGCSE – October/November 2011	0620	53

- 1 (c) table of results
 initial readings completed correctly (1)
 final readings completed correctly (1) all readings to 1 d.p. (1)
 differences completed correctly (1)
 comparable to supervisors (2) [6]
- (d) pink (1) to colourless (1) **not:** clear [2]
- (e) neutralisation / exothermic (1) [1]
- (f) (i) C/3 smallest B/2 largest (1) one correct = 1 [1]
 (ii) order is C/3 A/1 B/2 (2) one correct = 1 [2]
- (g) experiment 2 is twice the volume of experiment 1 or converse (1) [1]
- (h) twice value from table result for experiment 3 (1) cm^3 (1) [2]
- (i) use a pipette / burette [1]
- (j) effect none / owtte (1)
 reason no change in concentration / temperature has no effect on quantities or moles / only affects speed (1) [2]
- (k) any correct method that would work – precise details not needed
 using same method with different acids = 0
 reagents (1) method (1) result (1) [3]
 e.g. to sodium hydroxide add named acid (1)
 measure temperature change (1)
 largest change = strongest / more concentrated solution (1)
 e.g. to sodium hydroxide add named (excess) metal salt solution (1)
 filter precipitate (1)
 largest mass = strongest / more concentrated solution (1)
- [Total: 21]**
- 2 (a) (i) yellow / brown / orange (1) [1]
 (ii) white / colourless (1) [1]

Page 3	Mark Scheme: Teachers' version	Syllabus	Paper
	IGCSE – October/November 2011	0620	53

- (b) (i) no change / no reaction owtte (1) [1]
- (ii) white (1) precipitate (1) [2]
- (iii) brown (1) precipitate (1) [2]
- (iv) brown precipitate (1) [1]
- (c) (i) solid white (1) condensation at top of tube (1)
limewater / blue litmus (1) milky / red (1) max 3 [3]
- fizz / bubbles / effervescence (1) [1]
- (ii) fizz / bubbles / effervescence / brown precipitate (1) [1]
- (d) iron (1) (III) (1) chloride (1) [3]
- (e) carbon dioxide (1) [1]
- (f) carbonate / hydrogen carbonate (1)
non transition metal / named metal e.g. sodium (1) [2]

[Total: 19]