

CHEMISTRY

Paper 1 Multiple Choice

0620/11 October/November 2012

45 Minutes

PMT

Additional Materials:

Multiple Choice Answer Sheet Soft clean eraser Soft pencil (type B or HB is recommended)

READ THESE INSTRUCTIONS FIRST

Write in soft pencil.

Do not use staples, paper clips, highlighters, glue or correction fluid.

Write your name, Centre number and candidate number on the Answer Sheet in the spaces provided unless this has been done for you.

There are **forty** questions on this paper. Answer **all** questions. For each question there are four possible answers A, B, C and D.

Choose the **one** you consider correct and record your choice in **soft pencil** on the separate Answer Sheet.

Read the instructions on the Answer Sheet very carefully.

Each correct answer will score one mark. A mark will not be deducted for a wrong answer. Any rough working should be done in this booklet. A copy of the Periodic Table is printed on page 16. You may use a calculator.

This document consists of 15 printed pages and 1 blank page.



1 What are the processes W, X, Y and Z in the following diagram?

$$\begin{array}{ccc} W & X \\ \text{solid} &\rightleftharpoons \text{liquid} &\rightleftharpoons \text{gas} \\ Y & Z \end{array}$$

	W	Х	Y	Z
Α	condensing	boiling	freezing	melting
в	condensing	freezing	melting	boiling
С	melting	boiling	freezing	condensing
D	melting	freezing	condensing	boiling

2 A mixture of sulfur and iron filings needs to be separated. The solubilities of sulfur and iron filings in water and carbon disulfide are shown in the table below.

	solubility in water	solubility in carbon disulfide
sulfur	x	✓
iron filings	×	x

What are possible methods of separating the sulfur and iron filings?

	using water	using carbon disulfide	using a magnet
Α	\checkmark	\checkmark	x
в	x	\checkmark	\checkmark
С	\checkmark	x	\checkmark
D	x	\checkmark	X

3 Part of the instructions in an experiment reads as follows.

Quickly add 50 cm³ of acid.

What is the best piece of apparatus to use?

A a burette

- B a conical flask
- **C** a measuring cylinder
- D a pipette

4 Which statements comparing the properties of electrons, neutrons and protons are correct?

	neutrons and protons are both heavier than electrons	only electrons and neutrons are charged
Α	\checkmark	\checkmark
В	\checkmark	x
С	x	\checkmark
D	×	X

5 Which row gives the number of electrons in the outer electron shell of fluorine and of neon?

	¹⁹ ₉ F	²⁰ ₁₀ Ne
Α	7	8
в	7	10
С	9	8
D	9	10

6 In the molecules CH₄, HC*l* and H₂O, which atoms use **all** of their outer shell electrons in bonding?

7 The table shows the electronic structures of four atoms.

atom	electronic structure
W	2,1
x	2,7
Y	2,8,4
Z	2,8,8


Which two atoms combine to form an ionic compound?

Α	W and X	В	W and Y	С	X and Y	D	X and Z
---	---------	---	---------	---	---------	---	---------

8 A compound has the formula CH_3CO_2H .

How should the relative molecular mass, M_r , of this compound be calculated?


- **A** 12 + 1 + 16
- **B** 3(12 + 1) + 2(12 + 16) + 1
- **C** $(4 \times 12) + (2 \times 1) + 16$
- **D** $(2 \times 12) + (4 \times 1) + (2 \times 16)$
- **9** The diagram shows the electrolysis of concentrated aqueous sodium chloride.



What is produced at each of the electrodes?

	product at cathode	product at anode
Α	hydrogen	chlorine
в	hydrogen	oxygen
С	sodium	chlorine
D	sodium	oxygen

10 The diagram shows an electrolysis experiment using metals X and Y as electrodes.




One of the metals becomes coated with copper.

Which metal becomes coated and which aqueous solution is used?

	metal	aqueous solution
A X		CrCl ₃
вХ		CuCl ₂
C Y		CrCl ₃
D	Y	CuCl ₂

11 The diagrams show the difference in energies of the reactants and products in two types of reaction.



Which diagram and which type of energy change apply to a fuel burning in air?

	diagram	type of energy change
Α	1	endothermic
в	1	exothermic
С	2	endothermic
D	2	exothermic

12 The diagram shows a match.





By striking the match, a chemical reaction takes place.

Which statements about the chemical reaction are correct?

	type of reaction	reason
Α	endothermic	because energy is used to strike the match
в	endothermic	because energy is given out as the match burns
С	exothermic	because energy is used to strike the match
D	exothermic	because energy is given out as the match burns

13 Separate samples of anhydrous and hydrated copper(II) sulfate are heated.





Which shows the correct colour changes?

	anhydrous copper(II) sulfate	hydrated copper(II) sulfate
Α	blue to white	white to blue
в	no change	blue to white
С	white to blue	blue to white
D	white to blue	no change

- **14** Which change is an oxidation?
 - A FeO to Fe₂O₃
 - ${\bm B} \quad {Fe_2O_3} \text{ to FeO}$
 - $\boldsymbol{C} \quad H_2O_2 \text{ to } H_2O$
 - **D** H_2O to H_2

- 15 Which change does not increase the speed of reaction between zinc and hydrochloric acid?
 - A adding a catalyst
 - **B** decreasing the particle size of the zinc
 - **C** decreasing the temperature
 - D using more concentrated acid
- 16 Which of these pairs of aqueous ions both react with dilute sulfuric acid to give a visible result?
 - **A** Ba²⁺ and C l^-
 - **B** Ba^{2+} and CO_3^{2-}
 - **C** NH_4^+ and Cl^-
 - $\mathbf{D} = \mathrm{NH_4}^+$ and $\mathrm{CO_3}^{2-}$
- **17** Element X forms an acidic, covalent oxide.

Which row shows how many electrons there could be in the outer shell of an atom of X?


	1	2	6	7
Α	1	1	x	x
В	\checkmark	x	\checkmark	x
С	x	x	\checkmark	\checkmark
D	x	\checkmark	x	\checkmark

18 Barium hydroxide is an alkali. It reacts with hydrochloric acid.

How does the pH of the hydrochloric acid change as an excess of aqueous barium hydroxide is added?

- **A** The pH decreases from 14 and becomes constant at 7.
- **B** The pH decreases from 14 to about 1.
- **C** The pH increases from 1 and becomes constant at 7.
- **D** The pH increases from 1 to about 14.
- **19** A compound is a salt if it
 - A can neutralise an acid.
 - **B** contains more than one element.
 - **C** dissolves in water.
 - $\label{eq:D} \textbf{D} \quad \text{is formed when an acid reacts with a base.}$

20 The diagram shows an outline of the Periodic Table.



Which of the elements U, V, W, X and Y would react together in the ratio of 1:1?

 A
 U and X
 B
 U and Y
 C
 V and Y
 D
 W and X

21 The element rubidium, Rb, is immediately below potassium in the Periodic Table.

It reacts with bromine to form the compound rubidium bromide.

type of bondformulacolourAcovalentRbBrbrownBcovalentRbBr2whiteCionicRbBrwhite

RbBr₂

brown

Which descriptions of this compound are correct?

22 The table gives information about four elements.

Which element is a transition metal?

ionic

	colour of element	electrical conductivity of element	colour of oxide
Α	black	high	colourless
в	colourless	low	white
С	grey	high	red
D	yellow	low	colourless

D

- 23 Why are weather balloons filled with helium rather than hydrogen?
 - A Helium is found in air.
 - **B** Helium is less dense than hydrogen.
 - **C** Helium is more dense than hydrogen.
 - **D** Helium is unreactive.
- **24** Some properties of aluminium are listed.
 - 1 It has mechanical strength.
 - 2 It conducts heat.
 - 3 It is resistant to corrosion.
 - 4 It has a low density.

Which properties make aluminium useful for making the bodies of aircraft?

A 1, 2 and 3 **B** 1, 2 and 4 **C** 1, 3 and 4 **D** 2, 3 and 4

25 Brass is used in electrical equipment.

It contains two1..... elements. Together they form2......


Which words correctly complete gaps 1 and 2?

	1	2
Α	metallic	a covalent compound
в	metallic	an alloy
С	non-metallic	a covalent compound
D	non-metallic	an alloy

26 The Basic Oxygen Process converts iron into steel.

In step 1, oxygen is blown into impure molten iron.

In step 2, oxides are removed by reaction with calcium oxide.




Which chemical reaction takes place in step 1 and which type of oxides are removed in step 2?

	chemical reaction in step 1	type of oxides removed in step 2
Α	carbon is converted to carbon dioxide	acidic
В	carbon is converted to carbon dioxide	basic
С	iron is converted to iron(III) oxide	acidic
D	iron is converted to iron(III) oxide	basic

27 Pieces of copper, iron, magnesium and zinc are added to separate test-tubes containing dilute hydrochloric acid.


Which test-tube contains iron and dilute hydrochloric acid?



- 28 Which processes are used in the treatment of water?
 - A filtration and chlorination
 - B filtration and reduction
 - C neutralisation and chlorination
 - D neutralisation and reduction
- **29** A factory burns coal with a high sulfur content.

Which pollutant is **most** likely to lead to the death of trees?


- A carbon dioxide
- B carbon monoxide
- C lead compounds
- D sulfur dioxide
- 30 What is the correct order of abundance of the gases in the air?
 - $\textbf{A} \quad \text{nitrogen} \rightarrow \text{oxygen} \rightarrow \text{argon} \rightarrow \text{carbon dioxide}$
 - $\textbf{B} \quad \text{nitrogen} \rightarrow \text{oxygen} \rightarrow \text{carbon dioxide} \rightarrow \text{argon}$
 - $\textbf{C} \quad \text{oxygen} \rightarrow \text{nitrogen} \rightarrow \text{argon} \rightarrow \text{carbon dioxide}$
 - $\textbf{D} \quad \text{oxygen} \rightarrow \text{nitrogen} \rightarrow \text{carbon dioxide} \rightarrow \text{argon}$
- 31 The diagram shows an experiment to investigate how paint affects the rusting of iron.



What happens to the water level in tubes P and Q?

	tube P	tube Q
Α	falls	rises
в	no change	rises
С	rises	falls
D	rises	no change

32 The diagram shows two substances, X and Y, being heated together.




The Universal Indicator paper turns blue during the experiment.

What are substances X and Y?


- A ammonium nitrate and hydrochloric acid
- **B** ammonium nitrate and sodium hydroxide
- **C** sodium carbonate and hydrochloric acid
- D sodium carbonate and sodium hydroxide
- 33 Carbon dioxide is produced when dilute hydrochloric acid reacts with
 - A calcium sulfate.
 - B carbon.
 - **C** copper(II) carbonate.
 - D limewater.

34 A student is asked to draw a diagram showing the uses of limestone.



Which numbered lines show a correct use of limestone?

- A 1 and 2 only
- B 1 and 3 only
- C 2 and 3 only
- **D** 1, 2 and 3
- 35 Which structure is correctly named?



36 Which properties of the different compounds in petroleum enable its separation into fractions?

- 1 boiling point
- 2 chain length
- 3 chemical reactivity
- 4 solubility in water

A 1 and 2 **B** 1 and 3 **C** 2 and 4 **D** 3 and 4

 $\label{eq:2.1} \textbf{37} \quad Alkenes \ have \ the \ general \ formula \ C_nH_{2n}.$

Which of the following is an alkene?

A CH_2 **B** CH_4 **C** C_3H_6 **D** C_6H_6

38 Bitumen is a substance obtained from the fractional distillation of petroleum.

Which row describes its boiling point and the size of its molecules?

	boiling point	size of molecules
Α	high	large
в	high	small
С	low large	
D	low	small

39 A hydrocarbon X is cracked to make Y and hydrogen.

Compound Z is formed by the addition polymerisation of Y.

To which homologous series do X, Y and Z belong?

	alkane	alkene
Α	X, Y and Z	_
в	X and Y	Z
С	X and Z	Y
D	Y and Z	х

40 Which row is correct for ethanol?

	burns	made by fermentation
Α	\checkmark	1
В	\checkmark	x
С	x	\checkmark
D	X	X

BLANK PAGE

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

University of Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.

0620/11/O/N/12

⁺ H

0

 \geq

 \geq

>

 \geq

Ξ

The Periodic Table of the Elements DATA SHEET

Group

- I

=

1 1			1		1					
1 1 0			40 Ar Argon	84 Krypton 36	131 Xenon 54	88		175 Lu Lutetium 71	Lawrencium 103	
1 1 0				80 Bromine 35	127 lodine	At Astatine 85				
$ \begin{array}{ c c c c c c c c c c c c c c c c c c c$		16 Oxygen 8	32 Suffur 16	79 Selenium 34	128 Te Tellurium 52	Polonium 84		169 Tm Thulium	Md Mendelevium 101	
7 1 8 1		14 Nitrogen 7	31 Phosphorus 15	75 AS Arsenic 33	122 Sb Antimony 51	209 Bismuth 83		167 Er Erbium 68	Fermium 100	
7 9 1 Benyllum 1a Benyllum 1a Benyllum 1b Be 1a Benyllum 1b Be 1c 45 1c 45 1c 45 1c 46 1c 40 40 45 12 24 81 40 85 88 88 89 90 178 137 139 138 178 137 139 138 178 141 178 157 227 16 227 17 226 178 178 178 178 178 178 178 178 178 178 178 178 178 178 178 178 178 178 178 178 178 178 178 178 178 178 178 178 178 178 178 178			28 Silicon	-	119 Sn	207 Pb Lead		165 Holmium 67		(rtn)
7 9 1 Benyllum 1a Benyllum 1a Benyllum 1b Be 1a Benyllum 1b Be 1c 45 1c 45 1c 45 1c 46 1c 40 40 45 12 24 81 40 85 88 88 89 90 178 137 139 138 178 137 139 138 178 141 178 157 227 16 227 17 226 178 178 178 178 178 178 178 178 178 178 178 178 178 178 178 178 178 178 178 178 178 178 178 178 178 178 178 178 178 178 178 178		11 Boron 5	27 A1 Auminium 13	70 Ga Gallium 31	115 n 149	204 T 1 B1		162 Dysprosium 66	Californium B8	Dressure
7 9 1 Benyllum 1a Benyllum 1a Benyllum 1b Be 1a Benyllum 1b Be 1c 45 1c 45 1c 45 1c 46 1c 40 40 45 12 24 81 40 85 88 88 89 90 178 137 139 138 178 137 139 138 178 141 178 157 227 16 227 17 226 178 178 178 178 178 178 178 178 178 178 178 178 178 178 178 178 178 178 178 178 178 178 178 178 178 178 178 178 178 178 178 178				30	112 Cadmium 48	201 Hg ^{Mercury} 80		159 Tb Terbium 65	BK Berkelium 97	ature and
7 9 1 Benyllum 1a Benyllum 1a Benyllum 1b Be 1a Benyllum 1b Be 1c 45 1c 45 1c 45 1c 46 1c 40 40 45 12 24 81 40 85 88 88 89 90 178 137 139 138 178 137 139 138 178 141 178 157 227 16 227 17 226 178 178 178 178 178 178 178 178 178 178 178 178 178 178 178 178 178 178 178 178 178 178 178 178 178 178 178 178 178 178 178 178				64 Copper 29	108 Ag Silver	62		157 Gd Gadolinium 64	e Curium 96	n temner:
7 9 1 Benyllum 1a Benyllum 1a Benyllum 1b Be 1a Benyllum 1b Be 1c 45 1c 45 1c 45 1c 46 1c 40 40 45 12 24 81 40 85 88 88 89 90 178 137 139 138 178 137 139 138 178 141 178 157 227 16 227 17 226 178 178 178 178 178 178 178 178 178 178 178 178 178 178 178 178 178 178 178 178 178 178 178 178 178 178 178 178 178 178 178 178								152 Eu Europium 63	Americium 95	m ³ at roor
7 9 1 Benyllum 1a Benyllum 1a Benyllum 1b Be 1a Benyllum 1b Be 1c 45 1c 45 1c 46 1c 40 40 45 12 24 85 88 85 89 93 137 137 139 141 178 157 139 16 178 178 178 <td></td> <td></td> <td></td> <td></td> <td></td> <td>192 </td> <td></td> <td></td> <td></td> <td>in 24 di</td>						192 				in 24 di
7 9 1 Benyllum 1a Benyllum 1a Benyllum 1b Be 1a Benyllum 1b Be 1c 45 1c 45 1c 46 1c 40 40 45 12 24 85 88 85 89 93 137 137 139 141 178 157 139 16 178 178 178 <td>Hydrogen 1</td> <td></td> <td></td> <td>56 FC Iron</td> <td>101 Ru Ruthenium 44</td> <td></td> <td></td> <td>Promethium 61</td> <td>Neptunium 93</td> <td>of any de</td>	Hydrogen 1			56 F C Iron	101 Ru Ruthenium 44			Promethium 61	Neptunium 93	of any de
7 9 1 Benyllum 1a Benyllum 1a Benyllum 1b Be 1a Benyllum 1b Be 1c 45 1c 45 1c 46 1c 40 40 45 12 24 85 88 85 89 93 137 137 139 141 178 157 139 16 178 178 178 <td></td> <td></td> <td></td> <td></td> <td>Tc Technetium 43</td> <td>186 Re Rhenium 75</td> <td></td> <td></td> <td>238 Uranium 92</td> <td>alom and</td>					Tc Technetium 43	186 Re Rhenium 75			238 Uranium 92	alom and
7 9 1 Benyllum 1a Benyllum 1a Benyllum 1b Be 1a Benyllum 1b Be 1c 45 1c 45 1c 46 1c 40 40 45 12 24 85 88 85 89 93 137 137 139 141 178 157 139 16 178 178 178 <td></td> <td></td> <td></td> <td>52 Cr Chromium 24</td> <td>96 MO Molybdenum 42</td> <td>184 Ungsten</td> <td></td> <td>141 Pr Praseodymium 59</td> <td>Protactinium 91</td> <td>o ju ma of c</td>				52 Cr Chromium 24	96 MO Molybdenum 42	184 Ungsten		141 Pr Praseodymium 59	Protactinium 91	o ju ma of c
7 9 9 1 Beryllium Beryllium 23 24 23 24 24 Beryllium 23 24 33 40 40 45 55 55 56 88 33 137 137 138 88 89 33 137 138 813 88 89 33 137 138 138 139 138 137 139 138 138 139 139 131 139 132 139 133 139 134 139 135 139 136 57 137 138 138 138 139 57 130 57 131 138 132 57 133 138 134 138 135 57 136 57 137 138 138 57 139 57 130 <td></td> <td></td> <td></td> <td>51 Vanadium 23</td> <td>93 Niobium 41</td> <td>181 Ta Tantalum 73</td> <td></td> <td>140 Ce ^{Cerium}</td> <td>232 Th 90</td> <td>The w</td>				51 Vanadium 23	93 Niobium 41	181 Ta Tantalum 73		140 Ce ^{Cerium}	232 Th 90	The w
7 9 1 Be pyllium 23 24 1a Benyllium dum 12 abenyllium 40 40 45 K Ca Sc Ca Sc Sc Sc Sc Sc 20 Sc 20 Sc 20 Sc 20 Sc 20 Sc 33 33 137 Sc 226 Sc 226 Sc 226 Sc 226 Sc 227 F Rabut Bant 9 Sc 226 Sc 23 Sc 30 Sc				48 Trtanium 22	91 Zr Zirconium 40	12			nic mass bol nic) number	
7 9 1 Beryllum 1 Beryllum 23 24 23 24 23 24 24 Magnesuu 88 88 83 137 33 137 33 137 56 Barium 56 Barium 88 Radium 88 Radium 88 Radium 71 Lanthanc 103 Actinoici a 103 Actinoici				45 Scandium 21	89 Yttrium	139 La nthanum	227 Actinium 89	d series series	= relative aton= atomic sym= proton (atom	
F Lithum 3 Lithum 3 Sodum 1 Sodum 1 Sodum 1 Sodum 3 39 3 33 133 133 55 Rubidium 55 Caesium 87 F 73 133 73 133 85 85 85 85 86 85 87 133 133 133 133 133 87 85 87 133 87 133 87 133 87 133 87 133 87 133 87 133 87 133 133 133 1400-103 1			24 Mg Magnesium 12	40 Calcium 20	88 Sr Strontium 38	137 Baa Barium 56	226 Rad 88	anthanoic Actinoid s		
			23 Sodium	39 Potassium 19	85 Rb ubidium	133 CS Caesium 55	Fr Francium 87	*58-71 L †90-103 ,		