

**CAMBRIDGE INTERNATIONAL EXAMINATIONS**

Cambridge International General Certificate of Secondary Education

**MARK SCHEME for the October/November 2014 series****0610 BIOLOGY****0610/63**

Paper 6 (Alternative to Practical), maximum raw mark 40

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes should be read in conjunction with the question paper and the Principal Examiner Report for Teachers.

Cambridge will not enter into discussions about these mark schemes.

Cambridge is publishing the mark schemes for the October/November 2014 series for most Cambridge IGCSE<sup>®</sup>, Cambridge International A and AS Level components and some Cambridge O Level components.

® IGCSE is the registered trademark of Cambridge International Examinations.

<b>Page 2</b>	<b>Mark Scheme</b>	<b>Syllabus</b>	<b>Paper</b>
	<b>Cambridge IGCSE – October/November 2014</b>	<b>0610</b>	<b>63</b>

### Abbreviations used in the Mark Scheme

- ; separates marking points
- / separates alternatives within a marking point
- R reject
- I ignore (mark as if this material was not present)
- A accept (a less than ideal answer which should be marked correct)
- AW alternative wording
- underline words underlined must be present
- max indicates the maximum number of marks that can be awarded
- mark independently the second mark may be given even if the first mark is wrong
- A, S, P, L Axes, Size, Plots and Line for graphs
- O, S, D, L Outline, Size, Detail and Label for drawings
- (n)ecf (no) error carried forward
- ( ) the word / phrase in brackets is not required, but sets the context
- ora or reverse argument.
- AVP any valid point

<b>Page 3</b>	<b>Mark Scheme</b>	<b>Syllabus</b>	<b>Paper</b>
	<b>Cambridge IGCSE – October/November 2014</b>	<b>0610</b>	<b>63</b>

<b>Question</b>	<b>Answer</b>	<b>Marks</b>	<b>Additional Guidance</b>
<b>1 (a) (i)</b>	<p>position e.g. wrist, neck, elbow;</p> <p>(reference to) artery;</p> <p>(artery) close to surface / can be pressed against hard structure beneath or bone / AW;</p> <p>number of beats / pulses per unit time counted;</p>	<b>max 2</b>	<p><b>A</b> other valid accessible positions for pulse  <b>I</b> chest / heart beat</p> <p><b>R</b> vein</p> <p><b>A</b> count pulse for 15 sec (then <math>\times 4</math>)  <b>A</b> use a pulse meter</p>
<b>(ii)</b>	to compare results (before and after exercise) / AW;	<b>1</b>	<b>A</b> as a comparison / see a difference

<b>Page 4</b>	<b>Mark Scheme</b>	<b>Syllabus</b>	<b>Paper</b>
	<b>Cambridge IGCSE – October/November 2014</b>	<b>0610</b>	<b>63</b>

<b>(b) (i)</b>	<p>table drawn with (ruled) lines;</p> <p>cells for each piece of data;</p> <p>two appropriate headings including unit for pulse rate e.g. beats per min;</p> <p>correct results recorded in table;</p> <table border="1" data-bbox="526 518 1075 837"> <thead> <tr> <th>time / min</th> <th>pulse rate / beats per min</th> </tr> </thead> <tbody> <tr> <td>0/resting</td> <td>68</td> </tr> <tr> <td>1</td> <td>88</td> </tr> <tr> <td>2</td> <td>82</td> </tr> <tr> <td>3</td> <td>102</td> </tr> <tr> <td>4</td> <td>110</td> </tr> <tr> <td>5</td> <td>110</td> </tr> </tbody> </table>	time / min	pulse rate / beats per min	0/resting	68	1	88	2	82	3	102	4	110	5	110	<b>4</b>	<p>outer border not needed</p> <p>I unit for time</p> <p><b>A</b> exercise period / time (of exercise) / activity</p> <p><b>A</b> 0 / resting</p>
time / min	pulse rate / beats per min																
0/resting	68																
1	88																
2	82																
3	102																
4	110																
5	110																

<b>Page 5</b>	<b>Mark Scheme</b>	<b>Syllabus</b>	<b>Paper</b>
	<b>Cambridge IGCSE – October/November 2014</b>	<b>0610</b>	<b>63</b>

<b>(b) (ii)</b>	<p>description:</p> <p>(general) increase in pulse rate with (increased) exercise;</p> <p>levels off (from the 4<sup>th</sup> period of exercise)/AW;</p> <p>credit use of calculated figures;</p> <p>anomaly / pulse decreased after 2<sup>nd</sup> exercise /to 82 /AW;</p> <p>explanation:</p> <p>heart beats faster / more blood needs to be pumped;</p> <p>more energy needed for exercise;</p> <p>increased (aerobic) respiration;</p> <p>more oxygen / glucose needed;</p> <p>more carbon dioxide to be removed;</p> <p>(anomaly / levelling off ) – may be miscount / lower / different intensity of exercise / variation for individual /AW;</p> <p>(levelling off) – idea of sufficient oxygen / heart is beating fast enough / AW;</p>	<b>4</b>	<p>max 3 for either description or explanation</p> <p><b>A</b> increases after every exercise for general trend</p> <p><b>A</b> levels off towards the end</p> <p>e.g. after 1<sup>st</sup> period of exercise, pulse rate increased by 20 beats per minute</p> <p><b>A</b> chemical symbols if correct</p>
-----------------	---	----------	---

<b>Page 6</b>	<b>Mark Scheme</b>	<b>Syllabus</b>	<b>Paper</b>
	<b>Cambridge IGCSE – October/November 2014</b>	<b>0610</b>	<b>63</b>

<b>(c)</b>				
	change	explanation		
	repeat the experiment with 1 person or large group;	for reliability / pulse rate varies / find anomalies / to calculate average;		changes and explanations must be linked
	ensure exercise is of same level of intensity / same type;	different levels (of intensity) will affect pulse rate differently;		two changes and two matching explanations needed for 4 marks
	longer period of exercise;	allows one to see long-term pattern / can tell whether it levels off or continues to rise / AW;		<b>A</b> AW throughout
	idea of controlling other variables e.g. temperature / time of day / diet / clothing / AW;	ensures results are only influenced by the exercise / not influenced by other variable;		<b>A</b> accurate / precise / to minimise errors / reduce errors / AW in the explanation for all explanations except number 3
	use a pulse counter / AW;	eliminates error in counting / allows continuous monitoring;		
	standardise time to measure pulse rate;	eliminate errors / more reliable / AW;		
	AVP;	AVP;	<b>max 4</b>	

<b>Page 7</b>	<b>Mark Scheme</b>	<b>Syllabus</b>	<b>Paper</b>
	<b>Cambridge IGCSE – October/November 2014</b>	<b>0610</b>	<b>63</b>

<b>(d) (i)</b>	<p>measurement of <b>AB</b>: <math>43 \pm 1</math> (mm);</p> <p>formula: magnification = <math>AB \div</math> actual diameter or <math>43/4.3</math>;</p> <p>magnification: = ( <math>\times</math> ) 10;</p>	<b>3</b>	<p><b>A</b> ecf from measurement <b>A</b> words or figures</p> <p><b>I</b> units given for magnification</p> <p><b>A</b> if formula uses their measured diameter and actual length incorrectly in either a multiplication or inverted division then no marks for formula but allow 1 for correct calculation</p>
----------------	---	----------	--

<b>Page 8</b>	<b>Mark Scheme</b>	<b>Syllabus</b>	<b>Paper</b>
	<b>Cambridge IGCSE – October/November 2014</b>	<b>0610</b>	<b>63</b>

<b>(d) (ii)</b>	decrease in diameter: $4.3 \text{ (AB)} - 2.0 \text{ (CD)} = 2.3 \text{ (mm)}$ ;  formula: $2.3 / 4.3 \times 100$ ;  calculation: $53 / 54 \text{ (\%)}$ ;	<b>3</b>	<b>A</b> ecf from measurement in <b>1(d)(i)</b>  <b>1</b> units  whole number answer required
		<b>[Total: 21]</b>	

<b>2 (a)</b>	<table border="1"> <thead> <tr> <th>difference</th> <th><b>E</b></th> <th><b>F</b></th> </tr> </thead> <tbody> <tr> <td>shape / outline / projections</td> <td>blades / wings / aerodynamic shape / smooth / 2 projections / AW</td> <td>spines / thorns / spikes / hooks / branched / uneven / many or 5+ projections / AW;;</td> </tr> <tr> <td>symmetry</td> <td>regular</td> <td>irregular;</td> </tr> <tr> <td>point of attachment</td> <td>visible</td> <td>not visible;</td> </tr> <tr> <td>seed position/ seed</td> <td>at one end / two</td> <td>not visible / one / number not known (seeds/cores/parts);;</td> </tr> </tbody> </table>	difference	<b>E</b>	<b>F</b>	shape / outline / projections	blades / wings / aerodynamic shape / smooth / 2 projections / AW	spines / thorns / spikes / hooks / branched / uneven / many or 5+ projections / AW;;	symmetry	regular	irregular;	point of attachment	visible	not visible;	seed position/ seed	at one end / two	not visible / one / number not known (seeds/cores/parts);;	<b>max 2</b>	<b>A</b> AW throughout  differences must be comparative or contrasting for both fruits
	difference	<b>E</b>	<b>F</b>															
	shape / outline / projections	blades / wings / aerodynamic shape / smooth / 2 projections / AW	spines / thorns / spikes / hooks / branched / uneven / many or 5+ projections / AW;;															
	symmetry	regular	irregular;															
	point of attachment	visible	not visible;															
	seed position/ seed	at one end / two	not visible / one / number not known (seeds/cores/parts);;															
any two;;																		



Page 9	Mark Scheme	Syllabus	Paper
	Cambridge IGCSE – October/November 2014	0610	63

<b>(b) (i)</b>	<p><b>A</b> – axes labelled <b>and</b> scaled evenly;</p> <p><b>S</b> – size;</p> <p><b>P</b> – points plotted accurately <math>\pm\frac{1}{2}</math> small square;</p> <p><b>L</b> – line E or F correct;</p> <p><b>K</b> – labelling of both lines / key;</p>	<b>5</b>	<p>x-axis: wind speed / <math>\text{ms}^{-1}</math> y-axis: average distance / m <b>I</b> orientation</p> <p>if no '0' on an axis then scale can begin at any number but if '0' on an axis then scale must be even or have discontinuity mark</p> <p>plots to fill half, or more than half, of grid along both axes <b>A</b> 1 plotting error</p> <p>lines should be point to point <math>\pm\frac{1}{2}</math> small square <b>A</b> ruled lines or smooth unbroken line <b>R</b> double lines / sketchy lines / broad lines <math>&gt; \frac{1}{2}</math> small square <b>R</b> extrapolation <math>&gt; \frac{1}{2}</math> small square</p> <p>other graphs (e.g. histogram / bar chart) = max 4 (no L)</p>
<b>(b) (ii)</b>	distance travelled by <b>E</b> increases with wind speed / positive correlation between the two / AW;	<b>1</b>	
<b>(c)</b>	<p><b>O</b> – outline is single clear line (and no shading anywhere);</p> <p><b>S</b> – size is larger than photograph;</p> <p><b>D</b> – detail;</p> <p><b>L</b> – one label from testa / seed coat / radicle / plumule / cotyledon / hypocotyl;</p>	<b>4</b>	<p><b>I</b> minor overlaps or breaks</p> <p>drawing larger than 60 mm (length from top of plumule to tip of radicle) <b>R</b> if drawing touches / extends into printed words minimum detail of seed with radicle below seed equal to or longer than the seed, tapering at the tip</p>

<b>Page 10</b>	<b>Mark Scheme</b>	<b>Syllabus</b>	<b>Paper</b>
	<b>Cambridge IGCSE – October/November 2014</b>	<b>0610</b>	<b>63</b>

<b>(d) (i)</b>	temperature;	<b>1</b>	
<b>(d) (ii)</b>	how many germinate / rate of germination / % germinated / time taken (to germinate);	<b>1</b>	<b>A</b> number that grow
<b>(d) (iii)</b>	volume of water; concentration / percentage of oxygen; seed type / species / age / size / AW;	<b>max 2</b>	<b>A</b> amount of moisture <b>I</b> pH / light / soil type / minerals / humidity
<b>(e) (i)</b>	prepare seed;  test with Biuret reagent;	<b>2</b>	<b>A</b> cut / chop / crush / grind / AW <b>A</b> use a piece of seed <b>A</b> add to water / form a solution  <b>A</b> alternative tests e.g. Millon's / xanthoproteic / albusix
<b>(e) (ii)</b>	blue to lilac / mauve / purple;	<b>1</b>	<b>A</b> colour changes for alternative tests: Millon's – clear to brick red xanthoproteic – yellow to orange albusix – yellow to green
		<b>[Total: 19]</b>	