



F

Tuesday 10 November 2020 – Morning GCSE (9–1) Chemistry B (Twenty First Century Science)

J258/01 Breadth in Chemistry (Foundation Tier)

Time allowed: 1 hour 45 minutes

You must have:

- a ruler (cm/mm)
- the Data Sheet for GCSE (9–1) Chemistry B (inside this document)

You can use:

- an HB pencil
- a scientific or graphical calculator



Please write clearly in black ink. Do not write in the barcodes.					
Centre number	Candidate number				
First name(s)					
Last name					

INSTRUCTIONS

- Use black ink. You can use an HB pencil, but only for graphs and diagrams.
- Write your answer to each question in the space provided. If you need extra space use the lined pages at the end of this booklet. The question numbers must be clearly shown.
- Answer all the questions.
- Where appropriate, your answer should be supported with working. Marks might be given for using a correct method, even if your answer is wrong.

INFORMATION

- The total mark for this paper is 90.
- The marks for each question are shown in brackets [].
- This document has 28 pages.


ADVICE


· Read each question carefully before you start your answer.


Answer all the questions.

- 1 Drinking cups can be made from poly(propene) or aluminium.
 - (a) Poly(propene) is made from propene. Propene has the structural formula $CH_3CH=CH_2$.
 - (i) Which is the correct displayed formula for propene?

Put a (ring) around the correct answer.







[1]

(ii) Complete Fig. 1.1 to show the repeating unit of poly(propene).

Use one term from the list.

H CH_3 C_3H_6




Fig. 1.1

[1]

- (b) Aluminium has a metallic structure.
 - (i) Label the metallic structure shown in Fig. 1.2 by completing the boxes.




Fig. 1.2

[2]

(ii) Complete the sentence to explain why aluminium conducts electricity.

(c) Apart from cost, suggest **one** advantage of poly(propene) plastic drinking cups instead of aluminium metal drinking cups.

.....

4

2 Fig. 2.1 shows how the average world temperature has changed since 1880.




Fig. 2.1

(a) (i) Using Fig. 2.1, what was the temperature in 1910?

Temperature =°C [1]

(ii) Using Fig. 2.1, calculate the temperature rise between 1980 and 2000.

Temperature rise =°C [2]

(i	iii)	Using Fig. 2.1 , which two time peri	ods show	the greatest temperature rises?	
		Tick (✓) two boxes.			
		1890–1900			
		1910–1920			
		1920–1940			
		1980–2000			
					[2]
		ne scientists believe that world temper enhouse gases in the air.	eratures ha	ave increased due to increased amo	ounts of
	(i)	How do greenhouse gases increase	e world ter	nperatures?	
		Tick (✓) one box.			
		They block out visible light from the	Sun.		
		They form a cover around the Earth	٦.		
		They absorb infrared radiation and	re-emit it.		
		They absorb visible light from the E	arth.		[1]
((ii)	Carbon dioxide is a greenhouse ga	S.		1.1
		Draw lines to connect each question	n with one	correct answer.	
		Question		Answer	
				People burning more fossil fuels.	
		What can directly increase the amount of carbon dioxide in the air?		People recycling less.	
		What can reduce the amount of carbon dioxide emissions into the air?		People changing to electric cars.	
				People throwing away plastics.	[2]

[2]

_			
3	Ethene	vic o	age
J		; io a	yas.

The formula of ethene is C_2H_4 .

(a) Name the two elements in ethene.

1

2[1]

(b) What is the empirical formula of ethene?

Put a (ring) around the correct answer.

 $\mathsf{CH} \qquad \mathsf{CH}_2 \qquad \mathsf{C}_2\mathsf{H}_2 \qquad \mathsf{C}_2\mathsf{H}_4$

(c) Which homologous series does ethene belong to?

Put a (ring) around the correct answer.

acids alcohols alkanes alkenes [1]

(d) Ethene reacts with bromine water to make dibromoethane.

$$C_2H_4 + Br_2 \rightarrow C_2H_4Br_2$$

Complete the sentences below to describe this reaction.

Use words from the list.

Each word can be used once, more than once or not at all.

addition colourless single

displacement oxidised double

This type of reaction is called

The bromine water becomes

Ethene reacts because it contains a bond.

[3]

[1]

7 BLANK PAGE

PLEASE DO NOT WRITE ON THIS PAGE

Turn over for the next question

4 Diamond and graphite are allotropes of carbon. They are both giant structures.

Fig. 4.1 shows models of diamond and graphite:




Fig. 4.1

(a)	(i)	What do the black dots in Fig. 4.1 represent?	
			[1]
	(ii)	Name the type of bond that is represented by the solid black lines in Fig. 4.1.	
			[1]

(b) Fig. 4.2 shows a model of sodium chloride, which has a giant ionic lattice structure.




Fig. 4.2

Describe one similarity and one difference between the properties of sodium chloride and raphite.
imilarity
Difference
[2]


_					
5	Lith	ium-	ion batteries are used in phones, tablets and	electric cars.	
	(a)	Lith	ium reacts with chlorine and with bromine.		
		(i)	Lithium is in Group 1. Chlorine and bromine	are in Group 17.	
			Draw lines to connect each element with or	e correct property.	
			Element	Property	
				Conducts electricity	
			Lithium (Group 1)	Unreactive	
			Chlorine (Group 17)	Colourless gas	
				Green gas	
		(ii)	14g of lithium reacts with 71g of chlorine. What mass of chlorine reacts with 5.6g of li		[2]
			Mass of chloring	ne = g [2]
		(iii)	Jack reacts lithium with chlorine. He then re	acts lithium with bromine.	
			Describe how the rates of these two reaction	ns are different.	

.....[1]

(b)	Lithium is made by the electrolysis of molten lithium chloride.					
	Which substance is formed at each electrode?					
	Put a ring around each correct	t answer.				
	Anode (positive electrode):	chloride	chlorine	hydride	hydrogen	
	Cathode (negative electrode):	oxide	oxygen	lithium		[2]
(c)	Lithium-ion batteries contain ch	nemical cells.				
	Which statement is the correct definition for a chemical cell?					
	Tick (✓) one box.					
	A chemical cell produces its full potential difference but the potential difference then quickly decreases.					
	A chemical cell takes a long tin	ne to get to its t	full potential d	ifference.		
	A chemical cell produces a pot	ential differenc	e that lasts for	r a short time.		
	A chemical cell produces a pot	ential differenc	e until the rea	ctants are used u	ıp.	
						[1]

6 Iron is an important metal in the construction industry. The main disadvantage of iron is that it rusts.

Mia investigates the rusting of iron, using iron nails. She has three test tubes, **Tube A**, **Tube B** and **Tube C**.



(a)	(i)	The iron nail in Tube B rus	sts much more slowly than the	iron nail in Tube A .	
		Explain why.			
				[2	.]
	(ii)	Mia compares Tube A with	Tube C.		
		Complete the sentence us	ing one of the phrases below.		
		faster than n	nore slowly than	at the same rate as	
		The iron nail in Tube C rus	ts	the iron nail in Tube A [1	
	(iii)	Explain your answer to (a)	(ii).		

(b)	Mia collects the rust. She dissolves the rust in hydrochloric acid and adds some sodi hydroxide solution.	um
	She sees a brown precipitate.	
	What is the name of this brown precipitate?	
	Tick (✓) one box.	
	Iron(III) chloride	
	Iron(II) hydroxide	
	Iron(III) hydroxide	
	Sodium chloride	
		[1]
(c)	Mia now reacts an iron nail with hydrochloric acid.	
	Write a word equation for this reaction.	
		[0]
		[2]

Am	ir ha	s a sample of a salt, S a	alt A, that is used as	a fertiliser.		
He	does	some tests to find out	which elements are	in the salt.		
(a)	(i) Amir finds that Salt A contains positive potassium ions.					
		Which colour flame d	oes Amir see when h	ne does a flame test?		
		Put a ring around the	correct answer.			
		green	lilac	red	yellow	[41]
	/ii\	Potossium is an alam	vent It is an assentia	I nutrient for plants		[1]
	(ii)	Potassium is an elem		•		
		Name one other elen	nent that is an essen	tial nutrient for plants.		
						[1]
(b)	Am	ir thinks Salt A is pota	ssium sulfate.			
	Pot	assium sulfate contain	s K ⁺ ions and SO ₄ ^{2–}	ions.		
	Wh	at is the chemical form	ula of potassium sul	fate?		
						[1]
(c)	Am	ir tests Salt A to check	it is potassium sulfa	te.		
	He	dissolves some of Sal	t A in water and adds	s barium chloride solution	n.	
	Bar	ium sulfate is formed.				
	(i)	Describe the colour	and state of the bari	um sulfate formed.		
						[1]
	(ii)	Complete the word e	quation for the reacti	on.		
		potassium sulfate +	barium chloride —	barium sulfate +		
						[1]

7

(d)	Amir tests another unknown salt, Salt B, by looking at its emission spectrum.				
	Some em	ission spectra are shown in Fi	g. 7.1:		
	Salt B				
	Sodium				
	Potassiu	m			
	Calcium	400 Wa	ave length (nm)	700	
		Fi	ig. 7.1		
	(i) Using	g Fig. 7.1, name the metal ion	in Salt B.		
				[1]	
	(ii) Conv	ert 400 nm to metres.			
	Give	your answer in standard form	n.		
	1 nm	$= 1 \times 10^{-9} \text{m}$			
			400 nm =	m [1]	

(e) Elements can be identified using flame tests or by comparing emission spectra.

Amir uses the internet to compare each method:

	Flame test	Emission spectra
Equipment cost	£10.15	£11 500
Sensitivity	Low	High
Speed	High	High
Accuracy	Low	High

Amir is given 0.01 g of a compound to analyse.

Amir decides to use a flame test rather than comparing emission spectra.

Give **one** advantage and **one** disadvantage of using a flame test rather than comparing emission spectra.

Advantage	 	
Disadvantage	 	
		 [2]

17 BLANK PAGE

PLEASE DO NOT WRITE ON THIS PAGE

Turn over for the next question

Tita	nium is used for hip repl	acements.			
(a)	Which term describes t	itanium?			
	Put a ring around the c	correct answer.			
	Group 1 metal	Group 7 element	alloy	transition metal	[1]
(b)	Titanium, Ti, can be ma	ade from titanium oxide	by two methods.		1.1
	Method 1 uses magne	esium which reacts with	titanium oxide:		
	2Mg +	- $TiO_2 \rightarrow Ti + 2MgO$			
	Complete the sentence	es below, by putting a rin	ng) around the co	rrect answers.	
	Use the symbol equation	on in Method 1 to help y	/ou.		
	Magnesium is more rea	active than titanium c	oxide / titaniur	n / magnesium oxide	
	Magnesium reduces	titanium oxide / tita	nium / magne	sium oxide	
	to titanium oxide /	titanium / magnesi	um oxide .		[3]
(c)	Calculate the relative for	ormula mass of magnes	ium oxide (MgO)		
	Use the Periodic Table.				
		Deletive formande m			F4 1
					[1]
(d)	Calculate the percentage	ge of magnesium in ma	gnesium oxide (N	/lgO).	
	Use relative formula ma	ass of magnesium = 24			
		Percentage of magnes	ium =	%	[2]

8

(e) Method 2 uses electrolysis to make titanium:

$${\rm TiO_2}
ightarrow {\rm Ti} \, + \, {\rm O_2}$$

Method 2 has a higher atom economy than Method 1.

(i) Some relative formula masses are given in the table.

Formula	Ti	02	TiO ₂
Relative formula mass	47.9	32.0	79.9

Calculate the atom economy for Method 2.

Use the data from the table.

Use the formula: atom economy = $\frac{\text{mass of atoms in desired product}}{\text{total mass of atoms in reactants}} \times 100\%$

Give your answer to 1 decimal place.

(ii) Look at the equations again for Method 1 and Method 2.

$$\textbf{Method 1: 2Mg + TiO}_2 \rightarrow \textbf{Ti + 2MgO}$$


$$\textbf{Method 2} : \mathrm{TiO}_2 \, \rightarrow \, \mathrm{Ti} \, + \, \mathrm{O}_2$$

Explain why Method 2 has a higher atom economy than Method 1.

......[2]

[2]

- (f) Magnesium oxide (MgO) is formed in Method 1.
 - (i) Fig. 8.1 shows the 'dot and cross' diagrams for a magnesium (Mg) atom and an oxygen (O) atom.







Fig. 8.1

Complete Fig. 8.2 to show the 'dot and cross' diagrams for an Mg^{2+} ion and an O^{2-} ion.



(ii) Magnesium oxide can be formed by burning magnesium in oxygen.

Complete the balanced symbol equation for this reaction.

...... Mg +
$$O_2 \rightarrow$$
 MgO [1]

21 BLANK PAGE

PLEASE DO NOT WRITE ON THIS PAGE

Turn over for the next question

- 9 Ammonia is used to make synthetic fertilisers.
 - (a) Ammonia is manufactured in the Haber process.

$$N_2 + 3H_2 \rightleftharpoons 2NH_3$$

Which statements about this reaction are true and which are false?

Tick (✓) one box in each row.

	True	False
2 moles of nitrogen react with 3 moles of hydrogen.		
The reaction reaches a 100% yield.		
At equilibrium, the forward reaction is faster than the backward reaction.		

[3]

(b) Sundip makes ammonium sulfate from a solution of ammonia in the laboratory. The method is shown below but is **not** in the correct order.

Write a number from 1-6 in each box to give the correct order for the steps of the method.

Step	Method
	Wait for the crystals to form after the solution has cooled down.
	Slowly evaporate the solution until most of the solution has gone.
	Wash and dry the crystals.
	Put some sulfuric acid in a beaker.
	Add ammonia until the solution is alkaline.
	Filter the solution.

[2]

(c) S	Sundip	makes	9.9g	of	ammonium	sulfate.
-------	--------	-------	------	----	----------	----------


The maximum mass of ammonium sulfate she could have made is 13.2g.

Calculate the percentage yield.

Use the formula: percentage yield = $\frac{\text{mass made}}{\text{maximum mass}} \times 100\%$

(d) Ammonium sulfate is mixed with other compounds to make the fertiliser Moregrow. Moregrow is a white powder.

Sundip and Jack talk about the compounds in Moregrow:



Do you agree with each person's comments?

Give **one** reason for each of your answers.

Sundip	 	 	 	 	
.lack					
J uon	 	 	 	 	

10			oes a titration to find out the concentration of loric acid with the sodium hydroxide solution		ution. She reacts
	(a)	Lay	la says, 'The titration uses a neutralisation	reaction.'	
		Def	fine a neutralisation reaction.		
	(b)	Thi	s is Layla's incomplete method for the titrat	on:	
		•	Put the hydrochloric acid in a burette. Put the sodium hydroxide solution in a flas Add the hydrochloric acid to the sodium hy Stop adding the hydrochloric acid when the	droxide solution.	is neutralised.
		(i)	Layla needs to add another substance to the hydrochloric acid.	e flask so that she knows wh	en to stop adding
			Which substance does Layla need to add,	and what will she see?	
			Layla needs to add		
			Layla will see		[2]
		(ii)	Layla titrates the hydrochloric acid into a f her final burette reading is as accurate as		nts to make sure
			Describe one thing Layla can do to make h	er reading as accurate as p	ossible.
					[1]
	(c)	(i)	Layla's results for her rough titration are sh	own in Table 10.1.	
			Complete Table 10.1 by calculating the vol	ume for the rough titration.	
				Rough titration	
			Initial burette reading (cm ³)	0.90	
			Final burette reading (cm ³)	25.80	

Table 10.1

Volume for the rough titration (cm³)

(ii) Layla's repeat readings for her careful titrations are shown in **Table 10.2**.

	First titration	Second titration	Third titration	Fourth titration
Volume (cm ³)	24.55	24.95	24.65	24.60

Table 10.2

	Layla calculates that the mean titration volume is 24.60 cm ³ .
	Explain why Layla is correct.
	Use the information in Table 10.2 and a calculation in your answer.
	[2]
(iii)	Calculate the mass of acid in 1 cm ³ of hydrochloric acid.
	Use the formula: mean titration volume = $\frac{0.0908}{\text{mass of acid in 1 cm}^3 \text{ of hydrochloric acid}}$
	Give your answer to 2 significant figures.

[1]

11 Beth has some tablets that react by fizzing, and then dissolving, when water is added.

Beth puts a whole tablet into **Tube A**, and a broken-up tablet into **Tube B**.




Fig. 11.1

When should Beth stop the stopwatch?

- (a) Beth wants to measure the rate of the two reactions. This is Beth's method:
 - Add the same volume of **cold** water to each test tube at the same time.
 - Start a stopwatch.

Tick (✓) one box.	
When the bubbles start to appear.	
When the fizzing starts.	
When the fizzing stops.	
When only a small amount of tablet is left.	

When only a small amount of tablet is left.

ii) Which type of tablet, whole or broken-up, will dissolve more quickly?

Whole tablet

Broken-up tablet

Explain your answer.

Use ideas from the particle model in your answer.

......[2]

(b)	Suggest one reason why the reactions are much faster using hot water.	
(c)	Fig. 11.2 shows how the mass of Tube A and its contents changes over time when cold vis added.	
	Mass of Tube A and its contents (g)	
	Time (s)	
	Fig. 11.2	
	(i) Using Fig. 11.2, explain why the mass of Tube A and its contents decreases during reaction.	g the
	(ii) The rate of the reaction decreases with time.	
	Describe how Fig. 11.2 shows this.	
		. [1]
	(iii) Explain why the rate of reaction decreases with time.	
		. [1]
	END OF QUESTION PAPER	

28 ADDITIONAL ANSWER SPACE

If additional space is required, you should use the following lined page(s). The question number(s must be clearly shown in the margin(s).



Copyright Information

OCR is committed to seeking permission to reproduce all third-party content that it uses in its assessment materials. OCR has attempted to identify and contact all copyright holders whose work is used in this paper. To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced in the OCR Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download from our public website (www.ocr.org.uk) after the live examination series.

If OCR has unwittingly failed to correctly acknowledge or clear any third-party content in this assessment material, OCR will be happy to correct its mistake at the earliest possible opportunity.

For queries or further information please contact The OCR Copyright Team, The Triangle Building, Shaftesbury Road, Cambridge CB2 8EA.

OCR is part of the Cambridge Assessment Group; Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.