



# Cambridge IGCSE™

---

**BIOLOGY****0610/32**

Paper 3 Theory (Core)

**October/November 2021**

MARK SCHEME

Maximum Mark: 80

---

**Published**

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes should be read in conjunction with the question paper and the Principal Examiner Report for Teachers.

Cambridge International will not enter into discussions about these mark schemes.

Cambridge International is publishing the mark schemes for the October/November 2021 series for most Cambridge IGCSE™, Cambridge International A and AS Level components and some Cambridge O Level components.

---

This document consists of **12** printed pages.

**PUBLISHED****Generic Marking Principles**

These general marking principles must be applied by all examiners when marking candidate answers. They should be applied alongside the specific content of the mark scheme or generic level descriptors for a question. Each question paper and mark scheme will also comply with these marking principles.

**GENERIC MARKING PRINCIPLE 1:**

Marks must be awarded in line with:

- the specific content of the mark scheme or the generic level descriptors for the question
- the specific skills defined in the mark scheme or in the generic level descriptors for the question
- the standard of response required by a candidate as exemplified by the standardisation scripts.

**GENERIC MARKING PRINCIPLE 2:**

Marks awarded are always **whole marks** (not half marks, or other fractions).

**GENERIC MARKING PRINCIPLE 3:**

Marks must be awarded **positively**:

- marks are awarded for correct/valid answers, as defined in the mark scheme. However, credit is given for valid answers which go beyond the scope of the syllabus and mark scheme, referring to your Team Leader as appropriate
- marks are awarded when candidates clearly demonstrate what they know and can do
- marks are not deducted for errors
- marks are not deducted for omissions
- answers should only be judged on the quality of spelling, punctuation and grammar when these features are specifically assessed by the question as indicated by the mark scheme. The meaning, however, should be unambiguous.

**GENERIC MARKING PRINCIPLE 4:**

Rules must be applied consistently, e.g. in situations where candidates have not followed instructions or in the application of generic level descriptors.

**GENERIC MARKING PRINCIPLE 5:**

Marks should be awarded using the full range of marks defined in the mark scheme for the question (however; the use of the full mark range may be limited according to the quality of the candidate responses seen).

**GENERIC MARKING PRINCIPLE 6:**

Marks awarded are based solely on the requirements as defined in the mark scheme. Marks should not be awarded with grade thresholds or grade descriptors in mind.

**Science-Specific Marking Principles**

1 Examiners should consider the context and scientific use of any keywords when awarding marks. Although keywords may be present, marks should not be awarded if the keywords are used incorrectly.

2 The examiner should not choose between contradictory statements given in the same question part, and credit should not be awarded for any correct statement that is contradicted within the same question part. Wrong science that is irrelevant to the question should be ignored.

3 Although spellings do not have to be correct, spellings of syllabus terms must allow for clear and unambiguous separation from other syllabus terms with which they may be confused (e.g. ethane / ethene, glucagon / glycogen, refraction / reflection).

4 The error carried forward (ecf) principle should be applied, where appropriate. If an incorrect answer is subsequently used in a scientifically correct way, the candidate should be awarded these subsequent marking points. Further guidance will be included in the mark scheme where necessary and any exceptions to this general principle will be noted.

5 'List rule' guidance

For questions that require *n* responses (e.g. State **two** reasons ...):

- The response should be read as continuous prose, even when numbered answer spaces are provided.
- Any response marked *ignore* in the mark scheme should not count towards *n*.
- Incorrect responses should not be awarded credit but will still count towards *n*.
- Read the entire response to check for any responses that contradict those that would otherwise be credited. Credit should **not** be awarded for any responses that are contradicted within the rest of the response. Where two responses contradict one another, this should be treated as a single incorrect response.
- Non-contradictory responses after the first *n* responses may be ignored even if they include incorrect science.

**6** Calculation specific guidance

Correct answers to calculations should be given full credit even if there is no working or incorrect working, **unless** the question states 'show your working'.

For questions in which the number of significant figures required is not stated, credit should be awarded for correct answers when rounded by the examiner to the number of significant figures given in the mark scheme. This may not apply to measured values.

For answers given in standard form (e.g.  $a \times 10^n$ ) in which the convention of restricting the value of the coefficient ( $a$ ) to a value between 1 and 10 is not followed, credit may still be awarded if the answer can be converted to the answer given in the mark scheme.

Unless a separate mark is given for a unit, a missing or incorrect unit will normally mean that the final calculation mark is not awarded. Exceptions to this general principle will be noted in the mark scheme.


**7** Guidance for chemical equations

Multiples / fractions of coefficients used in chemical equations are acceptable unless stated otherwise in the mark scheme.

State symbols given in an equation should be ignored unless asked for in the question or stated otherwise in the mark scheme.

**Mark scheme abbreviations**

- ; separates marking points
- / alternative responses for the same marking point
- R reject the response
- A accept the response
- I ignore the response
- ecf error carried forward
- AVP any valid point
- ora or reverse argument
- AW alternative wording
- underline actual word given must be used by candidate (grammatical variants excepted)
- ( ) the word / phrase in brackets is not required but sets the context

Question	Answer	Marks	Guidance
1(a)(i)		<b>3</b>	3 marks for 4 correct lines 2 marks for 2 or 3 correct lines 1 mark for 1 correct line  <b>R</b> each additional line
1(a)(ii)	<b>X</b> drawn on the blind spot ;	<b>1</b>	
1(b)	<i>any three from:</i> iris widens / AW ; pupil becomes smaller / AW ; to reduce the amount of light entering (the eye) / to prevent too much light entering the eye / to adapt to bright light conditions / AW ; to prevent damage (to the retina) ; ref. to (pupil light) reflex ;	<b>3</b>	
1(c)	<i>any two from:</i> temperature ; touch / pressure ; pain ;	<b>2</b>	

Question	Answer	Marks	Guidance
2(a)(i)	camel ;	1	
2(a)(ii)	cat <b>and</b> sheep ;	1	
2(a)(iii)	buffalo ;	1	
2(b)	depth increases ; rate increases ;	2	
2(c)(i)	less oxygen ; more water (vapour) ;	2	
2(c)(ii)	limewater ; turns, cloudy / milky / AW ;	2	
2(d)	<b>A</b> trachea ; <b>B</b> intercostal muscle ; <b>C</b> diaphragm ; <b>D</b> alveoli ;	4	

Question	Answer	Marks	Guidance
3(a)(i)	gg ; yellow ; yellow ;	3	
3(a)(ii)	top row both offspring Gg, bottom row both offspring gg ; 1:1 ;	2	
3(b)(i)	2 ;	1	
3(b)(ii)	<b>R / S ;</b>	1	
3(b)(iii)	0% circled ;	1	

Question	Answer	Marks	Guidance										
4(a)	<i>any two from:</i> <i>idea of, variety of / different / all, nutrients ;</i> <i>in the correct proportions / AW ;</i> <i>suitable energy content ;</i>	2											
4(b)	<table border="1"> <thead> <tr> <th>component</th> <th>example of principal source</th> </tr> </thead> <tbody> <tr> <td>calcium</td> <td>milk / tuna / grapefruit ;</td> </tr> <tr> <td>carbohydrate</td> <td>rice / milk / grapefruit ;</td> </tr> <tr> <td>protein</td> <td>tuna fish / milk ;</td> </tr> <tr> <td>vitamin C</td> <td>grapefruit ;</td> </tr> </tbody> </table>	component	example of principal source	calcium	milk / tuna / grapefruit ;	carbohydrate	rice / milk / grapefruit ;	protein	tuna fish / milk ;	vitamin C	grapefruit ;	4	words can only be used <b>once</b>
component	example of principal source												
calcium	milk / tuna / grapefruit ;												
carbohydrate	rice / milk / grapefruit ;												
protein	tuna fish / milk ;												
vitamin C	grapefruit ;												
4(c)	fibre ;	1	<b>A</b> roughage / water										

Question	Answer	Marks	Guidance
4(d)	<i>any two from:</i> obesity ; (increased risk of) coronary heart disease ; AVP ;	<b>2</b>	
4(e)	<i>any one from:</i> to provide, food / nutrients, for fetus / AW ; for, growth / development, of fetus / AW ;	<b>1</b>	
4(f)	<i>any three from:</i> movement ; respiration ; sensitivity ; growth ; excretion ; reproduction ;	<b>3</b>	



Question	Answer	Marks	Guidance
5(a)	evaporation ; diffusion ; stomata ;	<b>3</b>	
5(b)	species <b>B</b> lost more water than species <b>A</b> (in, either / both, conditions) ; both species lost more water in hot conditions (than in cool) ; the increase in water loss was greater in species A ; data, comparison / quote, for, cool / hot / difference, with units ;	<b>3</b>	<b>A</b> ora throughout
5(c)	one bar drawn on Fig. 5.1, with a height that is less than 4.8 cm <sup>3</sup> per hour ;	<b>1</b>	
5(d)	xylem ;	<b>1</b>	

Question	Answer	Marks	Guidance												
6(a)(i)	30 ; 5 ; 15 ; 0 / 30 ;	<b>4</b>													
6(b)	<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 30%;"></th> <th style="width: 35%;">boys</th> <th style="width: 35%;">girls</th> </tr> </thead> <tbody> <tr> <td>breasts grow</td> <td></td> <td style="text-align: center;">✓</td> </tr> <tr> <td>growth of pubic hair</td> <td style="text-align: center;">✓</td> <td style="text-align: center;">✓</td> </tr> <tr> <td>widening of hips</td> <td></td> <td style="text-align: center;">✓</td> </tr> </tbody> </table> <p style="text-align: right;">;;;</p>		boys	girls	breasts grow		✓	growth of pubic hair	✓	✓	widening of hips		✓	<b>3</b>	one mark for each correct row
	boys	girls													
breasts grow		✓													
growth of pubic hair	✓	✓													
widening of hips		✓													
6(c)	oestrogen ;	<b>1</b>													
6(d)	testes ;	<b>1</b>													

Question	Answer	Marks	Guidance
7(a)(i)	any value between 5.81 and 7.39 (cm <sup>3</sup> ) inclusive ;	<b>1</b>	
7(a)(ii)	22.7 / 23 (%) ;;	<b>2</b>	MP1 selection of correct values from table, i.e. 5.4 and 4.4 MP2 correct calculation to any number of decimal places
7(b)	<div style="display: flex; align-items: center;"> <div style="border: 1px solid black; padding: 5px; margin-right: 10px;">Selective breeding</div> <div style="display: flex; flex-direction: column; gap: 10px;"> <div style="border: 1px solid black; padding: 5px; width: 150px;">involves one parent only.</div> <div style="border: 1px solid black; padding: 5px; width: 150px;">is carried out over many generations.</div> <div style="border: 1px solid black; padding: 5px; width: 150px;">is caused by mutation.</div> <div style="border: 1px solid black; padding: 5px; width: 150px;">is caused by the environment.</div> <div style="border: 1px solid black; padding: 5px; width: 150px;">requires human involvement.</div> </div> </div> <p style="text-align: right; margin-top: 10px;">;;</p>	<b>2</b>	<b>R</b> each additional line
7(c)	<b>1 ;</b> <b>5 ;</b>	<b>2</b>	
7(d)	adaptive (feature) ;	<b>1</b>	

Question	Answer	Marks	Guidance
8(a)	species ; area ; time ;	3	
8(b)(i)	89 (million) ;	1	A 88 / 90
8(b)(ii)	1970 ;	1	
8(c)	<i>any three from:</i> increased food supply ; decreased deaths ; decreased predation ; decreased disease ; increased births ; AVP ;;	3	
8(d)	<i>any four from:</i> 1 loss of biodiversity / extinction (of other species) / AW ;  <i>because of :</i> 2 habitat destruction ; 3 deforestation ; 4 (increased) predation / hunting / fishing ; 5 (new) disease ; 6 introduced species / migration ; 7 competition for / depletion of, (named) resources ; 8 (named) pollution / increase in waste produced ; 9 global warming / climate change / enhanced greenhouse effect ; 10 AVP ;	4	