# Cambridge IGCSE<sup>™</sup>

CHEMISTRY 0620/13

Paper 1 Multiple Choice (Core)

October/November 2022

45 minutes

You must answer on the multiple choice answer sheet.

You will need: Multiple choice answer sheet

Soft clean eraser

Soft pencil (type B or HB is recommended)

#### **INSTRUCTIONS**

- There are forty questions on this paper. Answer all questions.
- For each question there are four possible answers **A**, **B**, **C** and **D**. Choose the **one** you consider correct and record your choice in soft pencil on the multiple choice answer sheet.
- Follow the instructions on the multiple choice answer sheet.
- Write in soft pencil.
- Write your name, centre number and candidate number on the multiple choice answer sheet in the spaces provided unless this has been done for you.
- Do not use correction fluid.
- Do not write on any bar codes.
- You may use a calculator.


### **INFORMATION**

- The total mark for this paper is 40.
- Each correct answer will score one mark.
- Any rough working should be done on this question paper.
- The Periodic Table is printed in the question paper.

1 Which row describes the separation and motion of particles in a gas?

|   | separation of particles | motion<br>of particles |
|---|-------------------------|------------------------|
| Α | close together          | slow movement          |
| В | close together          | fast movement          |
| С | widely spaced           | slow movement          |
| D | widely spaced           | fast movement          |

2 Which burette shows a reading of 12.1 cm<sup>3</sup>?



**3** A solution of sodium chloride is mixed with a solution of silver nitrate.

A white precipitate of silver chloride and a colourless solution of sodium nitrate are formed.

Which method is used to separate the silver chloride from the mixture?

- **A** crystallisation
- **B** distillation
- **C** filtration
- **D** use of a solvent
- 4 Which two particles have the same electronic structure?
  - $\mathbf{A}$  C and  $O^{2-}$
  - **B** F<sup>-</sup> and Na
  - $\mathbf{C}$   $\mathbf{K}^{+}$  and  $\mathbf{S}^{2-}$
  - **D** Mg and Na<sup>+</sup>

- **5** Which statement about an alloy is correct?
  - **A** It is a compound made of two or more elements, one of which is a metal.
  - **B** It is a layer of a metal plated onto another metal.
  - **C** It is a mixture of a metal with one or more other elements.
  - **D** It is a single element.
- 6 Magnesium reacts with oxygen to form magnesium oxide.

In the reaction, each magnesium atom .....1..... two .....2.....

Which words complete gaps 1 and 2?

|   | 1     | 2         |
|---|-------|-----------|
| Α | loses | electrons |
| В | loses | protons   |
| С | gains | electrons |
| D | gains | protons   |

7 Which row about the structures and uses of diamond and graphite is correct?

|   | structure                                | use                                    |
|---|--|--|
| Α | diamond has a giant covalent structure   | diamond is used to make electrodes     |
| В | diamond has a simple covalent structure  | diamond is used to make cutting tools  |
| С | graphite has a giant covalent structure  | graphite is used as a lubricant        |
| D | graphite has a simple covalent structure | graphite is used to make cutting tools |

8 Caffeine is a stimulant found in coffee.

caffeine

Which formula represents caffeine?

- **A**  $C_7H_{10}N_4O_2$ 
  - **B**  $C_8H_{10}N_3O_2$
- **C**  $C_8H_{10}N_4O_2$  **D**  $C_8H_{11}N_4O_2$
- Iron reacts with sulfuric acid to form iron(II) sulfate. 9

What is the equation for this reaction?


**A** Fe + 
$$H_2SO_4 \rightarrow FeSO_4 + 2H$$

**B** Fe + 
$$H_2SO_4 \rightarrow FeSO_4 + H_2$$

**C** Fe + 
$$2H_2SO_4 \rightarrow FeSO_4 + 2H_2O + SO_2$$

$$\textbf{D} \quad 2\text{Fe} \, + \, \text{H}_2\text{SO}_4 \, \rightarrow \, \text{Fe}_2\text{SO}_4 \, + \, \text{H}_2$$

10 Which apparatus is used to plate a nickel object with silver?



11 When an acid is added to an alkali, the temperature of the reaction mixture rises.

Which words describe this reaction?

- A decomposition and endothermic
- **B** decomposition and exothermic
- C neutralisation and endothermic
- **D** neutralisation and exothermic

**12** Some properties of four fuels are shown.

Which fuel is a gas at room temperature and makes two products when it burns in a plentiful supply of air?


|   | fuel     | formula                         | melting point /°C | boiling point<br>/°C |
|---|----------|---------------------------------|-------------------|----------------------|
| Α | hydrogen | $H_2$                           | -259              | -253                 |
| В | methane  | CH₄                             | -182              | -164                 |
| С | octane   | C <sub>8</sub> H <sub>18</sub>  | <b>–</b> 57       | 126                  |
| D | wax      | C <sub>31</sub> H <sub>64</sub> | 60                | 400                  |

- 13 Which process is a physical change?
  - A burning wood
  - B cooking an egg
  - C melting an ice cube
  - **D** rusting iron
- **14** Dilute hydrochloric acid is reacted with excess calcium carbonate and the total volume of gas is measured at regular intervals.

The results are shown by line W on the graph.

The experiment is repeated but with one change.

The results of the second experiment are shown by line X on the graph.



Which change is made in the second experiment?

- A A catalyst is added.
- **B** The calcium carbonate is broken into smaller pieces.
- **C** The concentration of the dilute hydrochloric acid is increased.
- **D** The temperature of the dilute hydrochloric acid is decreased.

15 When hydrated copper(II) sulfate is heated, it produces white copper(II) sulfate. When water is added, the white copper(II) sulfate turns blue.

Which type of reaction is shown by these observations?

- A decomposition
- **B** displacement
- C redox
- **D** reversible
- **16** When magnesium is heated with zinc oxide a reaction occurs.

The equation is shown.

$$Mg + ZnO \rightarrow MgO + Zn$$

Which substance is oxidised?

- **A** magnesium
- B magnesium oxide
- C zinc
- **D** zinc oxide
- 17 Which row about sodium oxide and sulfur dioxide is correct?

|   | sodium oxide | sulfur dioxide |
|---|--------------|----------------|
| Α | acidic       | acidic         |
| В | acidic       | basic          |
| С | basic        | acidic         |
| D | basic        | basic          |

8

18 Copper(II) sulfate is a soluble compound that is made by reacting copper(II) oxide with dilute sulfuric acid.

This can be completed in the following steps.

- 1 Add excess copper(II) oxide to dilute sulfuric acid and heat the mixture.
- 2 Filter off any unreacted copper(II) oxide.
- 3 Heat to remove most of the water from the filtrate.
- 4 Leave the solution to cool and filter off the solid copper(II) sulfate which forms.

Which row shows the processes used in this preparation?

|   | crystallisation | distillation | evaporation |
|---|-----------------|--------------|-------------|
| Α | X               | X            | х           |
| В | ✓               | ✓            | x           |
| С | ✓               | X            | ✓           |
| D | X               | ✓            | ✓           |

**19** Tests are done on an aqueous solution.

| test        | a few drops of aqueous sodium hydroxide are added | aqueous sodium hydroxide is added in excess         |
|-------------|---|---|
| observation | white precipitate                                 | precipitate dissolves to give a colourless solution |

Which cations produce these observations?


- 1 aluminium,  $Al^{3+}$
- 2 calcium, Ca<sup>2+</sup>
- 3 zinc, Zn<sup>2+</sup>
- **A** 1 and 2 **B** 1 and 3 **C** 1 only **D** 2 and 3
- 20 Which statement about the Periodic Table is correct?
  - **A** Elements in the same group have the same number of electron shells.
  - **B** Elements are arranged in order of increasing proton number.
  - **C** Metals are on the right and non-metals are on the left.
  - **D** The most reactive elements are at the bottom of every group.

| 21 | Ele | ements E and F are in Group I of the Periodic Table.                             |            |        |                |          |              |           |            |              |           |     |
|----|-----|--|------------|--------|----------------|----------|--------------|-----------|------------|--------------|-----------|-----|
|    | Εh  | nas a higher melting point than F.   |            |        |                |          |              |           |            |              |           |     |
|    | Ele | ements J and L are in Group VII of the Periodic Table.                           |            |        |                |          |              |           |            |              |           |     |
|    | J h | as a higher density than L.  |            |        |                |          |              |           |            |              |           |     |
|    | Wh  | ich elem   | ents have  | e the  | e highest ato  | omic nu  | mbers in e   | ach grou  | p?         |              |           |     |
|    | Α   | E and J  |            |        | E and L        |          | F and J      |           | ·<br>F and | L            |           |     |
|    |     |  |            |        |                |          |              |           |            |              |           |     |
| 22 | Wh  | at is a ch   | aracteris  | tic p  | property of a  | transiti | on elemen    | t?        |            |              |           |     |
|    | A   | acts as  | a catalys  | st     |                |          |              |           |            |              |           |     |
|    | В   | low den  | sity       |        |                |          |              |           |            |              |           |     |
|    | С   | low mel  | ting point | t      |                |          |              |           |            |              |           |     |
|    | D   | non-cor  | nductor of | f ele  | ectricity      |          |              |           |            |              |           |     |
| 23 |     | s G has<br>noatomic  |            | ctro   | ns. Gas H      | has e    | ight more    | electror  | ns than    | gas G. Bo    | oth gases | are |
|    | Wh  | ich state  | ment abo   | out G  | and H is c     | orrect?  |              |           |            |              |           |     |
|    | Α   | Both gases are in the same group of the Periodic Table.                          |            |        |                |          |              |           |            |              |           |     |
|    | В   | Both gases are in the same period of the Periodic Table.                         |            |        |                |          |              |           |            |              |           |     |
|    | С   | Both ga  | ses are v  | ery    | reactive.      |          |              |           |            |              |           |     |
|    | D   | Gas G l  | nas a higl | her    | atomic mas     | s than g | jas H.       |           |            |              |           |     |
| 24 | Wh  | ich state  | ments ab   | out    | the metals a   | zinc, ma | agnesium, i  | iron and  | sodium a   | are correct? |           |     |
|    |     | 1  | They all   | l cor  | nduct electri  | city.    |              |           |            |              |           |     |
|    |     | 2  | They all   | l hav  | /e high melt   | ing poir | nts and boil | ing point | S.         |              |           |     |
|    |     | 3  | They all   | for    | m negative i   | ons.     |              |           |            |              |           |     |
|    |     | 4  | They all   | l rea  | ct with dilute | e acids  | to form hyd  | drogen.   |            |              |           |     |
|    | Α   | 1 and 3  | E          | В      | 1 and 4        | С        | 2 and 3      | D         | 3 and      | 4            |           |     |
| 25 | Wh  | ich state  | ment abo   | out th | ne reactions   | of met   | als is corre | ct?       |            |              |           |     |
|    | Α   | Iron and carbon dioxide are produced when iron(III) oxide is heated with carbon. |            |        |                |          |              |           |            |              |           |     |
|    | В   |  |            |        |                |          |              |           |            |              |           |     |
|    | С   | Potassi  | um reacts  | s vig  | gorously with  | n water  | producing    | hydrogei  | n and an   | acidic solu  | tion.     |     |
|    | D   | Zinc reacts with dilute sulfuric acid producing sulfur dioxide.                  |            |        |                |          |              |           |            |              |           |     |

- 26 Which metal is obtained by heating its oxide with carbon?
  - A aluminium
  - **B** calcium
  - **C** magnesium
  - **D** zinc
- 27 Which row links the property of the stated metal with its use?

|   | metal           | property                      | use               |
|---|-----------------|-------------------------------|-------------------|
| Α | aluminium       | does not corrode              | food containers   |
| В | copper          | high strength                 | chemical plant    |
| С | mild steel      | good conductor of electricity | electrical wiring |
| D | stainless steel | low density                   | aircraft          |

**28** The diagram shows a stage in the purification of dirty water.



Which process does this apparatus show?

- A chlorination
- **B** condensation
- **C** distillation
- **D** filtration
- 29 Which substance in polluted air damages stonework and kills trees?
  - A carbon dioxide
  - **B** carbon monoxide
  - C lead compounds
  - **D** sulfur dioxide

**30** A farmer has four different compounds that are used in fertilisers.

|   | name of compound   | formula of compound                             |
|---|--------------------|---|
| 1 | potassium nitrate  | KNO <sub>3</sub>                                |
| 2 | ammonium phosphate | (NH <sub>4</sub> ) <sub>3</sub> PO <sub>4</sub> |
| 3 | ammonium nitrate   | NH <sub>4</sub> NO <sub>3</sub>                 |
| 4 | urea               | (NH₂)₂CO  |

Which two compounds are mixed to make an NPK fertiliser?

**A** 1 and 2

**B** 1 and 4 **C** 2 and 3 **D** 3 and 4

31 Waste vegetables are placed in a sealed container with air and left for a number of days.

Bacteria cause the vegetables to decompose. During the decomposition the bacteria respire.

What happens to the concentration of carbon dioxide and methane in the air in the container?

|   | concentration of carbon dioxide | concentration of methane |
|---|---------------------------------|--------------------------|
| Α | decreases                       | decreases                |
| В | does not change                 | increases                |
| С | increases                       | does not change          |
| D | increases                       | increases                |

- **32** Which element has an oxide that is used as a food preservative?
  - A helium
  - **B** hydrogen
  - iron
  - **D** sulfur
- **33** Which substance gives off carbon dioxide on heating?
  - lime Α
  - В limestone
  - limewater
  - slaked lime

34 Which rows show the correct name for the structure shown?

|   | structure              | name          |
|---|------------------------|---------------|
| 1 | Т—О—<br>Т—О—<br>Т—О— Т | ethene        |
| 2 | H—C—H<br>H—H           | methane       |
| 3 | H—C—C—O—H              | ethanol       |
| 4 | H H<br>                | ethanoic acid |

**A** 1 and 2


- **B** 2, 3 and 4
  - C 2 only
- **D** 3 and 4 only
- **35** Fuel oil and naphtha are two fractions obtained from petroleum.

What are the major uses of these fractions?

|   | fuel oil  | naphtha          |
|---|-----------|------------------|
| Α | jet fuel  | making chemicals |
| В | jet fuel  | making roads     |
| С | ship fuel | making chemicals |
| D | ship fuel | making roads     |

- **36** Which statement explains why members of the same homologous series have similar chemical properties?
  - A There are covalent bonds in all the molecules.
  - **B** There are only carbon and hydrogen atoms in all the molecules.
  - **C** There is the same number of carbon atoms in all the molecules.
  - **D** There is the same functional group in all the molecules.

37 Which molecules are unsaturated hydrocarbons?



3 and 4

**38** The results of tests carried out on an organic compound are shown.

| test                                | result            |
|-------------------------------------|-------------------|
| appearance                          | colourless liquid |
| effect of adding aqueous bromine    | no reaction       |
| effect of applying a lighted splint | burns             |
| effect of adding litmus             | turns red         |

What is the organic compound?

- ethane
- В ethanoic acid
- ethanol C
- D ethene
- 39 Which word equation represents a reaction that occurs with ethanoic acid?
  - Α ethanoic acid + calcium carbonate  $\rightarrow$  salt + carbon dioxide
  - В ethanoic acid + copper → salt + hydrogen
  - C ethanoic acid + magnesium → salt + hydrogen
  - ethanoic acid + sodium hydroxide  $\rightarrow$  salt + oxygen
- 40 Four substances are listed.
  - 1 carbohydrate
  - 2 ethanol
  - 3 protein
  - sodium chloride

Which substances are natural polymers?

Α 1 and 2 В 1 and 3 C 2 and 4 D 3 and 4 14

## **BLANK PAGE**

15

#### **BLANK PAGE**

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced online in the Cambridge Assessment International Education Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download at www.cambridgeinternational.org after the live examination series.

Cambridge Assessment International Education is part of Cambridge Assessment. Cambridge Assessment is the brand name of the University of Cambridge Local Examinations Syndicate (UCLES), which is a department of the University of Cambridge.

The Periodic Table of Elements

|       | =        |     | ນ  | Ę             |               | a)           | E .                          | ~  | _  | oo (             | <u>~</u> |    | ton             | -  | മ        | n +              |       | _           | uo              |        |           |                    |
|-------|----------|-----|----|---------------|---------------|--------------|------------------------------|----|----|------------------|----------|----|-----------------|----|----------|------------------|-------|-------------|-----------------|--------|-----------|--------------------|
|       | <b>=</b> | 5   | Ė  | helii<br>4    | 10            | Ž            | nec<br>20                    | 1  | ⋖  | argon<br>40      | 36       |    | kryp<br>8       | 25 | ×        | xen<br>13        | 86    | <u>~</u>    | rade            |        |           |                    |
|       | <b>=</b> |     |    |               | 6             | ட            | fluorine<br>19               | 17 | CI | chlorine<br>35.5 | 35       | Ŗ  | bromine<br>80   | 53 | _        | iodine<br>127    | 85    | ¥           | astatine        |        |           |                    |
|       | >        |     |    |               | 80            | 0            | oxygen<br>16                 | 16 | S  | sulfur<br>32     | 34       | Se | selenium<br>79  | 52 | <u>a</u> | tellurium<br>128 | 84    | Ъ           | moloulum<br>—   | 116    | _         | livermorium        |
|       | >        |     |    |               | 7             | Z            | nitrogen<br>14               | 15 | ۵  | phosphorus<br>31 | 33       | As | arsenic<br>75   | 51 | Sp       | antimony<br>122  | 83    | <u>B</u>    | bismuth<br>209  |        |           |                    |
|       | ≥        |     |    |               | 9             | O            | carbon<br>12                 | 14 | S  | silicon<br>28    | 32       | Ge | germanium<br>73 | 20 | Sn       | tin<br>119       | 82    | Pb          | lead<br>207     | 114    | Εl        | flerovium          |
|       | ≡        |     |    |               | 2             | Δ            | boron<br>11                  | 13 | Αl | aluminium<br>27  | 31       | Ga | gallium<br>70   | 49 | 므        | indium<br>115    | 81    | <i>1</i> L  | thallium<br>204 |        |           |                    |
|       |          |     |    |               |               |              |                              | •  |    |                  | 30       | Zu | zinc<br>65      | 48 | ဥ        | cadmium<br>112   | 80    | Нg          | mercury<br>201  | 112    | ပ်        | copernicium        |
|       |          |     |    |               |               |              |                              |    |    |                  | 29       | ŋ  | copper<br>64    | 47 | Ag       | silver<br>108    | 62    | Αn          | gold<br>197     | 111    | Rg        | roentgenium        |
| Group |          |     |    |               |               |              |                              |    |    |                  | 28       | z  | nickel<br>59    | 46 | Pd       | palladium<br>106 | 78    | ₹           | platinum<br>195 | 110    | Ds        | darmstadtium<br>-  |
| Gro   |          |     |    |               |               |              |                              |    |    |                  | 27       | ပိ | cobalt<br>59    | 45 | Rh       | rhodium<br>103   | 77    | _           | iridium<br>192  | 109    | Μ̈́       | meitnerium<br>-    |
|       |          | - ] | С, | hydrogen<br>1 |               |              |                              |    |    |                  | 26       | Fe | iron<br>56      | 44 | Ru       | ruthenium<br>101 | 92    | SO          | osmium<br>190   | 108    | Hs        | hassium            |
|       |          |     |    |               | •             |              |                              |    |    |                  | 25       | Mn | manganese<br>55 | 43 | ည        | technetium<br>-  | 75    | Re          | rhenium<br>186  | 107    | Bh        | bohrium            |
|       |          |     |    |               |               | loc          | ass                          |    |    |                  | 24       | ပ် | chromium<br>52  | 42 | Mo       | molybdenum<br>96 | 74    | >           | tungsten<br>184 | 106    | Sg        | seaborgium         |
|       |          |     |    | Key           | atomic number | atomic symbo | name<br>relative atomic mass |    |    |                  | 23       | >  | vanadium<br>51  | 41 | g        | niobium<br>93    | 73    | <u>n</u>    | tantalum<br>181 | 105    | 6         | dubnium            |
|       |          |     |    |               |               | ato          | rela                         |    |    |                  | 22       | F  | titanium<br>48  | 40 | Zr       | zirconium<br>91  | 72    | 士           | hafnium<br>178  | 104    | ₹         | rutherfordium<br>- |
|       |          |     |    |               |               |              |                              |    |    |                  | 21       | Sc | scandium<br>45  | 39 | >        | yttrium<br>89    | 57–71 | lanthanoids |                 | 89–103 | actinoids |                    |
|       | =        |     |    |               | 4             | Be           | beryllium<br>9               | 12 | Mg | magnesium<br>24  | 20       | Ca | calcium<br>40   | 38 | ഗ്       | strontium<br>88  | 56    | Ba          | barium<br>137   | 88     | Ra        | radium             |
|       | _        |     |    |               | 3             | :=           | lithium<br>7                 | 11 | Na | sodium<br>23     | 19       | ¥  | potassium<br>39 | 37 | Rb       | rubidium<br>85   | 55    | S           | caesium<br>133  | 87     | Ē         | francium           |

|              | 7 58                       | 2        | 65              | 09               | 61              | 62              | 63              | 64                | 65             | 99                | 29             | 89            | 69             | 70               | 71              |  |
|--------------|----------------------------|----------|-----------------|------------------|-----------------|-----------------|-----------------|-------------------|----------------|-------------------|----------------|---------------|----------------|------------------|-----------------|--|
| s            | Ce                         | <u>т</u> | _<br>اد         | ρN               | Pm              | Sm              | Вu              | P<br>G            | Р              | ò                 | 웃              | Щ             | Tm             | Υp               | Γn              |  |
| lanthe<br>13 | anthanum cerium<br>139 140 |          | praseodymium ne | neodymium<br>144 | promethium<br>- | samarium<br>150 | europium<br>152 | gadolinium<br>157 | terbium<br>159 | dysprosium<br>163 | holmium<br>165 | erbium<br>167 | thulium<br>169 | ytterbium<br>173 | lutetium<br>175 |  |
| 38           |                            |          | 31              | 92               | 93              | 94              | 92              | 96                | 26             | 86                | 66             | 100           | 101            | 102              | 103             |  |
| Á<br>—       |                            |          | a               | $\supset$        | ď               | Pu              | Am              | CB                | 益              | ర                 | Es             | Fm            | Md             | 8                | ۲               |  |
| actinium     | ium thorium                |          | ctinium         | uranium          | neptunium       | plutonium       | americium       | curium            | berkelium      | californium       | einsteinium    | fermium       | mendelevium    | nobelium         | lawrencium      |  |
|              | . 232                      |          | 231             | 238              | ı               | I               | I               | I                 | ı              | I                 | ı              | I             | ı              | I                | I               |  |

The volume of one mole of any gas is 24 dm<sup>3</sup> at room temperature and pressure (r.t.p.).