



**F**

**...day June 20XX – Morning/Afternoon**

**GCSE (9–1) Physics A (Gateway Science)**

**J249/01 Paper 1 (Foundation Tier)**

**SAMPLE MARK SCHEME**

**Duration: 1 hour 45 minutes**

**MAXIMUM MARK 90**

**DRAFT**

**This document consists of 16 pages**

SPECIMEN

**MARKING INSTRUCTIONS****PREPARATION FOR MARKING****SCORIS**

1. Make sure that you have accessed and completed the relevant training packages for on-screen marking: *scoris assessor Online Training*; *OCR Essential Guide to Marking*.
2. Make sure that you have read and understood the mark scheme and the question paper for this unit. These are posted on the RM Cambridge Assessment Support Portal <http://www.rm.com/support/ca> .
3. Log-in to scoris and mark the **required number** of practice responses (“scripts”) and the **required number** of standardisation responses.

YOU MUST MARK 10 PRACTICE AND 10 STANDARDISATION RESPONSES BEFORE YOU CAN BE APPROVED TO MARK LIVE SCRIPTS.

**MARKING**

1. Mark strictly to the mark scheme.
2. Marks awarded must relate directly to the marking criteria.
3. The schedule of dates is very important. It is essential that you meet the scoris 50% and 100% (traditional 50% Batch 1 and 100% Batch 2) deadlines. If you experience problems, you must contact your Team Leader (Supervisor) without delay.
4. If you are in any doubt about applying the mark scheme, consult your Team Leader by telephone, email or via the scoris messaging system.

5. Work crossed out:
  - a. where a candidate crosses out an answer and provides an alternative response, the crossed out response is not marked and gains no marks.
  - b. if a candidate crosses out an answer to a whole question and makes no second attempt, and if the inclusion of the answer does not cause a rubric infringement, the assessor should attempt to mark the crossed out answer and award marks appropriately.
6. Always check the pages (and additional objects if present) at the end of the response in case any answers have been continued there. If the candidate has continued an answer there then add a tick to confirm that the work has been seen.
7. There is a NR (No Response) option. Award NR (No Response)
  - if there is nothing written at all in the answer space
  - OR if there is a comment which does not in any way relate to the question (e.g. 'can't do', 'don't know')
  - OR if there is a mark (e.g. a dash, a question mark) which isn't an attempt at the question.Note: Award 0 marks – for an attempt that earns no credit (including copying out the question).
8. The scoris **comments box** is used by your Team Leader to explain the marking of the practice responses. Please refer to these comments when checking your practice responses. **Do not use the comments box for any other reason.** If you have any questions or comments for your Team Leader, use the phone, the scoris messaging system, or email.
9. Assistant Examiners will send a brief report on the performance of candidates to their Team Leader (Supervisor) via email by the end of the marking period. The report should contain notes on particular strengths displayed as well as common errors or weaknesses. Constructive criticism of the question paper/mark scheme is also appreciated.

10. For answers marked by levels of response:

Read through the whole answer from start to finish, using the Level descriptors to help you decide whether it is a strong or weak answer. The indicative scientific content in the Guidance column indicates the expected parameters for candidates' answers, but be prepared to recognise and credit unexpected approaches where they show relevance.

Using a 'best-fit' approach based on the skills and science content evidenced within the answer, first decide which set of level descriptors, Level 1, Level 2 or Level 3, best describes the overall quality of the answer. Once the level is located, award the higher or lower mark:

**The higher mark** should be awarded where the level descriptor has been evidenced and all aspects of the communication statement (in italics) have been met.

**The lower mark** should be awarded where the level descriptor has been evidenced but aspects of the communication statement (in italics) are missing.

**In summary:**

**The skills and science content determines the level.**

**The communication statement determines the mark within a level.**

## 11. Annotations

<b>Annotation</b>	<b>Meaning</b>
<b>DO NOT ALLOW</b>	Answers which are not worthy of credit
<b>IGNORE</b>	Statements which are irrelevant
<b>ALLOW</b>	Answers that can be accepted
( )	Words which are not essential to gain credit
—	Underlined words must be present in answer to score a mark
<b>ECF</b>	Error carried forward
<b>AW</b>	Alternative wording
<b>ORA</b>	Or reverse argument

## 12. Subject-specific Marking Instructions

### INTRODUCTION

Your first task as an Examiner is to become thoroughly familiar with the material on which the examination depends. This material includes:

- the specification, especially the assessment objectives
- the question paper
- the mark scheme.

You should ensure that you have copies of these materials.

You should ensure also that you are familiar with the administrative procedures related to the marking process. These are set out in the OCR booklet **Instructions for Examiners**. If you are examining for the first time, please read carefully **Appendix 5 Introduction to Script Marking: Notes for New Examiners**.

Please ask for help or guidance whenever you need it. Your first point of contact is your Team Leader.

The breakdown of Assessment Objectives for GCSE (9–1) in Physics A:

	<b>Assessment Objective</b>
<b>AO1</b>	<b>Demonstrate knowledge and understanding of scientific ideas and scientific techniques and procedures.</b>
<b>AO1.1</b>	Demonstrate knowledge and understanding of scientific ideas.
<b>AO1.2</b>	Demonstrate knowledge and understanding of scientific techniques and procedures.
<b>AO2</b>	<b>Apply knowledge and understanding of scientific ideas and scientific enquiry, techniques and procedures.</b>
<b>AO2.1</b>	Apply knowledge and understanding of scientific ideas.
<b>AO2.2</b>	Apply knowledge and understanding of scientific enquiry, techniques and procedures.
<b>AO3</b>	<b>Analyse information and ideas to interpret and evaluate, make judgements and draw conclusions and develop and improve experimental procedures.</b>
<b>AO3.1</b>	Analyse information and ideas to interpret and evaluate.
<b>AO3.1a</b>	Analyse information and ideas to interpret.
<b>AO3.1b</b>	Analyse information and ideas to evaluate.
<b>AO3.2</b>	Analyse information and ideas to make judgements and draw conclusions.
<b>AO3.2a</b>	Analyse information and ideas to make judgements.
<b>AO3.2b</b>	Analyse information and ideas to draw conclusions.
<b>AO3.3</b>	Analyse information and ideas to develop and improve experimental procedures.
<b>AO3.3a</b>	Analyse information and ideas to develop experimental procedures.
<b>AO3.3b</b>	Analyse information and ideas to improve experimental procedures.



J249/01

Mark Scheme

June 20XX

## SECTION A

Question	Answer	Marks	AO element	Guidance
1	B	1	2.2	
2	D	1	1.2	
3	D	1	2.1	
4	C	1	2.1	
5	B	1	2.1	
6	B	1	1.1	
7	A	1	1.1	
8	D	1	2.1	
9	D	1	1.1	
10	D	1	1.1	
11	B	1	2.1	
12	C	1	2.1	
13	B	1	1.2	
14	B	1	2.1	
15	C	1	2.1	

J249/01

Mark Scheme

June 20XX


## SECTION B

Question			Answer	Marks	AO element	Guidance
16	(a)	(i)	Any one from: Tape measure (1) Ruler (1) Metre rule (1)	1	1.2	ALLOW trundle wheel
		(ii)	Any one from: Stop clock/watch (1) Timer (1)	1	1.2	
	(b)		Correct recall of formula: speed = distance / time (1) Re-arrangement of formula for distance (1) Substitution: 2 x 45 (1) Answer: 90 (m) (1)	4	1.1 2.2 2.1 2.2	
	(c)	(i)	They both have magnitude / size (1)	1	1.1	
		(ii)	The direction may not be the same (1)	1	1.1	
	(d)		Read correct values for time and velocity from graph (1)	4	2.2	
			Change in velocity $4.1 - 3.0 = 1.1$ m/s (1)		2.2	
			Substitute in acceleration formula: $1.1 / 5.6$ (1)		2.1	
			Answer: $0.2$ (m/s <sup>2</sup> ) (1)		2.1	

J249/01

Mark Scheme

June 20XX

Question		Answer	Marks	AO element	Guidance
17	(a) (i)	Any 3 from: Place magnet on a sheet of (plain) paper (1) Place the compass near the end of the magnet (1) Mark the position that the compass needle points to (1) Move the compass so the opposite end is at this position and mark the new position where the compass tip settles (1) Repeat above and below the magnet and then connect the marks together to construct a fieldline (1)	3	3 x 1.2	<b>ALLOW</b> full marks for a fully annotated diagram that demonstrates how the experiment would be undertaken
	(ii)	Place a clear/transparent/paper cover over the magnet (1) (Sprinkle) on iron filings (to show the field pattern) (1)	2	2 x 1.2	<b>DO NOT ALLOW</b> marks for diagram
	(b)	Any one from:  Compass shows direction of field lines (1) Iron filings are easily spilt (1) Iron filings are difficult to remove from magnets (1) Iron filings carries a greater risk / <b>AW</b> (1) (Idea of) less accurate field pattern (1) Drawing provides a permanent record (1)	1	3.2a	
	(c)	Correct field pattern drawn, (1)   e.g. Correct direction of arrow heads (1)	2	2 x 1.1	Minimum of 4 field lines No field lines crossing
	(d)	As the distance from the wire increases the strength of the magnetic field falls / <b>AW</b> (1) (idea of) the non-linear nature of the relationship (1)	2	3.1b 3.2b	

J249/01

Mark Scheme

June 20XX

Question		Answer	Marks	AO element	Guidance
18	(a)	C (1) The product of force x distance is the most / <b>AW</b> (1)	2	2 x 3.1b	
	(b)	A and B (1)	1	3.1b	Both needed for this mark Any order
	(c)	Reduce random errors/identify anomalies / <b>AW</b> (1) Allows a mean/average to be calculated (1)	2	2 x 1.2	
	(d)	Power = energy/time (1)  Conversion of time into seconds (1)  (120 x 12)/30 (1)  48 (W) (1)	4	1.1  1.2  2.1  2.1	<b>ALLOW ECF</b> from (a)
19		Conversion of cm to m (1)  Calculation of volume: $0.2 \times 0.3 \times 1.2 = 0.072 \text{ m}^3$ (1)  Re-arrangement of formula for mass (1)  Substitution: $180 \times 0.072$ (1)  Answer: 13 (1)  Units: kg (1)	6	1.2  1.2  2.2  2.1  2.1  1.1	<b>ALLOW</b> 12.96

J249/01

Mark Scheme

June 20XX

Question		Answer	Marks	AO element	Guidance
20	(a)	A (1) It is the steepest gradient (1)	2	3.1a 3.2b	
	(b)	It has passed its elastic limit <b>or</b> it no longer obeys Hooke's Law (1) (The spring is) permanently deformed/distorted <b>or</b> (the spring) has undergone plastic deformation (1)	2	2 x 3.2b	
	(c) (i)	$0.5 \times 27 \times (0.25^2)$ (1) 0.84 (J) (1)	2	2 x 2.1	<b>ALLOW</b> 0.25 (1) for conversion of cm to m.
	(ii)	Record the original length (1) Add a mass (1) Recorded the new length (1) Repeat for increasing masses (1)	4	4 x 2.2	
	(iii)	Use smaller weights (1)  Use a ruler that can measure smaller intervals (1)	2	2 x 3.3b	
21	(a)	Correct circuit symbols used for ammeter and voltmeter (1) Correct circuit symbols used for the cell and resistor (1) Components connected correctly for current and voltage to be measured (1)	3	3 x 1.2	
	(b)	2.0/0.15 (1) 13.3 (ohms) (1) 3 sig. figs (1)	3	3 x 2.1	<b>ALLOW</b> 13 or 13.3333333333 (ohms) (2)
	(c) (i)	Attempt 3 at 6.0 V (1)	1	3.2a	
	(ii)	They didn't include it in the mean (1)	1	3.1b	

J249/01

Mark Scheme

June 20XX

Question			Answer	Marks	AO element	Guidance
22	(a)	(i)	Temperature rise <b>or</b> start and end temperatures (1) Time that the heater is switched on (1) Mass of the block (1)	3	3 x 1.2	
		(ii)	Reference to: energy = voltage x current x time (1) SHC = energy / (mass x temp rise) (1)	2	2 x 1.2	
	(b)		Any two reasons and any two improvements  <u>Reasons</u> Heat escapes to the surroundings (1) Part of the immersion heater is outside of the block (1) Poor thermal contact between the immersion heater and block (1) It takes time for the thermometer to reach its maximum temperature (once the heater is turned off) (1)  <u>Improvements</u> Lag/insulate the aluminium block (1) Make sure all of the heater is in the block/use a smaller heater (1) Use petroleum jelly to transfer heat between the immersion heater and the block (1) Wait until the maximum temperature is reached (1)	4	2 x 3.2a 2 x 3.3b	Max 2 reasons and 2 improvements  <b>ALLOW</b> (idea of) residual heat not reaching the block before the final temperature is recorded.

Question	Answer	Marks	AO element	Guidance
23 (a)*	<p>Please refer to the marking instructions on page 4 of this mark scheme for guidance on how to mark this question.</p> <p><b>Level 3 (5–6 marks)</b></p> <p><b>Detailed description of charging the balloon AND an experiment linked appropriately with an explanation of the observations.</b>  <i>There is a well-developed line of reasoning which is clear and logically structured. The information presented is relevant and substantiated.</i></p> <p><b>Level 2 (3–4 marks)</b></p> <p><b>Description of charging the balloon AND of an experiment to demonstrate.</b>  <i>There is a line of reasoning presented with some structure. The information presented is relevant and supported by some evidence.</i></p> <p><b>Level 1 (1–2 marks)</b></p> <p><b>Simple description of how the balloon may become charged OR a suggestion of an appropriate experiment.</b>  <i>The information is basic and communicated in an unstructured way. The information is supported by limited evidence and the relationship to the evidence may not be clear.</i></p> <p><b>0 marks</b>  <i>No response or no response worthy of credit.</i></p>	6	3 x 1.2 3 x 2.2	<p><b>AO2.2: Description of an experiment with explanation</b></p> <ul style="list-style-type: none"> <li>• Holding a charged balloon by water/paper/wall/hair/gold leaf electroscope/another charged balloon</li> <li>• Use of a gold leaf electroscope. A charged balloon causing the gold leaf to rise when the plate is touched by the balloon</li> <li>• Caused by charge moving down the leaf and metal plate with the same charge repelling one another</li> <li>• Idea of induction if relevant to investigation</li> </ul> <p><b>AO1.2: Description of charging an insulator</b></p> <ul style="list-style-type: none"> <li>• Mention of electrostatic forces</li> <li>• Attraction of opposite charges</li> <li>• Repulsion of like charges</li> <li>• Electrons are rubbed on/off the balloon from/to the scarf / <b>ORA</b></li> <li>• Idea of negative charge linking to electrons</li> <li>• Removal of electrons result in positive charge</li> </ul>

J249/01

Mark Scheme

June 20XX

Question	Answer	Marks	AO element	Guidance
(b)	Conversion of mA to A (40 mA = 0.04 A) (1) Use of $Q = I \times t$ : $t = 3.6 / 0.04$ (1) $t = 90$ (seconds) (1)	3	3 x 2.1	

SPECIMEN



J249/01

Mark Scheme

June 20XX

BLANK PAGE

SPECIMEN