Chemistry 2 – Foundation Tier only questions

	stion nber							
FT	HT	Sub-	section	Mark	Answer	Accept	Neutral answer	Do not accept
1		(a)	(i)	1	2,8,7			
	1		(ii)	1	D and E (both needed)			
			(iii)	1	A and D (both needed)			
			(iv)	1	5			
		(b)		2	1 (1) +1 (1)		1	

	stion nber							
FT	HT	Sub-	section	Mark	Answer	Accept	Neutral answer	Do not accept
2		(a) 1	potassium	К				
	<u> </u>	(b)		1	potassium + oxygen → potassium oxide follow through (ft) error from (a) only if Group 1 metal given	$\begin{array}{l} K + O_2 \to K_2O \\ (\text{ignore balancing}) \\ \text{consequential} \\ \text{possible} \end{array}$	gas	
		(c)		1	lithium / sodium ft only if Group 1 metal given is less reactive than that named in (a)	Li / Na		
		(d)	(i)	1	silver nitrate	AgNO ₃		
			(ii)	1	dissolved (in water)	diluted / solution	liquid / molten	
			(iii)	1	white independent of (i)		milky	creamy

Que: Nun	stion nber								
FT	HT	Sub-section		Mark	Answer	Accept	Neutral answer	Do not accept	
3		(a)			1	horse C			
		(b)			1	no, none have a spot corresponding to caffeine	no samples match caffeine		
		(c)			2	3 (1) R _f value = 0.3 (1) correct answer only (cao) – 2 marks ft incorrect 'distance moved' only if value given divided by 10 i.e. correct distance moved by solvent – 1 mark			

.

_

	stion nber								
FT	HT	Sub-section			Mark	Answer	Accept	Neutral answer	Do not accept
4		(a)			1	sodium chloride	NaCl		
	1	(b)			1	62			
		(c)			2	140 – 80 (1) 60 (1) cao – 2 marks			
		(d)			2	increases (to maximum) then falls / up and down (1) maximum at 30 °C / maximum of 70 ± 2 g per 100 g water (1) rises more steeply than it falls – 2 marks			

-

	stion nber								
FT	HT	Sub-	secti	on	Mark	Answer	Accept	Neutral answer	Do not accept
5		(a)			4	Name propene (1)			•
						Molecular formula $CH_4(1)$			
						Structural formula $\begin{array}{ccc} H & H & H & H \\ & & & \\ H - C - C - C - C - H \\ & & \\ H & H & H \end{array} $ (1)			
						Family of hydrocarbons – both needed (1)			
						alkane			
						alkene			
<u> </u>		(b)			2	double bond breaks / changes to single bond(1)many ethene molecules join together / form long chain or(1)polymer(1)			
		(c)			1	F F C==C F F ignore 'n' and any brackets used			

-	stion nber							
FT	HT	Sub-	section	Mark	Answer	Accept	Neutral answer	Do not accept
6		(a)	(i)	3	all points plotted correctly(2)4 correct(1)			
					smooth curve through points (1)			line drawn using ruler
	1		(ii)	1	the higher the temperature, the shorter the time / faster the reaction / higher the rate	'faster the rate'		'faster / quicker the time '
			(iii)	1	curve must be below original curve and steeper – ignore end point			
		(b)		2	light intensity decreases (1)	light blocked		
					continuous readings / graph plotted automatically / more precise end point (1)	more reliable than eyesight / more repeatable / no judgement required	reference to 'reliability' or 'accuracy' or to 'human error' needs qualification	' no chance of human error'

Chemistry 2 – Common questions

-T	nber HT	Sub-	section	Mark	Answer	Accept	Neutral answer	Do not accept
7	1	(a)		3	mass number 7 (1) atomic number 6 (1) number of neutrons 12 (1)			
		(b)	(i)	1	2,8			
			(ii)	2	two shells (containing electrons)			
					outer shell is full / can't accept any more electrons		8 in outer shell	
		(c)		2	B and C (1)			
					same number of protons but different numbers of neutrons / same atomic number but different mass number (1)		reference to electrons	
					[marks linked i.e. second mark cannot be awarded if first is not given]			

	estion ımber									
FT	HT	Sub-	Sub-section			Answer		Accept	Neutral answer	Do not accept
8	2	(a)			2	graphite and nanotube	(1)			
						both have free moving / delocalised electrons	(1)	mark independently		
		(b)			2	graphite (1) weak bonds between layers / layers able to slide over each other (1)				
						[marks linked i.e. second mark cannot be awarded if first is not given]				

Ē

	stion nber]							
FT	FT HT		Sub-section M		Mark	Answer	Accept	Neutral answer	Do not accept
9	3	(a)			1	chlorine gas is toxic / poisonous		harmful / dangerous / kills	
								any reference to FeCl ₃	
	<u> </u>	(b)			2	Fe + Cl ₂ (1) balancing 2,3,2 (1) [balancing mark only awarded if correct formulae included]			
		(c)			3	$M_{\rm r}({\rm FeCl}_3) = 162.5 [{\rm or} \ 3 \times A_{\rm r}({\rm Cl}) = 106.5] (1)$ $106.5 / 162.5 \times 100 (1)$ $65.5\% \qquad (1)$ ${\rm cao} - 3 \text{ marks}$	allow 66		

	stion nber		
FT		Mark	Answer
10	4	6 QWC	 Indicative content Materials that change their properties reversibly according to conditions; thermochromic pigments change colour according to temperature; photochromic pigments change colour according to light intensity; shape memory alloys can regain shape by heating / spring back in to shape (NITINOL) Uses: thermochromic pigments – forehead thermometers, baby spoons etc. photochromic pigments – lenses for sunglasses; UV marker pens etc. shape memory alloys – spectacle frames; stents in veins etc. 5–6 marks The candidate constructs an articulate, integrated account correctly linking relevant points, such as those in the indicative content, which shows sequential reasoning. The answer fully addresses the question with no irrelevant inclusions or significant omissions. The candidate uses appropriate scientific terminology and accurate spelling, punctuation and grammar. 3–4 marks The candidate constructs an account correctly linking some relevant points, such as those in the indicative content, showing some reasoning. The answer addresses the question with some omissions. The candidate uses mainly appropriate scientific terminology and some accurate spelling, punctuation and grammar. 1–2 marks The candidate makes some relevant points, such as those in the indicative content, showing limited reasoning. The answer addresses the question with significant omissions. The candidate uses mainly appropriate scientific terminology and some accurate spelling, punctuation and grammar. 0 marks The candidate does not make any attempt or give a relevant answer worthy of credit.