



Mark Scheme (Results)

Summer 2012

GCSE Chemistry
5CH2H/01

Edexcel and BTEC Qualifications

Edexcel and BTEC qualifications come from Pearson, the world's leading learning company. We provide a wide range of qualifications including academic, vocational, occupational and specific programmes for employers. For further information, please visit our website at www.edexcel.com.

Our website subject pages hold useful resources, support material and live feeds from our subject advisors giving you access to a portal of information. If you have any subject specific questions about this specification that require the help of a subject specialist, you may find our Ask The Expert email service helpful.

www.edexcel.com/contactus

Pearson: helping people progress, everywhere

Our aim is to help everyone progress in their lives through education. We believe in every kind of learning, for all kinds of people, wherever they are in the world. We've been involved in education for over 150 years, and by working across 70 countries, in 100 languages, we have built an international reputation for our commitment to high standards and raising achievement through innovation in education. Find out more about how we can help you and your students at:

www.pearson.com/uk

Summer 2012

Publications Code UG033048

All the material in this publication is copyright

© Pearson Education Ltd 2012

GCSE Chemistry 5CH2H/01 Mark Scheme – Summer 2012

Question Number	Answer	Acceptable answers	Mark
1(a)	An explanation including the following points <ul style="list-style-type: none"> • metal (1) • because {on left of / below} the line dividing metals and non-metals/because boron only non-metal in group 3 (1) 	correct statement relating to neighbouring metallic elements surrounded by metals	(2)

Question Number	Answer	Acceptable answers	Mark
1(b)	2.8.3	283	(1)

Question Number	Answer	Acceptable answers	Mark
1(c)(i)	A five protons		(1)

Question Number	Answer	Acceptable answers	Mark
1(c)(ii)	An explanation including the following points <ul style="list-style-type: none"> • atoms of same element / same {number of protons / atomic number} (1) • different {numbers of neutrons / mass numbers} (1) 	ignore electrons	(2)

Question Number	Answer	Acceptable answers	Mark
1(c)(iii)	more atoms have mass 11 (than 10) / ORA	boron 11 isotope more abundant OWTE	(1)

Question Number	Answer	Acceptable answers	Mark
2(a)(i)	D electrons		(1)

Question Number	Answer	Acceptable answers	Mark
2(a)(ii)	transition (metals/ elements)	transitional ignore transient	(1)

Question Number	Answer	Acceptable answers	Mark
2(b)	An explanation linking the following points <ul style="list-style-type: none"> hydrogen chloride {soluble/dissolves} (in water) (1) forms hydrochloric acid (1) 	hydrogen chloride reacts with water	(2)

Question Number	Answer	Acceptable answers	Mark
2(c)	An explanation including two of the following points <ul style="list-style-type: none"> (orange) colour due to bromine (1) chlorine displaces bromine (1) (because) chlorine is more reactive (than bromine) (1) 	chlorine displaces bromide (ions) a displacement reaction (occurs)OWTE	(2)

Question Number	Answer	Acceptable answers	Mark
2(d)	A description including three of the following points <ul style="list-style-type: none"> mix solutions (1) filter (1) wash (precipitate / solid) with water (1) dry (precipitate / solid) in oven /leave to dry(1) 	pour (both) solutions into {beaker/other suitable container} ignore addition of hydrochloric acid if wrong things mixed allow max 2 from last three points	(3)

Question Number	Answer	Acceptable answers	Mark
3(a)	C oxidation		(1)

Question Number	Answer	Acceptable answers	Mark
3(b)(i)	An explanation linking the following points <ul style="list-style-type: none"> • large(r) surface area (1) • more frequent collisions with catalyst / reaction will go faster (1)OWTE 	large(r) {surface /area} more collisions	(2)

Question Number	Answer	Acceptable answers	Mark
3(b)(ii)	An explanation linking the following points <ul style="list-style-type: none"> • catalyst becomes warmer (1) • {reactions faster / catalyst works better} when hotter (1) 	gas (particles){move faster/more energy}	(2)

Question Number	Answer	Acceptable answers	Mark
3(c)	$2 \text{ CO} + \text{O}_2 \rightarrow 2 \text{ CO}_2$ <ul style="list-style-type: none"> • LHS formulae (1) • RHS formula (1) • balancing correct formulae (1) 	allow multiples	(3)

Question Number	Answer	Acceptable answers	Mark
3(d)	An explanation linking the following points <ul style="list-style-type: none"> • heat energy { given out / of reactants higher than products} / ORA (1) • (so) exothermic (1) 	ignore bond making and breaking	(2)

Question Number	Answer	Acceptable answers	Mark
4(a)(i)	C CuCl ₂		(1)

Question Number	Answer	Acceptable answers	Mark
4(a)(ii)	<p>An explanation linking the following points</p> <p>Either</p> <ul style="list-style-type: none"> the amount of product calculated (1) using the equation (for the reaction) (1) <p>Or</p> <ul style="list-style-type: none"> the maximum amount of {product / copper chloride} (1) when all {reactant / copper} reacts (1) 	<p>using reacting masses</p> <p>amount of product when all {reactant / copper} reacts (2)</p>	(2)

Question Number	Answer	Acceptable answers	Mark
4(b)(i)	$2\text{Fe(s)} + 3\text{Br}_2\text{(g)} \rightarrow 2\text{FeBr}_3\text{(s)}$ <p>reactant formulae (1) balancing correct formulae (1) state symbols (1) s and g must be lower case</p>	allow state symbol mark even if other marks not awarded	(3)

Question Number	Answer	Acceptable answers	Mark
4(b)(ii)	$56 + (3 \times 80)$ (1) $= 296$	give full marks for correct answer with no working	(1)

Question Number	Answer	Acceptable answers	Mark
4(b)(iii)	<p>ratio: $56/310$ (1)</p> <p>% iron $56/310 \times 100$ (%) (1)</p> <p>(= 18 (%))</p>	<p>any number/310 x 100 (%)</p> <p>18.06/18.1</p> <p>give full marks for correct answer with no working</p>	(2)

Question Number	Answer	Acceptable answers	Mark
4(b)(iv)	HO	OH, O ₁ H ₁ , H ₁ O ₁	(1)

Question Number	Answer	Acceptable answers	Mark
5(a)(i)	shared pair of electrons (between two atoms)	two shared electrons reject between two or more atoms	(1)

Question Number	Answer	Acceptable answers	Mark
5(a)(ii)	D it has a low boiling point		(1)

Question Number	Answer	Acceptable answers	Mark
5(b)	<p>An description including three of the following points</p> <ul style="list-style-type: none"> • cool (to about -200 °C) / liquefy (air) (1) • fractional distillation (1) • allow to warm / heat (1) • {nitrogen / lower boiling point} obtained from top of column (1) • {oxygen / higher boiling point} obtained from bottom of column (1) 	<p>mention of fractionating column/ fractionation</p> <p>ignore state of nitrogen</p> <p>ignore state of oxygen</p> <p>can be separated because they have different boiling points(1) alternative to last two points</p>	(3)

Question Number		Indicative content	Mark
QWC	*5(c)	<p>An explanation linking some of the following points</p> <ul style="list-style-type: none"> • carbon atoms joined by covalent bonds • each carbon atom bonded to three others • carbon atoms in hexagonal arrangement • layers • weak forces between layers • layers can slide (hence lubricant) • free electrons between layers • free electrons can move • and carry current (hence conduction of electricity) 	(6)
Level	0	No rewardable content	
1	1-2	<ul style="list-style-type: none"> • a limited explanation e.g. the layers (of atoms) slide so used as lubricant • the answer communicates ideas using simple language and uses limited scientific terminology • spelling, punctuation and grammar are used with limited accuracy 	
2	3-4	<ul style="list-style-type: none"> • a simple explanation e.g. the layers slide so used as lubricant and free electrons moveso conducts • the answer communicates ideas showing some evidence of clarity and organisation and uses scientific terminology appropriately • spelling, punctuation and grammar are used with some accuracy 	
3	5 -6	<ul style="list-style-type: none"> • a detailed explanation e.g. there are free electrons between the layers and these move to carry the current and weak forces between the layers allow them to slide over one another easily hence lubricant • the answer communicates ideas clearly and coherently uses a range of scientific terminology accurately • spelling, punctuation and grammar are used with few errors 	

Question Number	Answer	Acceptable answers	Mark
5(d)	electrode / brush electric motor / HT leads		(1)

Question Number	Answer	Mark																			
6(a)	<table border="1"> <thead> <tr> <th rowspan="2"></th> <th colspan="2">symbol</th> <th colspan="2">number of electrons</th> </tr> <tr> <th>atom</th> <th>ion</th> <th>atom</th> <th>ion</th> </tr> </thead> <tbody> <tr> <td>chlorine</td> <td></td> <td></td> <td></td> <td>18</td> </tr> <tr> <td>sodium</td> <td></td> <td>Na⁺</td> <td>11</td> <td></td> </tr> </tbody> </table>		symbol		number of electrons		atom	ion	atom	ion	chlorine				18	sodium		Na ⁺	11		(3)
	symbol		number of electrons																		
	atom	ion	atom	ion																	
chlorine				18																	
sodium		Na ⁺	11																		

Question Number	Answer	Acceptable answers	Mark
6(b)(i)	$\text{NaCl} + \text{AgNO}_3 \rightarrow \text{NaNO}_3 + \text{AgCl}$ <ul style="list-style-type: none"> reactant formulae (1) product formulae (1) 	$\text{Ag}^+ + \text{Cl}^- \rightarrow \text{AgCl}$ ignore state symbols do not give (2) if incorrectly balanced	(2)

Question Number	Answer	Acceptable answers	Mark
6(b)(ii)	D to remove other ions that would also form a white precipitate		(1)

Question Number	Indicative content	Mark
QWC	<p>*6(c) An explanation linking some of the following points</p> <p>For a sample to conduct electricity</p> <ul style="list-style-type: none"> • charged particles must be present • they must be free to move <p>water does not conduct because it</p> <ul style="list-style-type: none"> • is (simple molecular) covalent • exists as molecules • contains no/(very few) charged particles <p>solid sodium chloride does not conduct because</p> <ul style="list-style-type: none"> • although it contains ions / cations / anions • which are charged particles • they are not free to move • because they are held together • by strong • electrostatic forces/ ionic bonds • in lattice <p>sodium chloride solution conducts because</p> <ul style="list-style-type: none"> • ions / cations / anions are present • which are charged particles • they are free to move • because the water has cut down the forces between the ions • ions have separated • move to electrode of opposite charge 	(6)
Level	0	No rewardable content
1	1-2	<ul style="list-style-type: none"> • a limited explanation e.g. water is covalent and sodium chloride is ionic • the answer communicates ideas using simple language and uses limited scientific terminology • spelling, punctuation and grammar are used with limited accuracy
2	3-4	<ul style="list-style-type: none"> • a simple explanation e.g. water is covalent and does not conduct because there are no charged particles: sodium chloride is ionic therefore solution conducts because ions move • the answer communicates ideas showing some evidence of clarity and organisation and uses scientific terminology appropriately • spelling, punctuation and grammar are used with some accuracy
3	5-6	<ul style="list-style-type: none"> • a detailed explanation e.g. in solid sodium chloride the ions are held in a lattice by strong forces but in sodium chloride solution the ions are free to move: water is covalent so contains no charged particles • the answer communicates ideas clearly and coherently uses a range of scientific terminology accurately • spelling, punctuation and grammar are used with few errors

Further copies of this publication are available from
Edexcel Publications, Adamsway, Mansfield, Notts, NG18 4FN

Telephone 01623 467467
Fax 01623 450481
Email publication.orders@edexcel.com
Order Code UG033048 Summer 2012

For more information on Edexcel qualifications, please visit our website
www.edexcel.com

Pearson Education Limited. Registered company number 872828
with its registered office at Edinburgh Gate, Harlow, Essex CM20 2JE

Ofqual




Llywodraeth Cynulliad Cymru
Welsh Assembly Government

