



# Monday 15 June 2015 - Morning

# GCSE GATEWAY SCIENCE CHEMISTRY B

B742/02 Chemistry modules C4, C5, C6 (Higher Tier)

Candidates answer on the Question Paper. A calculator may be used for this paper.

OCR supplied materials:


None

Other materials required:

- Pencil
- Ruler (cm/mm)

**Duration:** 1 hour 30 minutes





### **INSTRUCTIONS TO CANDIDATES**

- Write your name, centre number and candidate number in the boxes above. Please write clearly and in capital letters.
- Use black ink. HB pencil may be used for graphs and diagrams only.
- Answer all the questions.
- Read each question carefully. Make sure you know what you have to do before starting your answer.
- Write your answer to each question in the space provided. Additional paper may be used if necessary but you must clearly show your candidate number, centre number and question number(s).
- Do not write in the bar codes.

### **INFORMATION FOR CANDIDATES**

- Your quality of written communication is assessed in questions marked with a pencil ( ).
- The Periodic Table can be found on the back page.
- The number of marks is given in brackets [ ] at the end of each question or part question.
- The total number of marks for this paper is 85.
- This document consists of 32 pages. Any blank pages are indicated.



2

### Answer **all** the questions.

### **SECTION A – Module C4**

1 Look at the electronic structures of some atoms.

Atom	Electronic structure
W	2.8.1
Х	2.8.4
Y	2.8.7
Z	2.8.8

(a)	(i)	One of the atoms is a metal which makes a positive ion.	
		Which one? Choose from the table.	
		answer	[1]
(	(ii)	One of the atoms has a stable electronic structure and is unreactive.	
		Which one? Choose from the table.	
		answer	[1]
<b>(</b> i	iii)	Two of the atoms can combine together by <b>transferring</b> electrons to form <b>ionic</b> bond.	an
		Which two? Choose from the table.	
		and	[1]

	3	
(b)	Ammonia has the formula, NH <sub>3</sub> .	
	The electronic structure of nitrogen is 2.5.	
	The electronic structure of hydrogen is 1.	
	Draw a 'dot and cross' diagram to show the <b>covalent</b> bonding in ammonia.	
	Show all the electrons.	
		[2]
(c)	Sodium chloride is an <b>ionic</b> compound.	
	Sodium chloride	
	will not conduct electricity when it is a solid	
	will conduct electricity when it is dissolved in water.	
	Explain these two observations in terms of structure and bonding.	
		. [2]

2 Look at the information about a chlorine atom and an oxide ion.

$$^{37}_{17}$$
C $l$   $^{16}_{8}$ O<sup>2-</sup>

(a) Complete the table to show the number of protons, neutrons and electrons in each particle.
Two have been done for you.

	Chlorine atom, C1	Oxide ion, O <sup>2-</sup>
Number of protons		8
Number of neutrons		
Number of electrons	17	

[3]

**(b)** Many scientists have helped in the development of the theory of atomic structure.

Two of these scientists were J. J. Thomson and Niels Bohr.

Describe what J. J. Thomson and Niels Bohr contributed to the theory of atomic structure.
J. J. Thomson
Niels Bohr

© OCR 2015


5 BLANK PAGE

PLEASE DO NOT WRITE ON THIS PAGE

3 This question is about the reaction of Group 1 elements with water.

Lithium, sodium and potassium are Group 1 elements.

They all react with water.



Look at the table.

Group 1 element	Time for 0.5 g of metal to react in seconds	Observations
sodium	sodium 15 melts moves across surf makes a gas whic makes an alkaline	
potassium	7	melts and catches fire moves quickly across surface of water makes a gas which burns with a 'pop' makes an alkaline solution
lithium	25	moves slowly across surface of water makes a gas which burns with a 'pop' makes an alkaline solution

Rubidium is another Group 1 element.

It is **below** potassium in Group 1 of the periodic table.

Predict the reaction time, and name the products, of the reaction between rubidium and water.

Include a **balanced symbol** equation for the reaction.

13	lity of written communica		

- 4 This question is about substances that are found in different types of water.
  - (a) River water contains dissolved substances.

River water has to be purified before it can be drunk.

The water purification process has three stages.

These are

- filtration
- sedimentation
- chlorination.


Pollutants such as fertilisers are still in the water after this purification.

Explain why.		
	 •••••	
	 	 [1]

(b) Sea water can be made into drinking water.

One way this can be done is by **distillation**.

Look at the diagram. It shows the apparatus used to distil water in the laboratory.



Explain the disadvantages of using distillation to make large amounts of drinking w			
	••		
Ţ·	2.		

### (c) Pete analyses two samples.

Look at Pete's results.

Sample Addition of sodium hydroxide solution		Addition of barium chloride solution
A blue solid made		white solid made
В	brown solid made	no reaction

	ΓA
Explain your answer.	
Is Pete right about <b>each</b> sample?	
He thinks that sample <b>B</b> is iron(III) sulfate.	
Pete thinks that sample A is copper suitate.	

[1]

# 10 SECTION B – Module C5

		SECTION B - Module CS	
5	Spa	ace probes have been sent to Mars to analyse the soil.	
	One	e compound analysed has the formula $Ca(ClO_4)_2$ .	
	(a)	Calculate the molar mass of $Ca(ClO_4)_2$ .	
		The relative atomic mass, $A_r$ , of O = 16, of C $l$ = 35.5 and of Ca = 40.	
		molar mass g/mol	[1]
	(h)		[1]
	(13)	A compound with the formula $K_2FeO_4$ has also been discovered on Mars.  A sample of $K_2FeO_4$ is analysed.	
		The 1.00 g sample contains 0.39 g of potassium and 0.28 g of iron.	
		Calculate the percentage by mass of oxygen in this sample of $K_2FeO_4$ .	
		2 - 4	
		percentage by mass = %	[2]
	(c)	Another compound found on Mars has the molecular formula $\mathrm{C_4H_{10}}$ .	
		What is the <b>empirical</b> formula for this compound?	

.....

(d) Another compound found on Mars contains iron and	oxygen
--	--------

The compound contains 70% by mass of iron and 30% by mass of oxygen.

Calculate the empirical formula of this compound.

The relative atomic mass,  $A_r$ , of O = 16 and of Fe = 56.

12 BLANK PAGE

PLEASE DO NOT WRITE ON THIS PAGE

**6** This question is about acids.

Nitric acid,  $\mathrm{HNO}_3$ , is a strong acid and propanoic acid,  $\mathrm{C_2H_5COOH}$ , is a weak acid.

David investigates the reaction of both of these acids with calcium carbonate.

David does two experiments

- the first with nitric acid
- the second with propanoic acid.

Each time he puts 50 cm<sup>3</sup> of 2.0 mol/dm<sup>3</sup> acid into a conical flask.


He then adds the same mass of calcium carbonate to each acid.

David measures the total volume of carbon dioxide made every 10 seconds.

(a) Draw a labelled diagram of the apparatus David can use in these experiments.

[2]

(b) Look at the graph of David's results.



The two lines are different shapes because the strength of each acid is different.

Write about the difference between a strong and a weak acid and explain why the two lines are different.

The quality of written communication will be assessed in your answer to this question	٦.
 	•
	1

**(c)** Look at the balanced symbol equation for the reaction of calcium carbonate with nitric acid.

$$\mathrm{CaCO_3} \, + \, \mathrm{2HNO_3} \, \longrightarrow \, \mathrm{Ca(NO_3)_2} \, + \, \mathrm{CO_2} \, + \, \mathrm{H_2O}$$

(i) David's experiment with nitric acid makes 60 cm<sup>3</sup> of carbon dioxide at room temperature and pressure.

How many moles of carbon dioxide are made at the end of the reaction?

One mole of carbon dioxide has a volume of 24000 cm<sup>3</sup> at room temperature and pressure.

(ii) Calculate the mass of calcium carbonate needed to make this amount of carbon dioxide. The relative formula mass,  $M_r$ , of calcium carbonate, CaCO<sub>3</sub>, is 100.

In a closed system a reversible reaction will form an equilibrium mixture.

(a)	) Which of the following statements are true for a reversible reaction at equilibrium?				
	Tick (✓) the <b>two</b> correct answers.				
	The rate of the forward reaction is faster than the rate of the backward reaction.				
	The position of equilibrium will not change if more product is added.				
	The concentration of the reactants does not change.				
	The rate of the forward reaction is the same as the rate of the backward reaction.				
	The concentration of the reactants is the same as the concentration of the products.				
	The position of equilibrium moves to the left when product is removed from the equilibrium.				
		[2]			


**(b)** Methane is a fuel that can be made by the reaction between carbon dioxide and hydrogen.

$$CO_2(g) + 4H_2(g) \rightleftharpoons CH_4(g) + 2H_2O(g)$$

Paul predicts that

- the reaction is exothermic
- there are more moles of gas on the right-hand side of the equation.

Look at the two graphs.



Do the graphs support Paul's predictions?	
Explain your answer.	
	[2

	10
8	Sam researches different ways of making insoluble salts such as lead iodide.
	In one reaction she adds potassium iodide solution to lead nitrate solution.
	Potassium iodide solution contains K <sup>+</sup> (aq) and I <sup>-</sup> (aq).
	Lead nitrate solution contains Pb <sup>2+</sup> (aq) and NO <sub>2</sub> <sup>-</sup> (aq).

Look at the balanced ionic equation for the precipitation reaction.

$$Pb^{2+}(aq) + 2I^{-}(aq) \rightarrow PbI_{2}(s)$$

(a)	Explain why this precipitation reaction is extremely fast.
(b)	In this reaction the $K^+(aq)$ and the $NO_3^-(aq)$ are called <b>spectator ions</b> .
	What is meant by a spectator ion?
(c)	Sam publishes her results in a scientific journal.
	Explain how this can help her research.

# 19 BLANK PAGE


### PLEASE DO NOT WRITE ON THIS PAGE

Question 9 starts on the next page

# 20 SECTION C – Module C6

9 Fuel cells are used to make electricity.

Look at the diagram. It shows what happens in a fuel cell.



(a) In this fuel cell, hydrogen,  $H_2$ , reacts with oxygen,  $O_2$ .


Water, H<sub>2</sub>O, is made.

Write a **balanced symbol** equation for this reaction.

......[2

**(b)** The reaction between hydrogen and oxygen is **exothermic**.

Draw and label an energy level diagram for the reaction between hydrogen and oxygen




progress of the reaction

(c)	Fuel cells are used to provide electrical energy in spacecraft.
	Write down one other advantage of using fuel cells in spacecraft.
	[1
(d)	Hydrogen-oxygen fuel cells produce water.
	Water is not a pollutant.
	Fuel cells still cause pollution.
	Write down two ways that fuel cells can cause pollution.
	1
	2
	ro

**10** Kate is testing some samples of water with soap solution.

Look at the diagram. It shows the apparatus she uses.



Kate adds soap solution to each sample of water and shakes it.

She keeps adding soap solution until a lather remains.

Look at the table. It shows her results.

Sample		Volume of soap solution added in cm <sup>3</sup>		
distilled water		5.0		
х	before boiling	15.0		
^	after boiling	5.0		
Y	before boiling	20.0		
ľ	after boiling	20.0		
Z	before boiling	14.0		
	after boiling	10.0		

(a)	There are two types of water hardness.
	These are permanent hardness and temporary hardness.
	What types of hardness are present in each water sample?
	<b>x</b>
	Υ
	Z
	Explain your answers.
	[4]
(b)	Washing soda (sodium carbonate) can be used to soften hard water.
	Explain how washing soda softens hard water.
	[2]

11 Nick is investigating ways of preventing iron from rusting.

He wants to protect the bottom of a ship.

The bottom of the ship is made from iron.



bottom of ship made of iron

He treats samples of iron in different ways.

He leaves them in a damp place and sees how long it takes for the first signs of rust to appear.

Look at Nick's results.

Type of treatment	Time for rust to appear in days	Cost of treatment in £ per tonne of iron
untreated iron (no treatment)	1	
painted iron	10	100
iron mixed with chromium (alloying)	120	1000
iron with blocks of magnesium attached	50	500

Evaluate the **advantages** and **disadvantages** of each type of treatment for protecting the bottom of the ship from rusting.

Explain how attaching blocks of magnesium helps to prevent rusting.

The quality of written communication will be assessed in your answer to this question.

12 Look at the diagrams. They show the displayed formulas of some fats and oils.

Explain your answer.

.....[2]

**(b)** Fats and oils can be split up by **saponification**.

(a) Which formula is unsaturated?

Explain what happens during saponification.

.....[2]

(	(C)	Look at the	diagram	of a	detergent	molecule.

	<b>/</b>	<b>/</b>	<b>/</b>	\
hydrophilic head	•	•	•	

Explain, using its structure, how a detergent molecule removes fat and oil stains from clothes.


# 28 SECTION D

13 This question is about air pollution.

Three atmospheric pollutants are ammonia,  $\mathrm{NH_3}$ , oxides of nitrogen,  $\mathrm{NO_x}$ , and sulfur dioxide,  $\mathrm{SO_2}$ .

(a) Look at the graph.

It shows how the masses of atmospheric pollutants have changed in a city since 1990.



Explain your answer.	
	[2]

**(b)** The table shows information about atmospheric pollutants in some countries of the European Union.

Country	Population in	Mass of pollutant made in kilotonnes			
Country	millions	NO <sub>x</sub>	SO <sub>2</sub>	NH <sub>3</sub>	
Estonia	1.3	38	83	10	
Germany	80	1323	449	548	
Poland	39	867	974	271	
Slovakia	5.4	89	69	24	
Sweden	9.6	161	34	52	
United Kingdom	64	1106	406	284	

Whole of European Union	508	9200	4600	3600

(i) What percentage of the total mass of  $\mathrm{NH_3}$  made by the European Union comes from Sweden?

	percentage = %	[2]
(ii)	The population of Sweden is 1.9% of the population of the European Union.	
	Compare this percentage with your answer in part (i).	
	What conclusion can you make from these results?	
		F4 7

(iii)	Across the whole of the European Union an average of 9.1 kilotonnes of $SO_2$ is made for every million people.
	In Poland how many kilotonnes of SO <sub>2</sub> are made for every million people?
	Give your answer to <b>two significant figures</b> .
	Lileten and
	answer = kilotonnes [2]
(iv)	What conclusion can you make from your answer?
	[1]
(v)	Ann concludes that the amount of atmospheric pollutant made by a country is linked only to its population.
	Nick thinks there are <b>other</b> factors involved as well.
	Evaluate the evidence in the table in terms of both of these conclusions.
	[2]

### **END OF QUESTION PAPER**

### PLEASE DO NOT WRITE ON THIS PAGE



### Copyright Information

OCR is committed to seeking permission to reproduce all third-party content that it uses in its assessment materials. OCR has attempted to identify and contact all copyright holders whose work is used in this paper. To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced in the OCR Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download from our public website (www.ocr.org.uk) after the live examination series.

If OCR has unwittingly failed to correctly acknowledge or clear any third-party content in this assessment material, OCR will be happy to correct its mistake at the earliest possible opportunity.

 $For queries \ or \ further \ information \ please \ contact \ the \ Copyright \ Team, \ First \ Floor, 9 \ Hills \ Road, \ Cambridge \ CB2 \ 1GE.$ 

OCR is part of the Cambridge Assessment Group; Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.

© OCR 2015

# The Periodic Table of the Elements

0	4 He	20 <b>Ne</b>	40 <b>Ar</b> argon 18	84 Kr krypton 36	131 Xe xenon 54	[222] <b>Rn</b> radon 86	t fully
7		19 F fluorine 9	35.5 C <b>t</b> chlorine 17	80 Br bromine 35	127 <b>I</b> iodine 53	[210] At astatine 85	orted but no
9		16 0 oxygen 8	32 S sulfur 16	79 Se selenium 34	128 Te tellurium 52	[209] Po polonium 84	ve been repo
2		14 N nitrogen 7	31 P phosphorus 15	75 As arsenic 33	122 Sb antimony 51	209 Bi bismuth 83	s 112-116 hav authenticated
4		12 C carbon 6	28 Si silicon	73 Ge germanium 32	119 Sn tin 50	207 <b>Pb</b> lead 82	Elements with atomic numbers 112-116 have been reported but not fully authenticated
3		11 <b>B</b> boron 5	27 At aluminium 13	70 <b>Ga</b> gallium 31	115 <b>In</b> indium 49	204 T <b>1</b> thallium 81	nts with ato
				65 <b>Zn</b> zinc 30	112 Cd cadmium 48	201 <b>Hg</b> mercury 80	Eleme
				63.5 Cu copper 29	108 Ag silver 47	197 <b>Au</b> gold 79	Rg roentgenium
				59 Ni nickel 28	106 Pd palladium 46	195 Pt platinum 78	Ds darmstadtium
				59 <b>Co</b> cobalt 27	103 <b>Rh</b> rhodium 45	192 <b>Ir</b> iridium 77	[268] Mt meitnerium 109
	1 H hydrogen 1			56 Fe iron 26	101 Ru ruthenium 44	190 Os osmium 76	[277] Hs hassium 108
-				55 Mn manganese 25	[98] Tc technetium 43	186 Re rhenium 75	[264] <b>Bh</b> bohrium 107
		mass ool number		52 Cr chromium 24	96 Mo molybdenum 42	184 W tungsten 74	Sg seaborgium 106
	Key	relative atomic mass atomic symbol name atomic (proton) number		51 V vanadium 23	93 Nb niobium 41	181 <b>Ta</b> tantalum 73	[262]
		relati <b>at</b> c atomic		48 Ti titanium 22	91 Zr zirconium 40	178 Hf hafnium 72	[261] Rf rutherfordium 104
				45 Sc scandium 21	89 Y yttrium 39	139 La* Ianthanum 57	[227] Ac* actinium 89
2		9 Be beryllium 4	24 Mg magnesium 12	40 Ca calcium 20	88 Sr strontium 38	137 <b>Ba</b> barium 56	[226] <b>Ra</b> radium 88
_		7 Li lithium 3	23 Na sodium 11	39 K potassium 19	85 <b>Rb</b> rubidium 37	133 Cs caesium 55	[223] Fr francium 87

\* The lanthanoids (atomic numbers 58-71) and the actinoids (atomic numbers 90-103) have been omitted.

The relative atomic masses of copper and chlorine have not been rounded to the nearest whole number.