



Mark Scheme (Results)

June 2016

Pearson Edexcel International GCSE Mathematics B (4MB0) Paper 01R





PMT

Edexcel and BTEC Qualifications

Edexcel and BTEC qualifications come from Pearson, the world's leading learning company. We provide a wide range of qualifications including academic, vocational, occupational and specific programmes for employers. For further information, please visit our website at <u>www.edexcel.com</u>.

Our website subject pages hold useful resources, support material and live feeds from our subject advisors giving you access to a portal of information. If you have any subject specific questions about this specification that require the help of a subject specialist, you may find our Ask The Expert email service helpful.

www.edexcel.com/contactus

Pearson: helping people progress, everywhere Our aim is to help everyone progress in their lives through education. We believe in every kind of learning, for all kinds of people, wherever they are **in the world. We've been involved in education for over 150 years, and by** working across 70 countries, in 100 languages, we have built an international reputation for our commitment to high standards and raising achievement through innovation in education. Find out more about how we can help you and your students at: <u>www.pearson.com/uk</u>

Summer 2016 Publications Code 4MB0_01R_1606_MS All the material in this publication is copyright © Pearson Education Ltd 2016 General Marking Guidance

- All candidates must receive the same treatment. Examiners must mark the first candidate in exactly the same way as they mark the last.
- Mark schemes should be applied positively. Candidates must be rewarded for what they have shown they can do rather than penalised for omissions.
- Examiners should mark according to the mark scheme not according to their perception of where the grade boundaries may lie.
- There is no ceiling on achievement. All marks on the mark scheme should be used appropriately.
- All the marks on the mark scheme are designed to be awarded. Examiners should always award full marks if deserved, i.e. if the answer matches the mark scheme. Examiners should also be prepared to award zero marks if the candidate's response is not worthy of credit according to the mark scheme.
- Where some judgement is required, mark schemes will provide the principles by which marks will be awarded and exemplification may be limited.
- When examiners are in doubt regarding the application of the mark scheme to a candidate's response, the team leader must be consulted.
- Crossed out work should be marked UNLESS the candidate has replaced it with an alternative response.
- Types of mark
 - o M marks: method marks
 - o A marks: accuracy marks
 - B marks: unconditional accuracy marks (independent of M marks)
- Abbreviations
 - o cao correct answer only
 - o ft follow through
 - o isw ignore subsequent working
 - o SC special case
 - o oe or equivalent (and appropriate)
 - o dep dependent
 - o indep independent
 - o eeoo each error or omission

• No working

If no working is shown then correct answers normally score full marks

If no working is shown then incorrect (even though nearly correct) answers score no marks.

• With working

If there is a wrong answer indicated on the answer line always check the working in the body of the script (and on any diagrams), and award any marks appropriate from the mark scheme.

If it is clear from the working that the "correct" answer has been obtained from incorrect working, award 0 marks. Any case of suspected misread loses A (and B) marks on that part, but can gain the M marks.

If working is crossed out and still legible, then it should be given any appropriate marks, as long as it has not been replaced by alternative work.

If there is a choice of methods shown, then no marks should be awarded, unless the answer on the answer line makes clear the method that has been used.

If there is no answer on the answer line then check the working for an obvious answer.

• Ignoring subsequent work

It is appropriate to ignore subsequent work when the additional work does not change the answer in a way that is inappropriate for the question: eg. Incorrect cancelling of a fraction that would otherwise be correct.

It is not appropriate to ignore subsequent work when the additional work essentially makes the answer incorrect eg algebra.

Transcription errors occur when candidates present a correct answer in working, and write it incorrectly on the answer line; mark the correct answer.

• Parts of questions

Unless allowed by the mark scheme, the marks allocated to one part of the question CANNOT be awarded in another.

International	GCSE Maths					
Apart from question 15 (where the mark scheme states otherwise) the correct answer, unless obtained from an incorrect method, should be						
taken to imply	a correct method.					
Q	Working	Answer	Mark	Notes		
1 a		0.042	1	B1		
b		0.0417	1	B1 (a) and (b) wrong way around: B1		
				ft B0		
				Total 2 marks		

2	385		2	M1
	1.54			
		£250		A1
				Total 2 marks

3	$(2-7\times4)$ and $(2-7\times8)$ seen OR -26 and -		2	M1
	54 seen			
	OR			
	Difference between <i>n</i> th and $(n+1)$ th term is ± 7			
	so that between 4 terms is $4 \ge (\pm 7)$			
		28 (or -28)		A1
				Total 2 marks

4	$832 = 2^6 \times 13$		2	M1
	OR $\sqrt{16 \times 52}$			
	OR $\sqrt{4 \times 4 \times 4 \times 13}$			
	$OR \qquad \sqrt{16 \times \frac{832}{16}}$			
	OR $8\sqrt{13}$			
	OR $n = \left(\frac{\sqrt{832}}{4}\right)^2$ (oe)			
		$4\sqrt{52}$		A1 Accept $n = 52$ for A1 No working seen scores M0 A0
				Total 2 marks

5	$\mathbf{x} = 4 \begin{pmatrix} 2 \\ 3 \end{pmatrix} - 3 \begin{pmatrix} 6 \\ -2 \end{pmatrix}$ (no errors, oe)		2	M1
		$\mathbf{x} = \begin{pmatrix} -10\\ 18 \end{pmatrix}$		$ \begin{array}{c} A1 \\ -x = \begin{pmatrix} 10 \\ -18 \end{pmatrix} \text{ earns M1 A0} \end{array} $
				Total 2 marks

6	$\frac{450}{120} \times 100$		2	M1
	OR $\frac{6}{5}x = 450$ (o.e.)			
	OR $x + \frac{20}{100}x = 450$	6275		
		£375		Al
				Total 2 marks

7	$\frac{12}{360} \times 2\pi \times 25$	(oe)		2	M1
			awrt 5.2 (cm), $\frac{5}{3}\pi$		A1
					Total 2 marks

8	3-17 < 2x + 5x		2	B1	Use of equality instead of
	OR -14 < 7x				inequality sign scores M1 A0
	OR $-5x - 2x < 17 - 3$				
	(All (oe)				
		x > -2		A1	Allow ISW if correct inequality
					seen
					Total 2 marks

9	$AX \times 3 = (5+4) \times 4$	(oe)		2	M1 If cand has $(AB+3) \times 3 = (5+4) \times 4$
					, earns M1 when they write $AX =$ "AB" + 3 i.e. the cand must have a complete method for AX
			AX = 12 cm (cao)		A1
					Total 2 marks

10	$(2n-4)\times90 = 1980$ (oe)		2	M1
	OR $(n-2) \times 180 = 1980$ (oe)			
	OR $\frac{1980}{180} + 2$ (=11 +2)			
		n = 13		A1
				Total 2 marks

11 a	$A \cap B \cap C$	1	B1 Do not accept n($A \cap B \cap C$)
b	$C \cap (A \cup B)'$ or $(A \cup B)' \cap C$ or $C \cap A' \cap B'$	1	B1
с	$A \cap B \cap C'$ or $(A \cap C') \cap (B \cap C')$ or $(A \cap B) \cap C'$	1	B1 Accept $(A \cap B) \cap (A \cap B \cap C)'$
			Total 3 marks

12	Price per kg on Monday $\pounds \frac{2.2}{2.5} = \pounds 0.88$ OR price per kg on Friday $\pounds \frac{2.1}{3} = \pounds 0.70$		3	M1	reference to the day not necessary, fractions do not need to be simplified
	$\frac{"0.88"-"0.70"}{"0.88"} \qquad (oe)$			M1	(DEP)
		$\pm \frac{18}{88}, \pm \frac{9}{44}$		A1	
					Total 3 marks

13	$\frac{1}{6} \times \frac{2}{6}$ OR Sample space diagram (allow 1 error) OR Any two of (2, 4), (2, 4), (4, 2), (4, 2)		3	M1
	$2 \times \left("\frac{1}{6} \times \frac{2}{6} " \right)$ OR Recognition that there are 4 ways of getting 6 out of 36 outcomes (eg " $\frac{4}{36}$ " as probability) OR All 4			M1 (DEP)
		$\frac{1}{9}$ (oe), awrt 0.111		A1
				Total 3 marks

14 a	$B = \{p, r, q, s\}$	1	B1
b	$C = \{p, t, q, s\}$	1	B1
с	$\{r, t\}$	1	B1
	OR		
	r and t		
			Total 3 marks

15 a	$\begin{pmatrix} 1 & -19 \\ -13 & 23 \end{pmatrix}$	2	B2 (-1ee)
b	(-7 1 -11)	2	B2 (-1ee)
	(17 4 19)		Total 4 marks

16 a	arcs, centred at A and B , and intersecting above and below AB OR two sets of arcs, centred at A and B , each set having a different radii, above AB (or below AB)		2	M1	Use of the mid-point of <i>AB</i> (obtained by measuring) scores M0
		Line equidistant from A and B drawn		A1	
b		Correctly positioned and labelled <i>P</i>	1	B1	
с		$\angle APM = 55(\pm 1)^{\circ}$	1	B1	Angle must be measured , so evidence of trig scores B0.
					Total 4 marks

17	(x+3)(5x+a) =+(15)	(a + a)x + 3a (oe)		4		
	$5x^2 + 15x + ax + 3a$				M1	
	15+ <i>a</i> = 21 (equating	coefs of x)			M1 (DEP)	
			<i>a</i> = 6		A1	
			<i>b</i> = 18		A1	
	OR (Factor Theorem)					
	$5(-3)^2 + 21(-3) + b = 0$	(subst. $x = -3$)			M1	
			<i>b</i> = 18		A1	
	3 <i>a</i> = "18"	(Can be implied)			M1	
					(DEP)	
			<i>a</i> = 6		Al	
					Total 4 mark	s

18	Award marks for relevant angles seen on diagram.		
	$\angle CDA = 70^{\circ} \text{ (Cyclic Quad.) and}$ $\therefore \angle CAD = 60^{\circ} \text{ (}\angle \text{s of } \Delta\text{)}$	B1	
	$\therefore \angle ACB = 60^{\circ} \text{ (Alternate } \angle s)$	B1	
	$\therefore \angle BAC = 10^{\circ} \ (\angle s \text{ of } \Delta)$	B1 B marks an	e for angle values
	2 relevant reasons (eg "Cyclic Quad.", "Alternate \angle s" and " \angle s of Δ ") used to find		nark is dependent on as three B marks
	$\angle BAC = 10^{\circ}$		
	OR $\angle BAD = 70^{\circ} \text{ (Allied } \angle s) \text{ and}$ $\therefore \angle BCD = 110^{\circ} \text{ (Cyclic Quad)}$	B1	
	$\angle ACB = 60^{\circ}$	B1	
	$\therefore \angle BAC = 10^{\circ} \ (\angle s \text{ of } \Delta)$	values.	narks are for angle
	2 relevant reasons for their method (eg"Cyclic Quad.",		narks is dependent on as three B marks
	"Allied $\angle s$ " and " $\angle s$ of Δ ")		
	used to find $\angle BAC = 10^{\circ}$		
			Total 4 marks

19	Rearranging st coef of x or y is the same in both eqns OR isolating x or y		4	M1
	Subtract. or adding eqns OR subst expression for <i>x</i> or <i>y</i> to obtain <i>y</i> or <i>x</i>			M1 Allow a total of 1 slip in (DEP) both M marks.
		x = 3		A1
		y = 1		A1 No working seen scores M0 M0 A0 A0
				Total 4 marks

20	$24 = \frac{k}{2^3}$ (oe)		4	M1
		<i>k</i> = 192		A1
	$x = \sqrt[3]{\left(\frac{"192"}{(-3)}\right)}$			M1 (DEP)
		x = -4 (cao)		A1
	OR $\frac{2}{x} = \sqrt[3]{\frac{-3}{24}} (oe)$			M1
		$\left(\frac{2}{x}\right) - \frac{1}{2}$		A1
	$x = \frac{2}{-\frac{1}{2}}$ (oe)			M1 (DEP)
		<i>x</i> = -4		A1
	$OR 23 \times 24 = -3 \times x3$			M1
		$192 = -3 \times x^3$ (oe)		A1
	$x = \sqrt[3]{(-64)}$			M1 (DEP)
		x = -4 (cao)		A1
				Total 4 marks


21 a		Carma's share = $\frac{x}{x+4} \times 60$ apples (oe)	1	B1
b		Banu's share = $\frac{3}{x+4} \times 60$ apples (oe)	1	B1
с	$\left \begin{array}{c} \left \left(\frac{x}{x+4} \times 60 \right) \right - \left \left(\frac{3}{x+4} \times 60 \right) \right = 18 \\ \text{(oe)} \end{array} \right $		2	M1
		x = 6 (cao)		A1
				Total 4 marks

22 a	3 : 15.6 x 100 x 1000 (oe)		2	M1
		1:520 000		A1
b	$\frac{676 \times (100 \times 1000)^2}{("520\ 000")^2}$ One of 676 × (100 × 1000) ²		3	
	OR $1 \div (``520\ 000")^2$ (oe)			M1
	Correct expression (as above) OR $\frac{676}{5.2^2}$			M1 (DEP)
		25 cm^2		A1
				Total 5 marks

23	$6x^2 + 2x - 15x - 5 - 4 = 0$		5	M1
	OR $6x^2 + 2x - 15x - 5 = 4$ (oe, expanding)			
		$6x^2 - 13x - 9 = 0$		A1
	$x_{\pm} = \frac{-"(-13)" \pm \sqrt{("(-13)"^2 - 4 \times "6" \times "(-9)")}}{2 \times "6"}$ (fully correct subst. from a seen trinomial quadratic)			M1
		$x_{+} = awrt \ 2.72$		A1
		<i>x</i> ₋ = awrt –0.552		A1
				Total 5 marks

24 a	2.4×10^{n}		2	M1
		2.4×10^{135}		A1
b	$(8.0 - 0.12) \times 10^{n}$		2	M1
		7.88×10^{102}		A1 1.88×10^{n} scores M1 A0
c	$\frac{1.2}{8} \times 10^n \qquad 1.5 \times 10^n, \frac{3}{2} \times 10^n$		2	M1
		1.5×10^{-2}		A1
				Total 6 marks

25	a	$\left(v = \frac{\mathrm{d}s}{\mathrm{d}t} = \right) 18t^2 - 4t^3 (1 \text{ term correct})$		2	M1
			fully correct		A1
	b	$"18t^2 - 4t^3" = 0$		4	M1
			$\therefore t = 4.5$ (oe)		A1
		$\therefore s = 6''(4.5)''^3 - ''(4.5)''^4$			M1
					(DEP)
			$\therefore s = 136.69 \rightarrow$		A1
			awrt 137		
					Total 6 marks



27	а		$40 < L \le 65$	1	B1
	b	Using 3 correct mid class values in 3 correct		3	M1
		product			
		9×"15"+8×"35"+10×"52.5"+14×"75"			M1
		41			(DEP)
		$\left(=\frac{135+280+525+1050}{41}=\frac{1990}{41}=48.5365\right)$			
		(Fully correct)			
			49		A1
	c	Given, column for $0 < L \le 30$ is 3 units high, so	$30 < L \le 40$: FD=8	3	B1
		a scaling factor is 10 (oe)	units		
			$40 < L \le 65$: FD=4		B1
			units		
			$65 < L \le 85$: FD =		B1
			7 units		
					Total 7 marks

28	а	$\tan 20 = \frac{3}{BC}$		6	M1
		<i>BC</i> = 8.242 →8.24			A1
	b	Finding an angle needed for finding a			M1
		necessary side for finding AD.			
		$\angle BAC = 30^{\circ} \text{ OR } \angle ABC = 60^{\circ} \text{ OR}$			
		$\angle AED = 70^{\circ}$			
		(accept angles on diagram)			
		Using the angle to find the necessary side			M1 (DEP)
		$\sin"30" = \cos"60" = \frac{"8.242"}{AB} (AB = 16.4849)$			
		OR			
		$AC = "8.24" \times \tan 60$ (14.276) and AE = 14.276 3 (11.276)			
		Expressing for <i>AD</i> using the necessary side. "16 4849"			M1 (DEP)
		$\tan 50 = \frac{"16.4849"}{AD}$			
		OR			
		$\underline{-\sin 50} = \frac{\sin 70}{-\sin 70}$			
		"11.276" - <u>AD</u>			
			AD =		A1 Develies in some st nove diverses
			<i>AD</i> = 13.832 →13.8		A1 Penalise incorrect rounding once only
					Total 6 marks
L		1			

PMT

Pearson Education Limited. Registered company number 872828 with its registered office at 80 Strand, London, WC2R ORL, United Kingdom