



# Cambridge IGCSE™

---

**MATHEMATICS****0580/32**

Paper 32 (Core)

**March 2021**

MARK SCHEME

Maximum Mark: 104

---

**Published**

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes should be read in conjunction with the question paper and the Principal Examiner Report for Teachers.

Cambridge International will not enter into discussions about these mark schemes.

Cambridge International is publishing the mark schemes for the March 2021 series for most Cambridge IGCSE™, Cambridge International A and AS Level components and some Cambridge O Level components.

---

This document consists of **8** printed pages.

**Generic Marking Principles**

These general marking principles must be applied by all examiners when marking candidate answers. They should be applied alongside the specific content of the mark scheme or generic level descriptors for a question. Each question paper and mark scheme will also comply with these marking principles.

**GENERIC MARKING PRINCIPLE 1:**

Marks must be awarded in line with:

- the specific content of the mark scheme or the generic level descriptors for the question
- the specific skills defined in the mark scheme or in the generic level descriptors for the question
- the standard of response required by a candidate as exemplified by the standardisation scripts.

**GENERIC MARKING PRINCIPLE 2:**

Marks awarded are always **whole marks** (not half marks, or other fractions).

**GENERIC MARKING PRINCIPLE 3:**

Marks must be awarded **positively**:

- marks are awarded for correct/valid answers, as defined in the mark scheme. However, credit is given for valid answers which go beyond the scope of the syllabus and mark scheme, referring to your Team Leader as appropriate
- marks are awarded when candidates clearly demonstrate what they know and can do
- marks are not deducted for errors
- marks are not deducted for omissions
- answers should only be judged on the quality of spelling, punctuation and grammar when these features are specifically assessed by the question as indicated by the mark scheme. The meaning, however, should be unambiguous.

**GENERIC MARKING PRINCIPLE 4:**

Rules must be applied consistently, e.g. in situations where candidates have not followed instructions or in the application of generic level descriptors.

**GENERIC MARKING PRINCIPLE 5:**

Marks should be awarded using the full range of marks defined in the mark scheme for the question (however; the use of the full mark range may be limited according to the quality of the candidate responses seen).

**GENERIC MARKING PRINCIPLE 6:**

Marks awarded are based solely on the requirements as defined in the mark scheme. Marks should not be awarded with grade thresholds or grade descriptors in mind.

| Maths-Specific Marking Principles |   |
|-----------------------------------|---|
| 1                                 | Unless a particular method has been specified in the question, full marks may be awarded for any correct method. However, if a calculation is required then no marks will be awarded for a scale drawing.                                     |
| 2                                 | Unless specified in the question, answers may be given as fractions, decimals or in standard form. Ignore superfluous zeros, provided that the degree of accuracy is not affected.  |
| 3                                 | Allow alternative conventions for notation if used consistently throughout the paper, e.g. commas being used as decimal points.   |
| 4                                 | Unless otherwise indicated, marks once gained cannot subsequently be lost, e.g. wrong working following a correct form of answer is ignored (isw).  |
| 5                                 | Where a candidate has misread a number in the question and used that value consistently throughout, provided that number does not alter the difficulty or the method required, award all marks earned and deduct just 1 mark for the misread. |
| 6                                 | Recovery within working is allowed, e.g. a notation error in the working where the following line of working makes the candidate's intent clear.  |

**Abbreviations**

|      |                            |
|------|----------------------------|
| cao  | correct answer only        |
| dep  | dependent                  |
| FT   | follow through after error |
| isw  | ignore subsequent working  |
| oe   | or equivalent              |
| SC   | Special Case               |
| nfww | not from wrong working     |
| soi  | seen or implied            |

| Question  | Answer                  | Marks | Partial Marks   |
|-----------|-------------------------|-------|---|
| 1(a)      | 5                       | 1     |   |
| 1(b)      | $\frac{3}{20}$ cao      | 1     |   |
| 1(c)      | $\frac{9}{20}$ oe       | 2     | <b>M1</b> for $1 - \frac{11}{20}$ or $20 - 11$ or $3 + 6$ oe  |
| 1(d)(i)   | Mode                    | 1     |   |
| 1(d)(ii)  | Biology                 | 1     |   |
| 1(d)(iii) | Correct reason          | 1     |   |
| 1(e)(i)   | 11 198<br>3 54<br>6 108 | 3     | <b>B2</b> for 2 correct angles<br>OR<br><b>B1</b> for 11, 3, 6<br><b>M1</b> for $\frac{k}{20} \times 360$ seen,<br>$k = 1, 11, 3, 6$ or one of <i>their</i> frequencies |
| 1(e)(ii)  | Correct pie chart drawn | 2     | <b>B1FT</b> for one correct sector drawn, provided sum of <i>their</i> 3 angles is 360  |
| 2(a)      | 87.5                    | 1     |   |
| 2(b)      | -2.5                    | 2     | <b>M1</b> for $21 - 26.7$ or $26.7 - 3.2$   |
| 2(c)      | 431.9[0]                | 2     | <b>M1</b> for $47.6 + 70.2 + 16.7$ oe<br>or $2 \times 128 + 2 \times 20.7$ oe<br><br>or <b>B1</b> for 134.5, 148.7, 297.4, 58.1 or 373.8 or 283.2                       |

| Question | Answer  | Marks     | Partial Marks   |
|----------|---|-----------|---|
| 2(d)     | 31 800  | <b>3</b>  | <b>M2</b> for $3 \times \frac{90}{100} \times 4000$ oe<br>or $7 \times \frac{75}{100} \times 4000$ oe<br>or <b>M1</b> for $\frac{90}{100} \times 4000$ oe<br>or $\frac{75}{100} \times 4000$ oe |
| 2(e)     | $\frac{684}{0.0129}$                                | <b>M1</b> | or $684 - 51400 \times 0.0129$  |
|          | 53023 – 51400                                       | <b>M1</b> | or $\frac{20.94}{0.0129}$   |
|          | 1623  | <b>A1</b> |   |
| 2(f)     | 2641.5 2642.5                                       | <b>2</b>  | <b>B1</b> for each<br>If 0 scored, <b>SC1</b> for answers correct but reversed  |
| 3(a)     | 72  | <b>1</b>  |   |
| 3(b)     | Correct reason                                      | <b>1</b>  |   |
| 3(c)(i)  | Enlargement<br>[centre] (–3, 4)<br>[scale factor] 3 | <b>3</b>  | <b>B1</b> for each  |
| 3(c)(ii) | Rotation<br>[centre] (0,0) oe<br>180° oe            | <b>3</b>  | <b>B1</b> for each  |
| 3(d)(i)  | Correct translation<br>(3,2),(4,4),(6,2)            | <b>2</b>  | <b>B1</b> for translation $\begin{pmatrix} 7 \\ k \end{pmatrix}$ or $\begin{pmatrix} k \\ -1 \end{pmatrix}$   |
| 3(d)(ii) | Correct reflection<br>(–1,–5), (–3,–7), (–4,–5)     | <b>2</b>  | <b>B1</b> for reflection in $y = k$ , $k \neq -1$<br>or in $x = -1$   |
| 4(a)     | <i>J</i> marked in correct position                 | <b>2</b>  | <b>M1</b> for bearing 036 from <i>K</i> or bearing 284 drawn from <i>L</i>  |
| 4(b)(i)  | 800   | <b>2</b>  | <b>M1</b> for $\frac{9600}{k}$ $11.8 \leq k \leq 12.2$ soi  |
| 4(b)(ii) | 12 23   | <b>3</b>  | <b>M1</b> for $\frac{9.6}{4.5}$ oe<br>or <b>B1</b> for figs 213 or 2133..<br><b>A1</b> for 2h 8min<br>If <b>A0</b> scored, <b>SC1</b> for 10 15 + <i>their</i> time correctly evaluated         |

| Question   | Answer   | Marks | Partial Marks   |
|------------|--|-------|---|
| 4(c)(i)(a) | 1.5  | 1     |   |
| 4(c)(i)(b) | Ruled lines<br>(15 00,0) to (15 20,1.5)<br>(15 20,1.5) to (1600,7.5) | 2     | <b>B1FT</b> for (15 00,0) to (15 20, <i>their</i> 1.5)<br><b>B1FT</b> (15 20, <i>their</i> 1.5) to<br>(1600, <i>their</i> 1.5+6)  |
| 4(c)(ii)   | Ruled lines<br>(1600,7.5) to (1805,7.5)<br>(1805,7.5) to (1820,0)    | 2     | <b>FT</b> ( <i>their</i> 1600, <i>their</i> 7.5)<br><b>B1FT</b> ( <i>their</i> 1600, <i>their</i> 7.5) to<br>(1805, <i>their</i> 7.5)<br><b>B1FT</b> line back to distance = 0 with correct<br>gradient |
| 5(a)       | -6 2 14 14 2 -6  | 3     | <b>B2</b> for 4 or 5 correct<br><b>B1</b> for 2 or 3 correct  |
| 5(b)       | Completely correct curve   | 4     | <b>B3FT</b> for 9 or 10 correctly plotted points<br><b>B2FT</b> for 7 or 8 correctly plotted points<br><b>B1FT</b> for 5 or 6 correctly plotted points  |
| 5(c)(i)    | $x = -0.5$ oe  | 1     |   |
| 5(c)(ii)   | $(-0.5, k)$ oe<br>where $14 < k \leq 14.8$                           | 1     |   |
| 5(d)       | 3.3 to 3.7, -4.7 to -4.3   | 2     | <b>B1FT</b> for each  |
| 6(a)       | Correct explanation  | 1     |   |
| 6(b)       | (5,8)  | 1     |   |
| 6(c)(i)    | Parallelogram  | 1     |   |
| 6(c)(ii)   | 15   | 1     |   |
| 6(d)(i)    | $\frac{2}{5}$ oe   | 1     |   |
| 6(d)(ii)   | $y = \textit{their} \frac{2}{5}x + 6$ oe<br>final answer             | 2     | <b>B1</b> for $\textit{their} \frac{2}{5}x + 6$<br>or $y = \textit{their} \frac{2}{5}x + c$ , $c \neq 6$<br>or $y = mx + 6$ , $m \neq 0$  |
| 7(a)       | 16.08  | 3     | <b>M2</b> for $\frac{45}{5} \times \frac{2}{3} \times 2.68$ oe<br>or <b>M1</b> for $\frac{45}{5} \times \frac{2}{3}$ or $\frac{45}{5} \times 2.68$ oe   |
| 7(b)       | 5 : 6 : 4  | 2     | <b>B1</b> for 15 : 18 : (45-18-15) or better  |

| Question  | Answer  | Marks     | Partial Marks  |
|-----------|---|-----------|--|
| 7(c)(i)   | $x + x + 8 + x - 6 + 2(x - 6) = 45$<br><br>leading to $5x - 10 = 45$<br>with no errors seen | <b>M3</b> | <b>M2</b> for $x + x + 8 + x - 6 + 2(x - 6) = 45$<br>or <b>M1</b> for two of $x + 8$ , $x - 6$ , $2(x - 6)$  |
| 7(c)(ii)  | 11  | <b>2</b>  | <b>M1</b> for $x - 2 = 9$ or $5x = 55$   |
| 7(c)(iii) | 5   | <b>1</b>  | <b>FT</b> <i>their(c)(ii)</i> - 6  |
| 8(a)      | 10 past 6 shown on clock face diagram   | <b>1</b>  |  |
| 8(b)      | 24.75   | <b>3</b>  | <b>M2</b> for $\frac{550 \times 360}{8 \times 1000}$ oe<br><br>or <b>M1</b> for $\frac{550 \times 360}{8}$ oe<br><br>or <b>B1</b> for figs 2475 or figs 248  |
| 8(c)      | <i>B</i><br>With correct comparisons made of the 3 bags with suitable accuracy shown        | <b>3</b>  | <b>M2</b> for 3 correct divisions shown but either not evaluated to enough accuracy or wrong bag selected<br>or <b>M1</b> for 2 correct divisions shown for 2 bags                                       |
| 8(d)      | 171 or 170.8...   | <b>2</b>  | <b>M1</b> for $\frac{65 - 24}{24} [\times 100]$<br><br>or $\frac{65}{24} \times 100 [-100]$<br><br>or $\frac{65}{24} - 1 [\times 100]$   |
| 8(e)(i)   | 12  | <b>1</b>  |  |
| 8(e)(ii)  | $\frac{3}{4}$ or equivalent fraction  | <b>1</b>  |  |
| 8(e)(iii) | $L \cap C$  | <b>1</b>  |  |
| 8(e)(iv)  | Correct statement   | <b>1</b>  |  |
| 9(a)      | 8 cm by 3 cm rectangle drawn  | <b>2</b>  | <b>B1</b> for rectangle with perimeter 22<br>or for rectangle with area 24<br><br>If no rectangle drawn, <b>SC1</b> for showing calculations that go together and satisfy either area=24 or perimeter=22 |

| Question | Answer                         | Marks | Partial Marks  |
|----------|--------------------------------|-------|--|
| 9(b)     | 77 with two correct properties | 4     | <b>B2</b> for 77<br>or <b>M1</b> for $360 - 298$<br><b>B1</b> for angles [at a] point [add to] 360<br><b>B1</b> for angles [in a] quadrilateral [add to] 360   |
| 9(c)     | Ruled tangent drawn            | 1     |  |
| 9(d)     | 15                             | 1     |  |
| 9(e)     | 17.4 or 17.39...               | 5     | <b>M2</b> for $13.6^2 - 7.4^2$ oe or better<br>or <b>M1</b> for $7.4^2 + (BD)^2 = 13.6^2$ oe<br><br>and<br><br><b>M2FT</b> for $x = \frac{\textit{their}BD}{\sin 41}$<br>or <b>M1FT</b> for $\sin 41 = \frac{\textit{their}BD}{x}$ oe or better<br>or <b>B1</b> for stating $\sin 41 = \frac{BD}{x}$ or better |