

Please check the examination details below before entering your candidate information

Candidate surname

Other names

Centre Number

Candidate Number

**Pearson Edexcel**  
**Level 1/Level 2 GCSE (9–1)**

--	--	--	--	--

--	--	--	--

# Tuesday 6 November 2018

Morning (Time: 1 hour 30 minutes)

Paper Reference **1MA1/1H**

## Mathematics

**Paper 1 (Non-Calculator)**  
**Higher Tier**

**You must have:** Ruler graduated in centimetres and millimetres,  
 protractor, pair of compasses, pen, HB pencil, eraser.  
 Tracing paper may be used.

Total Marks

### Instructions

- Use **black** ink or ball-point pen.
- **Fill in the boxes** at the top of this page with your name, centre number and candidate number.
- Answer **all** questions.
- Answer the questions in the spaces provided  
 – *there may be more space than you need.*
- You must **show all your working**.
- Diagrams are **NOT** accurately drawn, unless otherwise indicated.
- **Calculators may not be used.**



### Information

- The total mark for this paper is 80
- The marks for **each** question are shown in brackets  
 – *use this as a guide as to how much time to spend on each question.*

### Advice

- Read each question carefully before you start to answer it.
- Keep an eye on the time.
- Try to answer every question.
- Check your answers if you have time at the end.

Turn over ►

P55584A

©2018 Pearson Education Ltd.

6/17/17/17/1/C2/



Pearson

Answer ALL questions.

Write your answers in the spaces provided.

You must write down all the stages in your working.

- 1 Work out the value of  $\frac{3^7 \times 3^{-2}}{3^3}$

$$\begin{aligned} & \frac{3^7 \times 3^{-2}}{3^3} \\ &= \frac{3^{7-2}}{3^3} \\ &= \frac{3^5}{3^3} \end{aligned} \quad \rightarrow \quad \begin{aligned} &= 3^{5-3} \\ &= 3^2 \\ &= 9 \end{aligned}$$

$$a^x \times a^y = a^{x+y}$$

$$\frac{a^x}{a^y} = a^{x-y}$$

9

(Total for Question 1 is 2 marks)

- 2  $v^2 = u^2 + 2as$

$$u = 12 \quad a = -3 \quad s = 18$$

- (a) Work out a value of  $v$ .

$$v^2 = (12)^2 + 2(-3)(18)$$

$$v^2 = 144 + 2(-54)$$

$$v^2 = 144 - 108$$

$$v^2 = 36$$

$$v = \pm 6$$

$\pm 6$

(2)

- (b) Make  $s$  the subject of  $v^2 = u^2 + 2as$

$$v^2 = u^2 + 2as$$

$$(-u^2) \quad (-u^2)$$

$$v^2 - u^2 = 2as$$

$$(\div 2a) \quad (\div 2a)$$

$$\frac{v^2 - u^2}{2a} = s$$

$$s = \frac{v^2 - u^2}{2a}$$

(2)

(Total for Question 2 is 4 marks)

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA



- 3 A bonus of £2100 is shared by 10 people who work for a company.  
40% of the bonus is shared equally between 3 managers.  
The rest of the bonus is shared equally between 7 salesmen.

One of the salesmen says,

“If the bonus is shared equally between all 10 people I will get 25% more money.”

Is the salesman correct?

You must show how you get your answer.

$$100\% - 40\% = 60\%$$

$$50\% + 10\% = 60\% \quad \checkmark$$

$$1050 + 210 = 1260 \quad \checkmark$$

$$1260 \div 7 = 180 \quad \checkmark$$

$$\begin{array}{r} 0180 \\ 7 \overline{) 1260} \\ \underline{7} \phantom{00} \\ 56 \phantom{0} \\ \underline{56} \phantom{0} \\ 0 \end{array}$$

Amount per salesman is £180

$$2100 \div 10 = 210 \quad \checkmark$$

$$125\% = 100\% + 25\%$$

$$= 180 + 45$$

$$= £225$$

No, because when split evenly, each salesman gets £210, but 25% extra from £180 is £225  $\checkmark$

(Total for Question 3 is 5 marks)



- 4 It would take 120 minutes to fill a swimming pool using water from 5 taps.  
 (a) How many minutes will it take to fill the pool if only 3 of the taps are used?

$$120 \times 5 = 600 \text{ minutes}$$

1 tap takes 600 minutes

$$600 \div 3 = 200 \text{ minutes}$$

..... 200 minutes  
 (2)

- (b) State one assumption you made in working out your answer to part (a).

Each tap fills up pool at the same rate

(1)

(Total for Question 4 is 3 marks)

- 5 A plane travels at a speed of 213 miles per hour.

- (a) Work out an estimate for the number of seconds the plane takes to travel 1 mile.

$$213 \rightarrow 200$$

$$200 \text{ miles per } 1 \text{ hour}$$

$$200 \text{ miles per } 60 \text{ minutes}$$

$$200 \text{ miles per } 3600 \text{ seconds}$$

$$\downarrow \div 200 \quad \downarrow \div 200$$

$$1 \text{ mile per } 18 \text{ seconds}$$

..... 18 seconds  
 (3)

- (b) Is your answer to part (a) an underestimate or an overestimate?  
 Give a reason for your answer.

Overestimate, because we rounded the speed down

(1)

(Total for Question 5 is 4 marks)

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA



6 Solve the simultaneous equations

①  $5x + y = 21$

②  $x - 3y = 9$

①  $\times 3$

$5x + y = 21$

$\downarrow \times 3 \quad \downarrow \times 3$

③  $15x + 3y = 63$

② + ③

$x - 3y = 9$

$15x + 3y = 63$  +

$16x = 72$  ✓

$\downarrow \div 8 \quad \downarrow \div 8$

$2x = 9$

$\downarrow \div 2 \quad \downarrow \div 2$

$x = 4.5$

$x - 3y = 9$

When  $x = 4.5$

$4.5 - 3y = 9$

$+3y \quad +3y$  ✓

$4.5 = 9 + 3y$

$-9 \quad -9$

$-4.5 = 3y$

$\div 3 \quad \div 3$

$-1.5 = y$


$x = 4.5$

$y = -1.5$  ✓

(Total for Question 6 is 3 marks)



- 7 The diagram shows a square  $ABCD$  with sides of length 20 cm. It also shows a semicircle and an arc of a circle.



$AB$  is the diameter of the semicircle.  
 $AC$  is an arc of a circle with centre  $B$ .

Show that  $\frac{\text{area of shaded region}}{\text{area of square}} = \frac{\pi}{8}$

$$\text{Area of circle} = \pi r^2$$

$$\begin{aligned} \text{Area of } ACB &= \frac{\pi (20)^2}{4} \\ &= \frac{\pi \times 400}{4} \\ &= 100\pi \quad \checkmark \end{aligned}$$

$$100\pi - 50\pi = 50\pi$$

$$\begin{aligned} \text{Area of square} &= b \times h \\ &= 20 \times 20 \\ &= 400 \quad \checkmark \end{aligned}$$

$$\begin{aligned} \text{Area of semi-circle} &= \frac{\pi (10)^2}{2} \\ &= \frac{\pi \times 100}{2} \\ &= 50\pi \quad \checkmark \end{aligned}$$

$$\begin{aligned} \frac{\text{Area of shaded region}}{\text{Area of square}} &= \frac{50\pi}{400} \\ &= \frac{5\pi}{40} \\ &= \frac{\pi}{8} \quad \checkmark \end{aligned}$$

(Total for Question 7 is 4 marks)




- 8 (a) Write down the exact value of  $\tan 45^\circ$

$$\tan 45 = 1$$

1 ✓  
(1)

Here is a right-angled triangle.



$$\cos 60^\circ = 0.5$$

- (b) Work out the value of  $x$ .

$$\cos x = \frac{a}{h}$$

$$\cos 60 = \frac{4}{x} \quad \checkmark$$

$$\frac{4}{x} = 0.5$$

$$(\times x) \quad (\times x)$$

$$4 = 0.5x$$

$$(\div 0.5) \quad (\div 0.5)$$

$$8 = x$$


8 ✓  
(2)

(Total for Question 8 is 3 marks)



9 The times that 48 trains left a station on Monday were recorded.

The cumulative frequency graph gives information about the numbers of minutes the trains were delayed, correct to the nearest minute.




lowest → 0  
 LQ → 4  
 Median → 10  
 UQ → 20  
 Highest → 42

The shortest delay was 0 minutes.

The longest delay was 42 minutes.


(a) On the grid below, draw a box plot for the information about the delays on Monday.



(3)

48 trains left the station on Tuesday.

The box plot below gives information about the delays on Tuesday.





(b) Compare the distribution of the delays on Monday with the distribution of the delays on Tuesday.

• Median  
• Measure of spread

The median on Monday is greater than on Tuesday ✓

The range on Monday is greater than on Tuesday ✓

(2)

Mary says,

“The longest delay on Tuesday was 33 minutes.  
This means that there must be some delays of between 25 minutes and 30 minutes.”

(c) Is Mary right?  
You must give a reason for your answer.

No, because the upper 25% of trains may be delayed between 17 and 25 mins or 30 and 33 mins ✓

(1)

(Total for Question 9 is 6 marks)

10 (a) Simplify  $\frac{x-1}{5(x-1)^2}$

$$\frac{x-1}{5(x-1)^2} \div \frac{(x-1)}{(x-1)} = \frac{1}{5(x-1)}$$

$$\frac{1}{5(x-1)} \quad (1) \quad \checkmark$$

(b) Factorise fully  $50 - 2y^2$

$$2(25 - y^2) \quad \checkmark$$

$$2(5-y)(5+y)$$

$$2(5-y)(5+y) \quad \checkmark$$

(2)

(Total for Question 10 is 3 marks)

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA



11 Jack and Sadia work for a company that sells boxes of breakfast cereal.

The company wants to have a special offer.

Here is Jack's idea for the special offer.

Put 25% more cereal into each box and do not change the price.

Here is Sadia's idea.

Reduce the price and do not change the amount of cereal in each box.

Sadia wants her idea to give the same value for money as Jack's idea.

By what percentage does she need to reduce the price?

Compare price per gram  $\rightarrow \frac{\text{cost}}{\text{mass}}$

Let  $c$  be the cost

Let  $m$  be the mass

Let  $x$  be the multiplier for Sadia's price reduction

	Jack	Sadia
cost	$c$	$xc$
mass	$1.25m$	$m$

$$\frac{c}{1.25m} = \frac{xc}{m}$$

$(\times m)$                        $(\times m)$

$$\frac{c}{1.25} = xc$$

$(\times 1.25)$                        $(\times 1.25)$

$$c = 1.25xc$$

$(\div c)$                        $(\div c)$

$$1 = 1.25x$$

$(\div 1.25)$                        $(\div 1.25)$

$$x = \frac{1}{1.25}$$

$$= \frac{4}{5}$$

$$= 80\%$$


Reduction of 20%

..... 20 %

(Total for Question 11 is 3 marks)



12



$A$ ,  $B$  and  $C$  are points on the circumference of a circle, centre  $O$ .  
 $DAE$  is the tangent to the circle at  $A$ .

Angle  $BAE = 56^\circ$

Angle  $CBO = 35^\circ$

Work out the size of angle  $CAO$ .  
 You must show all your working.

$$\begin{aligned} \angle BAO &= 90 - 56 \\ &= 34^\circ \end{aligned}$$

$$\begin{aligned} \angle DAC &= 35 + 34 \\ &= 69^\circ \end{aligned}$$


$$\begin{aligned} \angle CAO &= 180 - 69 - 34 - 56 \\ &= 21^\circ \end{aligned}$$

.....  $21^\circ$  ✓

(Total for Question 12 is 3 marks)



13



Describe fully the **single transformation** that maps triangle A onto triangle B.

Enlargement scale factor  $-\frac{1}{3}$  at centre  $(2, 2)$  ✓✓

(Total for Question 13 is 2 marks)

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA



14 (a) Work out the value of  $\left(\frac{16}{81}\right)^{\frac{3}{4}}$

$$= \left(\left(\frac{16}{81}\right)^{\frac{1}{4}}\right)^3$$

$$= \left(4\sqrt{\frac{16}{81}}\right)^3$$

$$= \left(\frac{2}{3}\right)^3 = \frac{2^3}{3^3} = \frac{8}{27}$$

$$\frac{16}{81} = \frac{2 \times 2 \times 2 \times 2}{3 \times 3 \times 3 \times 3}$$

$$\frac{8}{27} \quad (2)$$

$$3^a = \frac{1}{9} \quad 3^b = 9\sqrt{3} \quad 3^c = \frac{1}{\sqrt{3}}$$

(b) Work out the value of  $a + b + c$

$$3^a = \frac{1}{9} = \frac{1}{3^2} = 3^{-2} \quad a = -2$$

$$3^b = 9\sqrt{3} = 3^2 \times 3^{\frac{1}{2}} = 3^{2.5} \quad b = 2.5$$

$$3^c = \frac{1}{\sqrt{3}} = \frac{1}{3^{\frac{1}{2}}} = 3^{-\frac{1}{2}} \quad c = -0.5$$

$$a + b + c$$

$$= -2 + 2.5 - 0.5$$

$$= 0$$

$$0 \quad (2)$$

(Total for Question 14 is 4 marks)



15 Three solid shapes A, B and C are similar.

The surface area of shape A is  $4 \text{ cm}^2$

The surface area of shape B is  $25 \text{ cm}^2$

The ratio of the volume of shape B to the volume of shape C is 27:64

Work out the ratio of the height of shape A to the height of shape C.

Give your answer in its simplest form.

$$\begin{array}{l}
 \text{SA} \quad A : B \\
 \quad \quad 4 : 25 \\
 \text{lengths} \quad 2 : 5 \\
 \quad \quad \downarrow \times 3 \downarrow \\
 \quad \quad 6 : 15
 \end{array}$$

$$\begin{array}{l}
 B : C \\
 \text{volume} \quad 27 : 64 \\
 \text{lengths} \quad 3 : 4 \\
 \quad \quad \downarrow \times 5 \downarrow \\
 \quad \quad 15 : 20
 \end{array}$$

$$\begin{array}{l}
 A : B : C \\
 6 : 15 : 20
 \end{array}$$

$$\begin{array}{l}
 A : C \\
 6 : 20 \\
 \downarrow \div 2 \downarrow \\
 3 : 10
 \end{array}$$

..... 3 : 10 ✓

(Total for Question 15 is 4 marks)

16 Prove algebraically that  $0.2\dot{5}\dot{6}$  can be written as  $\frac{127}{495}$

$$\begin{array}{l}
 \text{Let } x = 0.2\dot{5}\dot{6} \\
 x = 0.2565656\dots \\
 10x = 2.565656\dots \\
 100x = 25.656565\dots \\
 1000x = 256.5656\dots \\
 1000x - 10x = 990x \\
 256.56 - 2.56 = 254 \\
 990x = 254 \\
 (\div 990) \quad (\div 990) \\
 x = \frac{254}{990} \\
 x = \frac{127}{495}
 \end{array}$$

(Total for Question 16 is 3 marks)


DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA



17 Here is a sketch of a curve.



The equation of the curve is  $y = x^2 + ax + b$  where  $a$  and  $b$  are integers.

The points  $(0, -5)$  and  $(5, 0)$  lie on the curve.

Find the coordinates of the turning point of the curve.

$$x = 0$$

$$y = -5$$

$$-5 = (0)^2 + (0)a + b$$

$$-5 = b$$

$$x = 5$$

$$y = 0$$

$$b = -5$$

$$0 = (5)^2 + (5)a - 5$$

$$0 = 20 + 5a$$

$$-20 = 5a$$

$$-4 = a$$

$$y = x^2 - 4x - 5$$

$$y = (x - 2)^2 - (-2)^2 - 5$$

$$y = (x - 2)^2 - 4 - 5$$

$$y = (x - 2)^2 - 9$$

$$x = 2$$

$$y = 0^2 - 9$$

$$y = -9$$

$$(2, -9)$$

$$y = \left(x + \frac{a}{2}\right)^2 - \left(\frac{a}{2}\right)^2 + b$$


Where  $y = x^2 + ax + b$

( 2 , -9 )

(Total for Question 17 is 4 marks)




18 The graph of  $y = f(x)$  is shown on the grid below.



(a) On the grid above, sketch the graph of  $y = f(x - 2)$

+2 all x coordinates

(1)



On the grid, graph A has been reflected to give graph B.

The equation of graph A is  $y = g(x)$

$$y = g(-x)$$

(b) Write down the equation of graph B.

.....  $y = g(-x)$  ✓

(1)

(Total for Question 18 is 2 marks)

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA





19 For all values of  $x$

$$f(x) = (x + 1)^2 \quad \text{and} \quad g(x) = 2(x - 1)$$

(a) Show that  $gf(x) = 2x(x + 2)$

$$gf(x) = g(f(x))$$


$$f(x) = (x + 1)^2$$

$$\begin{aligned} g(x) &= ((x+1)^2) = 2((x+1)^2 - 1) \\ &= 2(x^2 + 2x + 1 - 1) \\ &= 2(x^2 + 2x) \\ &= 2x(x + 2) \end{aligned}$$

(2)

(b) Find  $g^{-1}(7)$

$$\begin{aligned} g(x) &= 2(x - 1) \\ &= 2x - 2 \end{aligned}$$



$$g^{-1}(x) = \frac{x + 2}{2}$$

$$\begin{aligned} g^{-1}(7) &= \frac{(7) + 2}{2} \\ &= \frac{9}{2} \end{aligned}$$

$\frac{9}{2}$  ✓  
(2)

(Total for Question 19 is 4 marks)



20 Show that  $\frac{(\sqrt{18} + \sqrt{2})^2}{\sqrt{8} - 2}$  can be written in the form  $a(b + \sqrt{2})$  where  $a$  and  $b$  are integers.

$$\begin{aligned} & \frac{(\sqrt{18} + \sqrt{2})^2}{\sqrt{8} - 2} \times \frac{\sqrt{8} + 2}{\sqrt{8} + 2} \quad \checkmark \\ &= \frac{(\sqrt{18} + \sqrt{2})^2 (\sqrt{8} + 2)}{(\sqrt{8} - 2)(\sqrt{8} + 2)} \\ &= \frac{(4\sqrt{2})^2 (\sqrt{8} + 2)}{8 + 2\sqrt{8} - 2\sqrt{8} - 4} \\ &= \frac{32(\sqrt{8} + 2)}{4} \quad \checkmark \\ &= 8(\sqrt{8} + 2) \\ &= 8(2 + 2\sqrt{2}) \\ &= 16(1 + \sqrt{2}) \quad \checkmark \end{aligned}$$

$$\begin{aligned} \sqrt{18} &= \sqrt{2} \times \sqrt{9} \\ &= 3\sqrt{2} \end{aligned}$$

$$\begin{aligned} (4\sqrt{2})^2 &= 4^2 \times \sqrt{2}^2 \\ &= 16 \times 2 \\ &= 32 \end{aligned}$$

$$\begin{aligned} \sqrt{8} &= \sqrt{4} \times \sqrt{2} \\ &= 2\sqrt{2} \end{aligned}$$

(Total for Question 20 is 3 marks)

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA




21

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA



$OAB$  is a triangle.  
 $OPM$  and  $APN$  are straight lines.  
 $M$  is the midpoint of  $AB$ .

$\vec{OA} = \mathbf{a}$     $\vec{OB} = \mathbf{b}$

$OP:PM = 3:2$

Work out the ratio  $ON:NB$

$\vec{AB} = -\vec{OA} + \vec{OB}$   
 $= -\mathbf{a} + \mathbf{b}$  ✓

$\vec{AM} = \vec{MB} = \frac{1}{2}(-\mathbf{a} + \mathbf{b})$   
 $= -\frac{1}{2}\mathbf{a} + \frac{1}{2}\mathbf{b}$

$\vec{OM} = \vec{OA} + \vec{AM}$   
 $= \mathbf{a} - \frac{1}{2}\mathbf{a} + \frac{1}{2}\mathbf{b}$   
 $= \frac{1}{2}\mathbf{a} + \frac{1}{2}\mathbf{b}$  ✓

$\vec{OP} = \frac{3}{5}\vec{OM}$   
 $= \frac{3}{5}(\frac{1}{2}\mathbf{a} + \frac{1}{2}\mathbf{b})$   
 $= \frac{3}{10}\mathbf{a} + \frac{3}{10}\mathbf{b}$

$\vec{AP} = -\vec{OA} + \vec{OP}$   
 $= -\mathbf{a} + \frac{3}{10}\mathbf{a} + \frac{3}{10}\mathbf{b}$   
 $= \frac{7}{10}\mathbf{a} + \frac{3}{10}\mathbf{b}$  ✓

$\vec{AN} = x\vec{AP}$   
 $= x(-\frac{7}{10}\mathbf{a} + \frac{3}{10}\mathbf{b})$

$\vec{AN} = -\vec{OA} + \vec{ON}$   
 $= -\mathbf{a} + \mathbf{4b}$

$-\frac{7}{10}xa + \frac{3}{10}xb = -\mathbf{a} + \mathbf{4b}$

$-\frac{7}{10}x = -1$

$x = \frac{10}{7}$

$\frac{3}{10}x = 4$

$\frac{3}{10} \times \frac{10}{7} = 4$

$\frac{3}{7} = 4$  ✓

$\vec{ON} = \frac{3}{7}\mathbf{b}$

$3:4$  ✓

(Total for Question 21 is 5 marks)



22 There are only green pens and blue pens in a box.

There are three more blue pens than green pens in the box.

There are more than 12 pens in the box.

Simon is going to take at random two pens from the box.

The probability that Simon will take two pens of the same colour is  $\frac{27}{55}$

Work out the number of green pens in the box.

Let  $x$  be the number of green pens

green =  $x$

blue =  $x + 3$

total =  $2x + 3$

$$P(\text{green}) = \frac{x}{2x + 3}$$

$$P(\text{blue}) = \frac{x + 3}{2x + 3}$$

$$P(2 \text{ green}) = \frac{x}{2x + 3} \times \frac{x - 1}{2x + 2} = \frac{x(x - 1)}{(2x + 3)(2x + 2)}$$

$$P(2 \text{ blue}) = \frac{x + 3}{2x + 3} \times \frac{x + 2}{2x + 2} = \frac{(x + 3)(x + 2)}{(2x + 3)(2x + 2)}$$

$$P(2 \text{ green}) + P(2 \text{ blue}) = \frac{27}{55}$$

$$\frac{x(x - 1)}{(2x + 3)(2x + 2)} + \frac{(x + 3)(x + 2)}{(2x + 3)(2x + 2)} = \frac{27}{55}$$

$$\frac{x(x - 1) + (x + 3)(x + 2)}{(2x + 3)(2x + 2)} = \frac{27}{55}$$

$$\frac{2x^2 + 4x + 6}{4x^2 + 10x + 6} = \frac{27}{55}$$

$$\frac{x^2 + 2x + 3}{2x^2 + 5x + 3} = \frac{27}{55}$$

$$\times 55(2x^2 + 5x + 3)$$

$$55(x^2 + 2x + 3) = 27(2x^2 + 5x + 3)$$

$$55x^2 + 110x + 165 = 54x^2 + 135x + 81$$

$$x^2 - 25x + 84 = 0$$

$$(x - 4)(x - 21) = 0$$

..... 21 ✓

$$x \geq 12$$

$$\therefore x = 21$$

(Total for Question 22 is 6 marks)

TOTAL FOR PAPER IS 80 MARKS

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

