## **CAMBRIDGE INTERNATIONAL EXAMINATIONS**

**International General Certificate of Secondary Education** 

## MARK SCHEME for the October/November 2013 series

## 0580 MATHEMATICS

0580/22

Paper 2 (Extended), maximum raw mark 70

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes should be read in conjunction with the question paper and the Principal Examiner Report for Teachers.

Cambridge will not enter into discussions about these mark schemes.

Cambridge is publishing the mark schemes for the October/November 2013 series for most IGCSE, GCE Advanced Level and Advanced Subsidiary Level components and some Ordinary Level components.



| Page 2 | Mark Scheme                   | Syllabus | Paper |
|--------|-------------------------------|----------|-------|
|        | IGCSE – October/November 2013 |          | 22    |

## **Abbreviations**

cao correct answer only cso correct solution only

dep dependent

ft follow through after error isw ignore subsequent working

oe or equivalent SC Special Case

www without wrong working

soi seen or implied

| Qu. | Answers                                  | Mark | Part Marks  |
|-----|--|------|---|
| 1   | 19% $0.719^5 \sqrt{0.038} \sin 11.4 1/5$ | 2    | <b>B1</b> for decimals [0.19], [0.2], 0.194, 0.197, 0.192 seen  |
|     |  |      | Or for four in correct order  |
| 2   | (a) -447                                 | 1    |   |
|     | <b>(b)</b> 2                             | 1    |   |
| 3   | 15.7 or 15.70 to 15.71                   | 2    | <b>M1</b> for $2 \times \pi \times 2.5$   |
| 4   | 160                                      | 2    | <b>M1</b> for $\frac{8}{18} \times 360$ oe  |
| 5   | (a)                                      | 1    |   |
|     | (b) Some possible answers:               | 1    |   |
| 6   | $[\pm]\sqrt{y-4}$ final answer           | 2    | M1 for first move completed correctly M1 for second move completed correctly on answer line   |
| 7   | 170                                      | 2    | <b>M1</b> for $\frac{1}{2} \times (12 + 22) \times 10$ oe   |
| 8   | 3619 to 3620                             | 2    | M1 for $\frac{1}{2} \times \frac{4}{3} \times \pi \times 12^3$ or better  |
| 9   | decagon                                  | 3    | M1 for 360 ÷ 36 oe<br>A1 for 10   |
| 10  | 10.1[0]                                  | 3    | M1 for 1.3199 and 1.3401 seen<br>and M1 for 500 × 1.3199 or 500 × 1.3401<br>or for 500 × ( <i>their</i> highest – <i>their</i> lowest) oe |
| 11  | 120                                      | 3    | M1 for $v = \frac{k}{\sqrt{d}}$<br>A1 for $k = 600$   |

| Page 3 | Mark Scheme                   | Syllabus | Paper |
|--------|-------------------------------|----------|-------|
|        | IGCSE – October/November 2013 |          | 22    |

| 12 | p = 71.4025 cao $q = 73.1025$ cao  | 3 | <b>B1</b> for 8.45 and 8.55 seen <b>M1</b> for <i>their</i> LB <sup>2</sup> [ $\pi$ ] or <i>their</i> UB <sup>2</sup> [ $\pi$ ]  If 0 scored, <b>SC1</b> for one correct.  |
|----|--|---|--|
| 13 | 10[.00]  | 3 | M2 for 1.90 and 2.90 and 5.20 only or M1 for two of 1.90, 2.90, 5.20 in a list of three or two values from the table or SC1 FOR 1.90, 2.90, 4.30 $\left[\text{from } \frac{3.40 + 5.20}{2}\right]$   |
| 14 | 52   | 3 | <b>B2</b> for $AOB = 104$ or <b>B1</b> for $OAB$ or $OBA = 38$   |
| 15 | (8, 2)   | 3 | M1 for correctly eliminating one variable  A1 for $x = 8$ A1 for $y = 2$ If 0 scored, SC2 for correct substitution and correct evaluation to find the other value.   |
| 16 | x < 6.8  | 4 | B3 for 6.8 with wrong inequality or equal as answer.  Or M1 for first move completed correctly and M1 for second move completed correctly and M1 for third move completed correctly  |
| 17 | (a) $\begin{pmatrix} 11 & 5 \\ 26 & 30 \end{pmatrix}$  | 2 | SC1 for one correct row or column  |
|    | (a) $\begin{pmatrix} 11 & 5 \\ 26 & 30 \end{pmatrix}$<br>(b) $\frac{1}{8} \begin{pmatrix} 6 & -1 \\ -4 & 2 \end{pmatrix}$ oe                           | 2 | <b>B1</b> for $k \begin{pmatrix} 6 & -1 \\ -4 & 2 \end{pmatrix}$ or <b>B1</b> for $\frac{1}{8} \begin{pmatrix} a & b \\ c & d \end{pmatrix}$   |
| 18 | <b>(a)</b> (1.5, 12.5) oe  | 2 | B1 for either coordinate   |
|    | <b>(b)</b> $y = 3x + 8$ oe   | 3 | <b>B2</b> for $y = mx + 8$ or $y = 3x + c$ or $3x + 8$ or <b>B1</b> for gradient (or $m$ ) = 3 and <b>B1</b> for $c = 8$ If 0 scored, <b>SC1</b> for 23 = their $m \times 5 + c$ or for 2 = their $m \times -2 + c$ or for 12.5 = their $m \times 1.5 + c$ |
|    | (c) Most common methods:<br>Correctly substituting $P(3, 17)$ into $y = 3x + 8$<br>Showing the gradient of $AP$ or $BP = 3$<br>Other methods possible. | 1 |  |

| Page 4 | Mark Scheme                   | Syllabus | Paper |
|--------|-------------------------------|----------|-------|
|        | IGCSE – October/November 2013 |          | 22    |

| 19 | (a) $-2a - 2c$ oe                 | 2   | M1 for $BO = -a - c$ or for any correct route or correct unsimplified expression  |
|----|-----------------------------------|-----|---|
|    | <b>(b)</b> 2a + c                 | 2   | M1 for any correct route or correct unsimplified expression   |
|    | (c) -a - c oe                     | 2FT | FT their (a) or correct answer Or M1 for a correct non direct route from O to E or for correct unsimplified expression or for correct FT unsimplified |
| 20 | (a) 4.05 to 4.2                   | 1   |   |
|    | <b>(b)</b> 2.6 to 2.75            | 2   | B1 for 9.6 seen   |
|    | (c) 2.05 to 2.25                  | 2   | <b>B1</b> for [UQ] 5.0 to 5.1 and [LQ] 2.85 to 2.95 seen  |
|    | (d) $\frac{5}{48}$                | 2   | M1 for 5  |
| 21 | (a) 37.2 or 37.17 to 37.19        | 3   | M2 for sin[] = $\frac{4 \times \sin 65}{6}$<br>or M1 for $\frac{4}{\sin[]} = \frac{6}{\sin 65}$ oe  |
|    | <b>(b)</b> 11.7 or 11.72 to 11.74 | 3   | sin[] sin 65  M1 for $[B = ]160 - 65 - their$ (a)  M1 for $\frac{1}{2} \times 4 \times 6 \times sin \ their \ 77.8$                                   |