

**CAMBRIDGE INTERNATIONAL EXAMINATIONS**

Cambridge International General Certificate of Secondary Education

**MARK SCHEME for the October/November 2015 series****0580 MATHEMATICS****0580/41**

Paper 4 (Extended), maximum raw mark 130

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes should be read in conjunction with the question paper and the Principal Examiner Report for Teachers.

Cambridge will not enter into discussions about these mark schemes.

Cambridge is publishing the mark schemes for the October/November 2015 series for most Cambridge IGCSE<sup>®</sup>, Cambridge International A and AS Level components and some Cambridge O Level components.

® IGCSE is the registered trademark of Cambridge International Examinations.

Page 2	Mark Scheme	Syllabus	Paper
	Cambridge IGCSE – October/November 2015	0580	41

Question	Answer	Mark	Part marks
1 (a)	6	3	<b>B2</b> for $5\frac{1}{4}$ or 5.25 shown in working isw or <b>M1</b> for $\frac{3}{4} \times 7$ soi by answer 5
(b)	21.45 cao final answer	2	<b>M1</b> for $17.16 \times 0.25$ or $17.16 \times 1.25$
(c)	16.5[0] nfw	3	<b>M2</b> for $17.16 \div 1.04$ oe or <b>M1</b> for 17.16 associated with 104[%] oe isw
(d)	1.34 cao final answer	2	<b>M1</b> for $13.32 \div 0.72$ soi by 18.5[0] or for any correct complete longer method If zero scored, <b>SC1</b> for 0.96 [euros] seen
(e) (i)	750	1	
(ii)	4.7 cao	3	<b>B2</b> for 4.658 to 4.66 or <b>M2</b> for $\sqrt{\text{their (e)(i)} \div 11\pi}$ or <b>M1</b> for $11\pi^2 = \text{their (e)(i)}$
(iii)	6	2	<b>M1</b> for $2^3$ or $\frac{1}{2^3}$ oe seen or for $\pi \times (2 \times \text{their (e)(ii)})^2 \times 22$  If zero scored, <b>SC1</b> for answer 6 000
(f)	8950	1	
(g)	210	2	<b>M1</b> for $0.07 \times 3\ 000$
(h)	160 000	3	<b>M2</b> for $2 \times 60 \times 100^3 \div 750$ oe or <b>M1</b> for figs 16 as answer or $100^3$ seen
2 (a)	1.62 or 1.62...	1	
(b) (i)	7	1	
(ii)	4	1	
(iii)	7	1	
(iv)	$\frac{1}{3}$ oe	1	

Page 3	Mark Scheme	Syllabus	Paper
	Cambridge IGCSE – October/November 2015	0580	41

Qu	Answers	Mark	Part Marks
(c) (i)	0.25 oe and 1	2	<b>B1</b> for each
(ii)	Correct curve	4	<b>B3FT</b> for 6 or 7 correct plots or <b>B2FT</b> for 4 or 5 correct plots or <b>B1FT</b> for 2 or 3 correct plots
(iii)	2.3	1FT	Correct or <b>FT</b> where $y = 5$ on <i>their</i> graph
(iv)	$y = 3x - 1$ oe 3 term equation	3	<b>B2</b> for $3x - 1$ or $y = 3x [+ c]$ oe or for $m = 3$ and $c = -1$ or <b>M1</b> for [gradient =] $\frac{8-2}{3-1}$ oe soi by $3x$ <b>and M1</b> for substitution of (1, 2) or (3, 8) into <i>their</i> $y = mx + c$
(v)	-1.7 to -1.5 and 2	2	<b>B1</b> for either or <b>M1</b> for $y = x + 2$ seen or drawn
3 (a) (i)	25.4 or 25.35... nfw	5	<b>M2</b> for $\sqrt{60^2 - 50^2}$ oe soi by 33.1 to 33.2 or <b>M1</b> for $TB^2 + 50^2 = 60^2$ oe <b>and</b> <b>M2</b> for $\tan = \frac{\text{their}TB}{70}$ oe or <b>B1</b> for recognising angle $TCB$ as required angle
(ii)	109 or 109.0 to 109.1	4	<b>M2</b> for $50^2 + 70^2 - 2 \times 50 \times 70 \times \cos 130$ <b>M1</b> for implicit cos rule <b>A1</b> for 11 899 to 11 900
(iii)	1 340 or 1 340.0 to 1 341	2	<b>M1</b> for $\frac{1}{2} \times 50 \times 70 \times \sin 130$ oe
(b)	51.5 or 51.50 to 51.51	4	<b>M3</b> for $[XY] = \sqrt{45^2 + 22^2 + 12^2}$ or <b>M2</b> for $[XY^2 =] 45^2 + 22^2 + 12^2$ soi by 2 653 or <b>M1</b> for $45^2 + 22^2$ oe or $45^2 + 12^2$ oe or $12^2 + 22^2$ oe

Page 4	Mark Scheme	Syllabus	Paper
	Cambridge IGCSE – October/November 2015	0580	41

Qu	Answers	Mark	Part Marks
4	(a) (i)		Condone $5 \leq x \leq 15$ Condone $0 < y \leq 8$
		4	<b>B1</b> for each – 1 for first occurrence of strict inequalities used in first 3 inequalities
	(ii)	1 1 1 1	Allow $y = x + 1$ ruled only after $y \geq x + 1$ in (a)(i)
		1dep	Dependent on all marks for lines earned Accept R written in correct quadrilateral or any other unambiguous indication or accept in triangle if $y = x + 1$ used and all marks for lines earned
(b)	78	2	<b>B1</b> for (7, 8) chosen or <b>M1</b> for a calculation shown of the form $6x + 4.5y$ where (x, y) is clearly in <i>their</i> region and both x and y are integers
5	(a)	1	
		1dep	Dependent on 37 or [angle] <i>BAD</i>
	(b)	1	
		1dep	Dependent on $2 \times 37$ or $2 \times$ [angle] <i>BAD</i> or $2 \times$ [angle] <i>BED</i> Must use the terms circumference, centre and angle
(c)	1		
	1dep	Dependent on $180 - 37$ or $180 -$ [angle] <i>BAD</i> or $180 -$ [angle] <i>BED</i>	

Page 5	Mark Scheme	Syllabus	Paper
	Cambridge IGCSE – October/November 2015	0580	41

Qu	Answers	Mark	Part Marks
6 (a)	1.35 nfw	4	<b>M1</b> for 0.5, 1.5, 2.5, 3.5, 4.5, 5.5 soi, <b>M1</b> for $\Sigma fm$ soi by 162 where $m$ is in correct interval including boundaries <b>M1dep</b> for $\Sigma fm \div 120$ or $\Sigma fm \div \Sigma f$ dependent on <b>second M1</b> earned
(b) (i)	93, 102, 113, 118	2	<b>SC1FT</b> for 1 error
(ii)	Correct diagram	3	<b>B1FT</b> for correct vertical plots and <b>B1</b> for correct horizontal plots and <b>B1FT dep on at least B1</b> for reasonable <u>increasing</u> curve or polygon through <i>their</i> 6 points  If zero scored, <b>SC1FT</b> for 5 out of 6 correct plots
(iii) (a)	0.6 to 0.85	1	
(b)	1.3 to 1.7	2	<b>B1</b> for UQ = 1.7 to 1.9 or LQ = 0.2 to 0.4
(c)	0.3 to 0.6	2FT	Allow in correct range provided there is no evidence of reading at 35 or <b>FT</b> <i>their</i> reading at 42 <b>B1</b> for 42 soi
(c) (i)	30 and 18	2	<b>B1</b> for each
(ii)	0.75 and 0.3	3FT	<b>FT</b> ( <i>their</i> 30) $\div$ 40 and ( <i>their</i> 18) $\div$ 60 <b>B2FT</b> for either 0.75 or 0.3 or <b>M1</b> for <i>their</i> 30 $\div$ 2 or $\div$ 20 or for <i>their</i> 18 $\div$ 3 or $\div$ 20
7 (a)	123 to 127	1	
(b)	288 to 292	1	
(c)	[1:] 1000000	1	

Page 6	Mark Scheme	Syllabus	Paper
	Cambridge IGCSE – October/November 2015	0580	41

Qu	Answers	Mark	Part Marks
(d)	Correct ruled perpendicular bisector of $CB$ with correct arcs Correct two pairs of arcs	2	<b>B1</b> for correct perpendicular bisector without/wrong arcs
	Correct ruled bisector of angle $ACB$ with correct pair of arcs	2	<b>B1</b> for correct bisector of angle $ACB$ without/wrong arcs
	Ruled line parallel to $CB$ in triangle	1	Provided this line is not the perpendicular bisector of $AC$
	1.3 to 1.7 cm from $CB$ in triangle	1	
	Correct region indicated	<b>1dep</b>	Dependent on at least B1,B1,1,1 earned
(e)	40	2	<b>M1</b> for $0.4 \times 10^2$ oe
8 (a)	$(x - 5)(x + 2)$ final answer	2	<b>B1</b> for $(x - 5)(x + 2)$ seen and then spoiled or <b>M1</b> for $(x + a)(x + b)$ where $a + b = -3$ or $ab = -10$ [ $a, b$ integers]
	(b) (i) $x(x + 2) + 3(x + 1) = 3x(x + 1)$ or $x^2 + 2x + 3x + 3 = 3x^2 + 3x$  $0 = 2x^2 - 2x - 3$	<b>M2</b>  <b>A1</b>	<b>M1</b> for $x(x + 2) + 3(x + 1)$ or better seen Allow recovery of omitted brackets for M marks but not A mark  Brackets expanded correctly and/or no errors or omission of brackets seen
	(ii) $\frac{[-]2 \pm \sqrt{([-]2)^2 - 4(2)(-3)}}{2(2)}$ or $0.5 \pm \sqrt{1.75}$  - 0.823 and 1.823 final answer	<b>B2</b>  <b>B1 B1</b>	<b>B1</b> for $\sqrt{([-]2)^2 - 4(2)(-3)}$ or $\sqrt{28}$ or $\sqrt{1.75}$ oe in completion of square <b>and B1</b> for in form $\frac{p + \sqrt{q}}{r}$ or $\frac{p - \sqrt{q}}{r}$ , $p = -2$ <b>and</b> $r = 2(2)$ or better or $(x - 0.5)^2$ oe in completion of square  If <b>B0B0</b> for answers, <b>SC1</b> for - 0.82 or - 0.822... and 1.82 or 1.822.. as final answers or - 0.823 and 1.823 seen or -1.823 and 0.823 as final answers

Page 7	Mark Scheme	Syllabus	Paper
	Cambridge IGCSE – October/November 2015	0580	41

Qu	Answers	Mark	Part Marks
(c)	$\frac{x^2 + 3x + 3}{(x + 2)(x + 1)}$ or $\frac{x^2 + 3x + 3}{x^2 + 3x + 2}$ final answer nfw	4	<p><b>M1</b> for <math>(2x + 3)(x + 1) - x(x + 2)</math> oe isw</p> <p><b>B1</b> for common denominator = <math>(x + 2)(x + 1)</math> isw or <math>x^2 + 3x + 2</math> isw</p> <p><b>B1</b> for <math>2x^2 + 2x + 3x + 3</math> or better or <math>-x^2 - 2x</math> or <math>x^2 + 3x + 3</math></p>
9 (a) (i)	16	1	
(ii)	$n^2$	1	
(b) (i)	43	1	
(ii)	7	1	
(c)	$a = \frac{5}{2}$ oe, $b = \frac{5}{6}$ oe with supporting working	6	<p><b>M1</b> for any correct substitution eg <math>\frac{2}{3}(2)^3 + 2^2a + 2b</math></p> <p><b>A1</b> for <b>one</b> of eg <math>\frac{2}{3} + a + b = 4</math> or better eg <math>\frac{16}{3} + 4a + 2b = 17</math> or better eg <math>\frac{54}{3} + 9a + 3b = 43</math> or better</p> <p><b>A1</b> for <b>another</b> of eg <math>\frac{2}{3} + a + b = 4</math> or better eg <math>\frac{16}{3} + 4a + 2b = 17</math> or better eg <math>\frac{54}{3} + 9a + 3b = 43</math> or better</p> <p><b>M1</b> for correctly eliminating one variable from two of <i>their</i> equations in <math>a</math> and <math>b</math></p> <p><b>A1</b> for <math>a = \frac{5}{2}</math> oe</p> <p><b>A1</b> for <math>b = \frac{5}{6}</math> oe</p> <p>After zero scored, <b>SC2</b> for 2 correct answers without supporting working or <b>SC1</b> for 2 of 17, 43, 86, 150, 239 seen</p>

Page 8	Mark Scheme	Syllabus	Paper
	Cambridge IGCSE – October/November 2015	0580	41

Qu	Answers	Mark	Part Marks
10 (a)	$\mathbf{b - a}$ or $-\mathbf{a + b}$	<b>1</b>	
(b)	$\frac{4}{5}\mathbf{b} - \frac{3}{10}\mathbf{a}$ or $\frac{1}{10}(8\mathbf{b} - 3\mathbf{a})$	<b>4</b>	<p><b>B3</b> for correct unsimplified expression in <b>a</b> and <b>b</b></p> <p>or</p> <p><b>M1</b> for <math>\vec{XA} + \vec{AC} + \vec{CM}</math> or <math>\vec{XB} + \vec{BM}</math></p> <p>or <math>-\frac{1}{5}(\text{their } \mathbf{a}) + \mathbf{b} - \frac{1}{2}\mathbf{a}</math></p> <p>or <math>\frac{4}{5}(\text{their } \mathbf{a}) + \frac{1}{2}\mathbf{a}</math></p> <p><b>and M1</b> indep for <math>\pm\frac{1}{5}</math> oe or <math>\pm\frac{4}{5}</math> oe used</p> <p>After zero scored, <b>SC2</b> for answer <math>\frac{1}{4}(3\mathbf{b} - \mathbf{a})</math> or <math>\frac{3}{4}\mathbf{b} - \frac{1}{4}\mathbf{a}</math></p>