

**CAMBRIDGE INTERNATIONAL EXAMINATIONS**

Cambridge International General Certificate of Secondary Education

**MARK SCHEME for the October/November 2015 series****0580 MATHEMATICS****0580/22**

Paper 2 (Extended), maximum raw mark 70

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes should be read in conjunction with the question paper and the Principal Examiner Report for Teachers.

Cambridge will not enter into discussions about these mark schemes.


Cambridge is publishing the mark schemes for the October/November 2015 series for most Cambridge IGCSE<sup>®</sup>, Cambridge International A and AS Level components and some Cambridge O Level components.

® IGCSE is the registered trademark of Cambridge International Examinations.

<b>Page 2</b>	<b>Mark Scheme</b>	<b>Syllabus</b>	<b>Paper</b>
	<b>Cambridge IGCSE – October/November 2015</b>	<b>0580</b>	<b>22</b>

### Abbreviations

cao	correct answer only
dep	dependent
FT	follow through after error
isw	ignore subsequent working
oe	or equivalent
SC	Special Case
nfww	not from wrong working
soi	seen or implied

Question	Answer	Mark	Part Marks
<b>1</b>	17	<b>1</b>	
<b>2</b>	Parallelogram	<b>1</b>	
<b>3</b>	694 or 694.4[4...]	<b>2</b>	<b>M1</b> for $950 \div 1.368$
<b>4</b>	5.83 or 5.830 to 5.831	<b>2</b>	<b>M1</b> for $\sqrt{(-3)^2 + 5^2}$
<b>5</b>	262 or 261.7 to 261.83...	<b>2</b>	<b>M1</b> for $\frac{1}{2} \times \frac{4}{3} \pi \times 5^3$ If zero scored <b>SC1</b> for final answer 524 or 523.5 to 523.7
<b>6 (a)</b>	18	<b>1</b>	
<b>(b)</b>		<b>1</b>	
<b>7</b>	$\begin{pmatrix} 11 & -8 \\ -6 & 8 \end{pmatrix}$	<b>2</b>	<b>B1</b> for two correct elements
<b>8</b>	3826 or 3826.38	<b>2</b>	<b>M1</b> for $8000 \times \left(1 - \frac{10}{100}\right)^7$ oe
<b>9</b>	0.3	<b>2</b>	<b>M1</b> for $\frac{k \times 50000 \times 50000}{100000 \times 100000}$ oe If zero scored <b>SC1</b> for figs 3
<b>10</b>	54	<b>3</b>	<b>M2</b> for $14.4 \times \frac{15}{4}$ oe or <b>M1</b> for $14.4 \div 4$ or $\frac{4}{15}$ associated with 14.4 If zero scored <b>SC1</b> for final answer 19.6[4]

Page 3	Mark Scheme	Syllabus	Paper
	Cambridge IGCSE – October/November 2015	0580	22

11	6.24 or 6.244 to 6.245	3	<b>M2</b> for $\sqrt{8^2 - 5^2}$ or <b>M1</b> for $8^2 = 5^2 + x^2$ or better
12	$2\frac{3}{12}$ or $1\frac{15}{12}$ or $\frac{27}{12}$ or $\frac{9 \times 3}{4 \times 3}$  <i>their</i> $(\frac{27}{12} - \frac{11}{12} = \frac{16}{12})$ oe  $1\frac{1}{3}$ or $\frac{4}{3}$ cao	<b>M1</b> <b>M1</b> <b>A1</b>	Accept any correct conversion with common denominator $12k$  Correct resolving of <i>their</i> subtraction with denominator $12k$ showing full working  Working and then simplified answer must both be seen
13	8.12 or 8.118...	3	<b>M2</b> for $\frac{12.4}{\sin 74} \times \sin 39$ or <b>M1</b> for implicit version $\frac{\sin 39}{y} = \frac{\sin 74}{12.4}$ oe
14	2500 nfw	3	<b>M2</b> for $2475 \div (1 - \frac{1}{100})$ oe or <b>M1</b> for 2475 associated with 99%
15 (a)	$(3w + 10)(3w - 10)$ final answer	1	
(b)	$(m + n)(p - 6q)$ oe final answer	2	<b>B1</b> for $p(m + n) - 6q(m + n)$ oe or $m(p - 6q) + n(p - 6q)$ oe
16	36.8 or 36.80 to 36.81	3	<b>M1</b> for $\frac{26}{360} \times 2 \times \pi \times 15$ <b>M1</b> for $2 \times 15 +$ a term involving $\pi$
17	175	3	<b>M1</b> for $y = k(x - 1)^2$ oe <b>A1</b> for $k = 7$ or <b>M2</b> for $\frac{63}{(4 - 1)^2} = \frac{y}{(6 - 1)^2}$ oe
18	16.2  16.6 nfw	3	<b>M1</b> for two of 2.35, 5.75, 2.45, 5.85 seen or $2 \times (5.8 - 0.05 + 2.4 - 0.05)$ or $2 \times (5.8 + 0.05 + 2.4 + 0.05)$ <b>A1</b> 16.2 or 16.6 in either answer space If zero scored <b>SC2</b> for both correct reversed answers provided 16.6 nfw

Page 4	Mark Scheme	Syllabus	Paper
	Cambridge IGCSE – October/November 2015	0580	22

<p><b>19</b></p>	$\sqrt{(-6)^2 - 4(5)(-3)}$ or better seen  if $\frac{p + \sqrt{q}}{r}$ or $\frac{p - \sqrt{q}}{r}$ seen then  $p = -(-6)$ and $r = 2 \times 5$  -0.38 1.58 cao final answers	<p><b>B1</b></p> <p><b>B1</b></p> <p><b>B1</b></p> <p><b>B1</b></p>	<p>If completing the square</p> <p><b>B1</b> for <math>\left(x - \frac{3}{5}\right)^2</math> oe</p> <p><b>B1</b> for <math>\frac{3}{5} + \sqrt{\frac{3}{5} + \left(\frac{3}{5}\right)^2}</math> or <math>\frac{3}{5} - \sqrt{\frac{3}{5} + \left(\frac{3}{5}\right)^2}</math> oe</p> <p>If B0, <b>SC1</b> for</p> <p><b>B1</b> - 0.4 and 1.6</p> <p>or - 0.379[795..] and 1.579[795..]</p> <p>or - 1.58 and 0.38</p> <p>as final answers</p> <p>or - 0.38 and 1.58 seen in working</p>
<p><b>20 (a)</b></p> <p><b>(b)</b></p>		<p><b>B1</b></p> <p><b>B1</b></p> <p><b>3FT</b></p>	<p>line from (0, 8) to (10, 8)</p> <p>line from <i>their</i> (10, 8) to (55, 0)</p> <p><b>M2FT</b> for <math>8 \times 10 + 0.5 \times 8 \times 45</math> oe or for a fully correct area calculation for <i>their</i> graph</p> <p>or <b>M1FT</b> for <math>8 \times 10</math> or <math>0.5 \times 8 \times 45</math> or for one correct area calculation for <i>their</i> graph</p>
<p><b>21 (a)</b></p> <p><b>(b)</b></p>	<p>12</p> <p>12.8</p>	<p><b>2</b></p> <p><b>3</b></p>	<p><b>M1</b> for <math>\frac{7.2}{x} = \frac{15}{25}</math> oe or better eg <math>7.2 \times \frac{25}{15}</math></p> <p><b>M2</b> for <math>16 \times \sqrt[3]{\frac{192}{375}}</math> oe</p> <p>or</p> <p><b>M1</b> for <math>\sqrt[3]{\frac{192}{375}}</math> or <math>\sqrt[3]{\frac{375}{192}}</math> oe or <math>\left(\frac{16}{y}\right)^3 = \frac{375}{192}</math> oe</p>
<p><b>22 (a)</b></p> <p><b>(b)</b></p>	<p>3.5 nfw</p> <p>2 nfw</p>	<p><b>3</b></p> <p><b>3</b></p>	<p><b>M1</b> for <math>\Sigma fx</math> soi</p> <p><b>M1</b> (dep) for <math>\div 24</math></p> <p><b>M2FT</b> for <math>\frac{\text{their } 84 + x}{25} = 3.44</math> or better</p> <p>or <b>M1</b> for <math>25 \times 3.44</math></p>

Page 5	Mark Scheme	Syllabus	Paper
	Cambridge IGCSE – October/November 2015	0580	22

23	(a)	$\frac{8}{14}$ and $\frac{5}{13}$	1	
		$\frac{6}{13}$ and $\frac{7}{13}$	1	
	(b) (i)	$\frac{30}{182}$ oe	2	<b>M1FT</b> for $\frac{6}{14} \times \textit{their} \frac{5}{13}$
	(ii)	$\frac{126}{182}$ oe	3	<b>M2FT</b> for $1 - \frac{8}{14} \times \frac{7}{13}$ or $\frac{6}{14} \times \frac{5}{13} + \frac{6}{14} \times \frac{8}{13} + \frac{8}{14} \times \frac{6}{13}$ or $\frac{6}{14} + \frac{8}{14} \times \frac{6}{13}$ oe  or <b>M1FT</b> for sum of any two of $\frac{6}{14} \times \frac{5}{13}$ or $\frac{6}{14} \times \frac{8}{13}$ or $\frac{8}{14} \times \frac{6}{13}$