

**Cambridge International Examinations** Cambridge International General Certificate of Secondary Education

## MATHEMATICS

Paper 1 (Core) SPECIMEN MARK SCHEME 0580/01 For Examination from 2015

1 hour

## **MAXIMUM MARK: 56**

The syllabus is approved for use in England, Wales and Northern Ireland as a Cambridge International Level 1/Level 2 Certificate.

This document consists of 4 printed pages.



PMT

## Types of mark

- **M** marks are given for a correct method.
- A marks are given for an accurate answer following a correct method.
- **B** marks are given for a correct statement or step.
- **D** marks are given for a clear and appropriately accurate drawing.
- **P** marks are given for accurate plotting of points.
- **E** marks are given for correctly explaining or establishing a given result.
- **SC** marks are given for special cases that are worthy of some credit.

## Abbreviations

- cao correct answer only
- cso correct solution only
- dep dependent
- ft follow through after error
- isw ignore subsequent working
- oe or equivalent
- SC Special Case
- www without wrong working
- art anything rounding to
- soi seen or implied

Qu.	Answers	Mark	Part Marks
1	$\begin{pmatrix} -3\\ 4 \end{pmatrix}$	1	
2	24 or 24 out of 30	2	<b>M1</b> for $\frac{4}{5} \times 30$
3	1.8	2	<b>M1</b> for 1.4 ÷ 7 or <b>SC1</b> for <b>answer</b> 180
4	16	2	<b>B1</b> for 1cm to 0.5km oe or 800 000 (cm) or figs 16
5	(a) 25	1	
	(b) Green cao	1	
6	7.5(0) cao	2	<b>M1</b> for $\frac{258.75}{4.6}$
7	<b>(a)</b> 120	1	
	<b>(b)</b> $\frac{9}{25}$ cao	2	<b>B1</b> for $\frac{36}{100}$ or $\frac{18}{50}$
8	(a) 7853 to 7855 or 7850 or 7860 www	2	<b>M1</b> for $\pi \times 50^2$
	<b>(b)</b> 0.7853 to 0.7855 or 0.785 or 0.786	1ft	Their (a) $\div$ 10 000 evaluated
9	(a) 15	1	
	<b>(b)</b> 2 (pm), 6 (pm)	1	
	(c) 15	1	Allow –15
10	(a) Rectangle or rhombus	1	Either one or both given
	(b) Isosceles (triangle)	1	
	(c) 5 cao	1	

PMT

		r.	
11	$\frac{11k}{24k}$ final answer www		Method 1 (Addition first)
		B1	$\frac{8}{12} + \frac{3}{12}$ or $\frac{8+3}{12}$ oe
		M1	$\frac{1 \times \text{their } 11}{2 \times \text{their } 12}$
		A1	
			Method 2 (Multiplication first)
		B1	$\frac{2}{6} + \frac{1}{8}$ or $\frac{1}{3} + \frac{1}{8}$ oe
		M1	$\frac{ad+bc}{bd}$ for their $\frac{a}{b} + \frac{c}{d}$
		A1	
			If <b>M0</b> , <b>SC1</b> if $\frac{11}{12}$ is only followed by $\frac{11}{24}$
			or if zero, <b>SC1</b> if work is entirely in decimals
			with answer of 0.4583 to 0.45835
12	(a) Correct ruled line	1	
	<b>(b)</b> −2.7, 0.7	1, 1ft	<b>B2ft</b> their ruled line through $(0, 3)$ for two intersections given to 1 decimal place or <b>B1</b> for -2.70 to -2.75 and 0.70 to 0.75 or <b>B1ft</b> their ruled line through $(0, 3)$ for two intersections not given to 1 decimal place
13	135 cao	3	<b>M1</b> for 720 or $(6-2) \times 180$ oe seen in working and <b>M1</b> for equation $180 + 4x =$ their 720 or
			<b>M1</b> for $(360 - 180) \div 4 (= 45)$ oe seen in working and <b>M1</b> dep for $180$ – their 45
14	(a) $9x - 10$ final answer	2	<b>B1</b> for $6x - 4$ or $3x - 6$ or for answer of $9x + j$ , or $kx - 10$
	<b>(b)</b> $2x^3 - 3x$ final answer	2	<b>B1</b> for answer in form $2x^3 + m$ or $n - 3x$
15	(a) Negative	1	Ignore embellishments
	(b) Correct point	1	
	(c) (i) Accurate ruled line	1	
	(ii) English mark	1ft	Follow through their (c)(i)
16	<b>(a)</b> 70	2	<b>B1</b> for angle $ABD = 70^{\circ}$ stated or seen on the diagram
	<b>(b)</b> (i) $(y =) 80$	1	
	(ii) $(z =) 40$	1	
	<b>(iii)</b> ( <i>t</i> =) 10	1ft	Follow through 90 – their $y$ or 50 – their $z$

3

PMT

17	(a) 7.42 or 7.416 cao	3	M2 for $\sqrt{(8^2 - 3^2)}$ or complete alternate method or M1 for $x^2 + 3^2 = 8^2$ or better
			or <b>M1</b> for $x^2 + 3^2 = 8^2$ or better
	<b>(b)</b> 67.97 to 68(.0) cao	2	M1 for $\cos(y) = \frac{3}{8}$ oe
18	(a) 75	2	<b>M1</b> for $\frac{500 \times 5 \times 3}{100}$ oe
	<b>(b)</b> 3.81(25)	4	or SC1 for answer of 575 M2 for $500 \times 1.05 \times 1.05 \times 1.05$ or M1 for $500 \times 1.05 \times 1.05$ A1 for $578.81(25)$ or $78.81(25)$ seen and A1ft for value of $500(1.05)^3 - 500$ – their (a)