



GCSE

Physics A

General Certificate of Secondary Education

Unit **A183/02**: Unit 3 – Module P7 (Higher Tier)

Mark Scheme for June 2013

OCR (Oxford Cambridge and RSA) is a leading UK awarding body, providing a wide range of qualifications to meet the needs of candidates of all ages and abilities. OCR qualifications include AS/A Levels, Diplomas, GCSEs, Cambridge Nationals, Cambridge Technicals, Functional Skills, Key Skills, Entry Level qualifications, NVQs and vocational qualifications in areas such as IT, business, languages, teaching/training, administration and secretarial skills.

It is also responsible for developing new specifications to meet national requirements and the needs of students and teachers. OCR is a not-for-profit organisation; any surplus made is invested back into the establishment to help towards the development of qualifications and support, which keep pace with the changing needs of today's society.

This mark scheme is published as an aid to teachers and students, to indicate the requirements of the examination. It shows the basis on which marks were awarded by examiners. It does not indicate the details of the discussions which took place at an examiners' meeting before marking commenced.

All examiners are instructed that alternative correct answers and unexpected approaches in candidates' scripts must be given marks that fairly reflect the relevant knowledge and skills demonstrated.

Mark schemes should be read in conjunction with the published question papers and the report on the examination.

OCR will not enter into any discussion or correspondence in connection with this mark scheme.



© OCR 2013



1. Annotations

Used in the detailed Mark Scheme:

Annotation	Meaning
/	alternative and acceptable answers for the same marking point
(1)	separates marking points
not/reject	answers which are not worthy of credit
ignore	statements which are irrelevant - applies to neutral answers
allow/accept	answers that can be accepted
(words)	words which are not essential to gain credit
<u>words</u>	underlined words must be present in answer to score a mark
ecf	error carried forward
AW/owtte	credit alternative wording / or words to that effect
ORA	or reverse argument

Available in scoris to annotate scripts:

	correct response
	incorrect response
BOD	benefit of doubt
NBOD	no benefit of doubt
ECF	error carried forward
0 , L1 , L2 , L3	indicate level awarded for a question marked by level of response
^	information omitted
CON	contradiction
R	reject

	indicate uncertainty or ambiguity
	draw attention to particular part of candidate's response

2. **ADDITIONAL OBJECTS:** You **must** assess and annotate the additional objects for each script you mark. Where credit is awarded, appropriate annotation must be used. If no credit is to be awarded for the additional object, please use annotation as agreed at the SSU.

3. **Subject-specific Marking Instructions**

- a. Accept any clear, unambiguous response (including mis-spellings of scientific terms if they are *phonetically* correct, but always check the guidance column for exclusions).
- b. Crossed out answers should be considered only if no other response has been made. When marking crossed out responses, accept correct answers which are clear and unambiguous.

e.g. for a one-mark question where ticks in the third and fourth boxes are required for the mark:

<input type="checkbox"/>
<input type="checkbox"/>
<input checked="" type="checkbox"/>
<input checked="" type="checkbox"/>
<input type="checkbox"/>

*This would be worth
1 mark.*

<input type="checkbox"/>
<input type="checkbox"/>
<input checked="" type="checkbox"/>
<input checked="" type="checkbox"/>
<input type="checkbox"/>

*This would be worth
0 marks.*

<input checked="" type="checkbox"/>
<input checked="" type="checkbox"/>
<input checked="" type="checkbox"/>
<input checked="" type="checkbox"/>
<input type="checkbox"/>

*This would be worth
1 mark.*

- c. The list principle:
If a list of responses greater than the number requested is given, work through the list from the beginning. Award one mark for each correct response, ignore any neutral response, and deduct one mark for any incorrect response, e.g. one which has an error of science. If the number of incorrect responses is equal to or greater than the number of correct responses, no marks are awarded. A neutral response is correct but irrelevant to the question.

d. Marking method for tick-box questions:

If there is a set of boxes, some of which should be ticked and others left empty, then judge the entire set of boxes.

If there is at least one tick, ignore crosses and other markings. If there are no ticks, accept clear, unambiguous indications, e.g. shading or crosses. Credit should be given according to the instructions given in the guidance column for the question. If more boxes are ticked than there are correct answers, then deduct one mark for each additional tick. Candidates cannot score less than zero marks.

e.g. if a question requires candidates to identify cities in England:

Edinburgh	<input type="checkbox"/>
Manchester	<input type="checkbox"/>
Paris	<input type="checkbox"/>
Southampton	<input type="checkbox"/>

the second and fourth boxes should have ticks (or other clear indication of choice) and the first and third should be blank (or have indication of choice crossed out).

Edinburgh			✓			✓	✓	✓	✓	
Manchester	✓	x	✓	✓	✓				✓	
Paris				✓	✓		✓	✓	✓	
Southampton	✓	x		✓		✓	✓		✓	
Score:	2	2	1	1	1	1	0	0	0	NR

e. For answers marked by levels of response:

i. **Read through the whole answer from start to finish**

ii. **Decide the level that best fits** the answer – match the quality of the answer to the closest level descriptor

iii. **To determine the mark within the level**, consider the following:

Descriptor	Award mark
A good match to the level descriptor	The higher mark in the level
Just matches the level descriptor	The lower mark in the level

iv. Use the **L1**, **L2**, **L3** annotations in Scoris to show your decision; do not use ticks.

Quality of Written Communication skills assessed in 6-mark extended writing questions include:

- appropriate use of correct scientific terms
- spelling, punctuation and grammar
- developing a structured, persuasive argument
- selecting and using evidence to support an argument
- considering different sides of a debate in a balanced way
- logical sequencing.

A183/02


Mark Scheme

June 2013

Question		Answer	Marks	Guidance
1	(a)	speed (1) wavelength (1) frequency (1)	3	allow wavelength for one mark in first gap as long as wavelength is not used in the second gap.
	(b) (i)	objective B (1) eyepiece D (1)	2	
	(ii)	(focal length of objective / focal length of eyepiece) =1000/20 (1) 50 (1)	2	allow ecf from (b)(i)
	(c)	they are made from different materials / that refract differently / different density	1	ignore any reference to shape and size
	(d)	any two from: edge of lens shaped like a prism /acts like a prism ; colours spread like a prism/prism forms a spectrum/colours disperse ; different wavelengths/colours change speed differently ; different wavelengths/frequencies refract/bend through different angles ; different colours focus at different points	2	all points may be shown on a labelled diagram e.g. standard prism dispersion = 2 marks. Ignore order of colours. If spectrum from lens, allow one mark if spectrum produced near edge/rim.

Question		Answer	Marks	Guidance
1	(e)	<p>any three from:</p> <p>diffraction (affects images) ;</p> <p>radio waves have long(er) wavelengths (than visible light) ;</p> <p>aperture must be bigger than wavelength ;</p> <p>the nearer the aperture size to the wavelength the more diffraction</p>	3	<p>accept diffraction when aperture/hole/gap is the same size as the wavelength</p>
		Total	13	

Question	Answer	Marks	Guidance
2	<p>Level 3 (5–6 marks) Explains an eclipse and mentions tilt and/or planes of orbits. Successfully relates this to frequency of eclipses. Quality of written communication does not impede communication of the science at this level.</p> <p>Level 2 (3–4 marks) Explains an eclipse with further detail (e.g. tilt and/or planes of orbits OR Partial eclipses / only limited size of shadow on Earth). But not successfully related to frequency. Quality of written communication partly impedes communication of the science at this level.</p> <p>Level 1 (1–2 marks) Explains an eclipse and positions of Moon, Earth and Sun but not frequency. Quality of written communication impedes communication of the science at this level.</p> <p>Level 0 (0 marks) Insufficient or irrelevant science. Answer not worthy of credit.</p>	6	<p>This question is targeted at grades up to A*</p> <p>All marks can be scored EITHER with a diagram OR with a written answer OR a combination of both.</p> <p>Indicative scientific points for level:</p> <ul style="list-style-type: none"> • Level 1 • Moon orbits the Earth • sometimes Moon between Sun and the Earth • Moon blocks sunlight / is opaque • shadow reaches the Earth • Level 2 • Moon is the same apparent size as the sun • total / full eclipse seen within shadow region • partial eclipse seen just outside main shadow zone (penumbra) • Moon's orbit at an angle to the Earth's orbit • Level 3 • on most occasions Moon is above or below plane of Earth's orbit / ecliptic. hence no eclipse • only when the moon is in plane of Earth's orbit AND between Sun and Earth does the eclipse occur. <div data-bbox="1272 1013 2049 1204" style="text-align: center;"> <p>Side view of Moon's orbit and Earth's orbit</p> </div> <p>Earth-Moon system at three points in their orbit around the Sun. Usually the Moon is above or below the ecliptic at the new or full phase, but twice a year it crosses the ecliptic when it is behind or in front of the Earth to produce an eclipse!</p> <p style="text-align: right;"><i>continued on next page...</i></p>

Question			Answer	Marks	Guidance
					<p>...continued from previous page</p>  <p>Use the L1, L2, L3 annotations in Scoris; do not use ticks.</p>
			Total	6	

Question		Answer	Marks	Guidance
3	(a)		4	accept red/blue supergiants accept red giants
	(b)	X on main sequence line in a horizontal line with 1 on the vertical axis	1	by eye accept any unambiguous symbol
	(c)	arrow points below horizontal (1) arrow points to the right (1)	2	arrow should relate to the star
Total			7	

Question	Answer	Marks	Guidance
4	<p>Level 3 (5–6 marks) Describes the Curtis-Shapley debate AND describes the changing data which showed Curtis to have the correct interpretation Quality of written communication does not impede communication of the science at this level.</p> <p>Level 2 (3–4 marks) Describes the debate AND gives an example of data they used OR Describes debate AND gives an example of their interpretations OR Gives an example of their interpretations AND gives an example of the data they used Quality of written communication partly impedes communication of the science at this level.</p> <p>Level 1 (1–2 marks) Attempts to describe the Curtis-Shapley debate OR gives an example of either Curtis and / or Shapley's interpretation OR gives an example of the data that was used in the debate Quality of written communication impedes communication of the science at this level.</p> <p>Level 0 (0 marks) Insufficient or irrelevant science. Answer not worthy of credit.</p>	6	<p>This question is targeted at grades up to C</p> <p>Indicative scientific points may include:</p> <p>The debate</p> <ul style="list-style-type: none"> • Disagreement about (spiral) nebulae / fuzzy objects in the sky • Shapley – gas clouds • Curtis – systems of stars <p>ignore If Shapley and Curtis are reversed or not named.</p> <p>If response indicates debate between 'Curtis-Shapley' and Hubble, limit to Level 1.</p> <p>Allow Position of Sun in galaxy / Curtis has Sun at centre of galaxy / Shapley has Sun at edge</p> <p>The data</p> <ul style="list-style-type: none"> • Both agreed distance to nebulae (<i>Andromeda</i>) was very large / greater than any other star • Hubble provided new distance measurement / evidence from Cepheid variables • Curtis – (Hubble's method showed) distance to nebulae much too large to be inside the galaxy <p>The interpretations</p> <ul style="list-style-type: none"> • Shapley – the nebulae are inside the Milky Way / The Universe is one big galaxy • Curtis – the systems of stars are outside the Milky Way / Universe has more than one galaxy <p>Use the L1, L2, L3 annotations in Scoris; do not use ticks.</p>
	Total	6	

Question		Answer	Marks	Guidance
5	(a)	20900 20000	1	both required allow 20916 or 21000 for Bootes
	(b)	<p>any four from:</p> <p>galaxies spread out from big bang / galaxies in the same place at big bang / universe is expanding ;</p> <p>galaxies have travelled different distances ;</p> <p>all galaxies have travelled for the same time ;</p> <p>the further away a galaxy the greater its (recessional) velocity / speed ;</p> <p>calculation suggests age is greater than 14000 / is 20000 million years ago (ie gives different time) ;</p> <p>speed may not have been constant / galaxies have slowed down so time consistent with idea of 14000 million years ;</p> <p>slow down due to gravity / difficult to measure speeds / distances accurately</p>	4	ignore references to 'dark energy'
Total			5	

A183/02

Mark Scheme

June 2013

Question		Answer	Marks	Guidance
6	(a)	(3400) – 273 (1) 3127 (1)	2	allow 1 mark for 3673 (ie adds 273)
	(b)	any two from: (Sun fuses) hydrogen ; Hydrogen less positive OR Helium more positive ; Hydrogen less energy needed/easier to bring together OR Helium more energy needed/harder to bring together ; Higher energy linked to higher temperature needed for fusion / ORA	2	
	(c)	carbon <input type="checkbox"/> hydrogen <input checked="" type="checkbox"/> iron <input checked="" type="checkbox"/> nitrogen <input type="checkbox"/> oxygen <input type="checkbox"/>	2	
	(d)	blue giant <input type="checkbox"/> main sequence <input type="checkbox"/> proto star <input type="checkbox"/> supernova <input type="checkbox"/> white dwarf <input checked="" type="checkbox"/>	1	
Total			7	

Question	Answer	Marks	Guidance
7	<p>Level 3 (5–6 marks) Considers at least 2 advantages and 1 disadvantage OR 1 advantage and 2 disadvantages of ground or space based telescopes. Provide a balanced conclusion considering the effects of adaptive optics. Some conclusion is required level 3. Quality of written communication does not impede communication of the science at this level.</p> <p>Level 2 (3–4 marks) Gives at least 1 advantage AND 1 disadvantage of ground or space based telescopes. Draws a conclusion consistent with the advantage and disadvantage. Quality of written communication partly impedes communication of the science at this level.</p> <p>Level 1 (1–2 marks) Describes EITHER an advantage OR a disadvantage of ground or space based telescopes. Gives a conclusion, which may be unsupported. Quality of written communication impedes communication of the science at this level.</p> <p>Level 0 (0 marks) Insufficient or irrelevant science. Answer not worthy of credit.</p>	6	<p>This question is targeted at grades up to A</p> <p>Indicative scientific points may include:</p> <p>advantages for space based: (vice versa for Earth based):</p> <ul style="list-style-type: none"> • Provides clear/better/higher resolution images • avoids absorption and refraction effects of the atmosphere • clear skies/no clouds • No light pollution • Can use parts of e.m. spectrum absorbed by atmosphere. • Can see whole celestial sphere <p>disadvantages for space based (vice versa for Earth based):</p> <ul style="list-style-type: none"> • Cost argument, • difficult to maintain and repair, • environmental cost of space travel • uncertainties of space program. <p>conclusion: Ground based is now better due to adaptive optics however advantage limited as no other factors are affected.</p> <p>Use the L1, L2, L3 annotations in Scoris; do not use ticks.</p>
	Total	6	

A183/02

Mark Scheme

June 2013

Question			Answer	Marks	Guidance
8	(a)	(i)	Substitution: $\text{energy} = 3.90 \times 10^{26}$ (1) Rearrange: $m = E/c^2$ OR $m = 3.90 \times 10^{26} / (3 \times 10^8)^2$ (1) 4.3×10^9 (kg/s) (1)	3	3 marks for correct answer
		(ii)	time = $60 \times 60 \times 24 \times 365.25 \times 10^{10} = 3.2 \times 10^{17}$ seconds (1) time x answer to (ai) 1.4×10^{27} kg (1)	2	allow 365 days which gives 3.15×10^{17} Ecf from a(i) accept correct answer which when rounded is 1.4 or ecf
	(b)	(i)	2	1	
		(ii)	idea of conserving charge	1	
Total				7	

Question		Answer	Marks	Guidance	
9	(a)	<p>The time taken for the moon to return to the same position in the sky.</p> <p>24 hours.</p> <p>The time taken for a star to return to the same position in the sky.</p> <p>The time for the sun to return to the same position in the sky.</p>	<div style="display: flex; align-items: center;"> <div style="border: 1px solid black; width: 20px; height: 20px; margin-right: 5px;"></div> <div style="border: 1px solid black; width: 20px; height: 20px; margin-right: 5px;"></div> <div style="border: 1px solid black; width: 20px; height: 20px; margin-right: 5px; text-align: center;">✓</div> <div style="border: 1px solid black; width: 20px; height: 20px;"></div> </div>	1	
	(b)	<p>any two from:</p> <p>Angle ;</p> <p>Two (co-ordinates/values/angle) needed (may be implied by further detail) ;</p> <p>Reference to celestial sphere / declination / ascension</p>	2	<p>e.g. 'use declination and ascension' is 2 marks for 2nd and 3rd marking points.</p> <p>accept azimuth and altitude for declination and ascension</p>	
Total			3		

OCR (Oxford Cambridge and RSA Examinations)
1 Hills Road
Cambridge
CB1 2EU

OCR Customer Contact Centre

Education and Learning

Telephone: 01223 553998

Facsimile: 01223 552627

Email: general.qualifications@ocr.org.uk

www.ocr.org.uk

For staff training purposes and as part of our quality assurance programme your call may be recorded or monitored

Oxford Cambridge and RSA Examinations
is a Company Limited by Guarantee
Registered in England
Registered Office; 1 Hills Road, Cambridge, CB1 2EU
Registered Company Number: 3484466
OCR is an exempt Charity

OCR (Oxford Cambridge and RSA Examinations)
Head office
Telephone: 01223 552552
Facsimile: 01223 552553

© OCR 2013

